



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30310003-013  
**Harvest/Lot ID:** 0119 7164 8003 6433  
**Batch#:** 4672 3809 2172 0931  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility:** Tampa Processing  
**Distributor Facility:**  
**Source Facility:** Tampa Cultivation  
**Seed to Sale#** 0119 7164 8003 6433  
**Batch Date:** 02/08/23  
**Sample Size Received:** 15.5 gram  
**Total Amount:** 2760 units  
**Retail Product Size:** 0.5 gram  
**Ordered:** 03/09/23  
**Sampled:** 03/09/23  
**Completed:** 03/13/23  
**Sampling Method:** SOP.T.20.010

Mar 13, 2023 | FLUENT


82 NE 26th street  
Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals Solvents  
**PASSED**

Filtration  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**NOT TESTED**

Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**90.29%**

Total THC/Container : 451.45 mg


**Total CBD**
**0.586%**

Total CBD/Container : 2.93 mg


**Total Cannabinoids**
**95.05%**

Total Cannabinoids/Container : 475.25 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.227	0.072	0.586	ND	0.241	1.757	ND	0.689	0.568	ND	0.91
mg/unit	451.135	0.36	2.93	ND	1.205	8.785	ND	3.445	2.84	ND	4.55
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
0.1013g

Extraction date:  
03/10/23 11:28:46

Extracted by:  
3112,1665

**Analysis Method:** SOP.T.40.031, SOP.T.30.031  
**Analytical Batch:** DA057167POT  
**Instrument Used:** DA-LC-007  
**Running on:** 03/10/23 11:38:23

**Reviewed On:** 03/11/23 01:47:09  
**Batch Date:** 03/10/23 08:59:49

**Dilution:** 400  
**Reagent:** 030223.R11; 071222.01; 030223.R09  
**Consumables:** 280670723; CE0123; 61633-125C6-125E; R1KB14270  
**Pipette:** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30310003-013  
Harvest/Lot ID: 0119 7164 8003 6433

Batch# : 4672 3809 2172  
Sample Size Received : 15.5 gram  
Total Amount : 2760 units  
Sampled : 03/09/23  
Completed : 03/13/23 Expires: 03/13/24  
Ordered : 03/09/23  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.245	1.449		FARNESENE	0	0.08	0.016	
TOTAL TERPINEOL	0.007	<0.1	<0.02		ALPHA-HUMULENE	0.007	0.21	0.042	
ALPHA-BISABOLOL	0.007	<0.1	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.105	0.021		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.1	<0.02	
BETA-PINENE	0.007	0.115	0.023		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	4.165	0.833		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, S&amp;S, 1440Weight: 1.1136gExtraction date: 03/10/23 12:33:09Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 03/13/23 10:24:15</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Analytical Batch : DA057183TERBatch Date : 03/10/23 10:04:42</div>				
LIMONENE	0.007	0.645	0.129		<div>Instrument Used : DA-GCMS-005</div>				
EUCALYPTOL	0.007	ND	ND		<div>Running on : 03/10/23 16:23:30</div>				
OCIMENE	0.007	0.52	0.104		<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.007	ND	ND		<div>Reagent : N/A</div>				
SABINENE HYDRATE	0.007	ND	ND		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
TERPINOLENE	0.007	ND	ND		<div>Pipette : N/A</div>				
FENCHONE	0.007	ND	ND		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.007	0.505	0.101						
FENCHYL ALCOHOL	0.007	0.13	0.026						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.2	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.77	0.154						
Total (%)				1.449					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30310003-013

**Harvest/Lot ID:** 0119 7164 8003 6433

**Batch# :** 4672 3809 2172 0931

**Sampled :** 03/09/23

**Ordered :** 03/09/23


**Sample Size Received :** 15.5 gram

**Total Amount :** 2760 units

**Completed :** 03/13/23 **Expires:** 03/13/24

**Sample Method :** SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440      Weight: 0.2677g      Extraction date: 03/10/23 13:17:52      Extracted by: 3379					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057175PES      Reviewed On :03/13/23 08:48:04					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)      Batch Date :03/10/23 09:25:02					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on :03/10/23 13:19:03					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 030623.R01; 030823.R28; 030823.R27; 030923.R14; 022123.R33; 030823.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440      Weight: 0.2677g      Extraction date: 03/10/23 13:17:52      Extracted by: 3379					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057177VOL      Reviewed On :03/13/23 10:24:17					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-006      Batch Date :03/10/23 09:28:35					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on :03/10/23 13:54:18					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 040521.11; 031023.R02; 030923.R23; 030923.R24					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30310003-013

**Harvest/Lot ID:** 0119 7164 8003 6433

**Batch# :** 4672 3809 2172 0931

**Sampled :** 03/09/23

**Ordered :** 03/09/23

**Sample Size Received :** 15.5 gram

**Total Amount :** 2760 units

**Completed :** 03/13/23 **Expires:** 03/13/24

**Sample Method :** SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	<250
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

**Analyzed by:**  
 850, 585, 1440

**Weight:**  
 0.0235g

**Extraction date:**  
 03/10/23 16:06:04

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL

**Analytical Batch :** DA05721550L

**Instrument Used :** DA-GCMS-002

**Running on :** 03/13/23 12:18:32

**Reviewed On :** 03/13/23 12:30:15

**Batch Date :** 03/10/23 15:50:47

**Dilution :** 1

**Reagent :** 030420.09

**Consumables :** R2017.167; G201.062

**Pipette :** DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30310003-013

**Harvest/Lot ID:** 0119 7164 8003 6433

**Batch# :** 4672 3809 2172  
 0931

**Sampled :** 03/09/23

**Ordered :** 03/09/23




**Sample Size Received :** 15.5 gram

**Total Amount :** 2760 units

**Completed :** 03/13/23 **Expires:** 03/13/24

**Sample Method :** SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
<b>Analyzed by:</b> 3621, 3336, 585, 1440 <b>Weight:</b> 0.961g <b>Extraction date:</b> 03/10/23 10:53:54 <b>Extracted by:</b> 3336 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA057162MIC <b>Instrument Used :</b> PathogenDx Scanner DA-111 <b>Running on :</b> 03/10/23 12:10:31 <b>Dilution :</b> N/A <b>Reagent :</b> 011223.42; 072122.22; 030723.R28 <b>Consumables :</b> N/A <b>Pipette :</b> N/A						<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.2677g <b>Extraction date:</b> 03/10/23 13:17:52 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA057176MYC <b>Instrument Used :</b> N/A <b>Running on :</b> 03/10/23 13:19:30 <b>Dilution :</b> 250 <b>Reagent :</b> 030623.R01; 030823.R28; 030823.R27; 030923.R14; 022123.R33; 030823.R01; 040521.11 <b>Consumables :</b> 6697075-02 <b>Pipette :</b> DA-093; DA-094; DA-219					
<b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> 0.961g <b>Extraction date:</b> 03/10/23 10:51:33 <b>Extracted by:</b> 3336 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA057172TYM <b>Instrument Used :</b> Incubator (25-27C) DA-097 <b>Running on :</b> 03/10/23 11:56:31 <b>Dilution :</b> 10 <b>Reagent :</b> 011223.42; 013123.R21 <b>Consumables :</b> N/A <b>Pipette :</b> N/A						<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.4915g <b>Extraction date:</b> 03/10/23 10:29:46 <b>Extracted by:</b> 3619 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA057174HEA <b>Instrument Used :</b> DA-ICPMS-003 <b>Running on :</b> 03/11/23 09:31:07 <b>Dilution :</b> 50 <b>Reagent :</b> 021723.R02; 123022.R14; 030323.R46; 030623.R30; 030323.R44; 030323.R45; 030123.R46; 022323.R22; 020123.02 <b>Consumables :</b> 179436; 210508058; 12607-302CC-302 <b>Pipette :</b> DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30310003-013

**Harvest/Lot ID:** 0119 7164 8003 6433

**Batch# :** 4672 3809 2172 0931

**Sampled :** 03/09/23

**Ordered :** 03/09/23

**Sample Size Received :** 15.5 gram

**Total Amount :** 2760 units

**Completed :** 03/13/23 **Expires:** 03/13/24

**Sample Method :** SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.1	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA057213FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Running on :** 03/10/23 20:26:32

**Reviewed On :** 03/10/23 20:54:08

**Batch Date :** 03/10/23 15:19:53

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.01	aw	0.471	<b>PASS</b>	0.85

<b>Analyzed by:</b> 2926, 585, 1440	<b>Weight:</b> 0.416g	<b>Extraction date:</b> 03/10/23 12:51:47	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA057191WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Running on :** 03/10/23 12:51:12

**Reviewed On :** 03/10/23 14:14:15

**Batch Date :** 03/10/23 10:54:01

**Dilution :** N/A

**Reagent :** 100522.09

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.