



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30311007-003
Harvest/Lot ID: 5235 0308 0328 7035
Batch#: 6822 7980 1468 7627
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 5235 0308 0328 7035
Batch Date: 01/26/23
Sample Size Received: 16 gram
Total Amount: 1455 units
Retail Product Size: 1 gram
Ordered: 03/11/23
Sampled: 03/11/23
Completed: 03/14/23
Sampling Method: SOP.T.20.010







Mar 14, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 1665, 585, 1440 Weight: 0.1047g Extraction date: 03/13/23 09:59:44 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA057244POT
 Instrument Used : DA-LC-007
 Running on : 03/13/23 10:01:24

Reviewed On : 03/14/23 12:28:49
 Batch Date : 03/11/23 16:04:34

Dilution : 400
 Reagent : 071222.01; 031323.R08; 031323.R06
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30311007-003
Harvest/Lot ID: 5235 0308 0328 7035

Batch# : 6822 7980 1468
Sample Size Received : 16 gram
Total Amount : 1455 units
Completed : 03/14/23 **Expires:** 03/14/24
Ordered : 03/11/23 **Sample Method :** SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	11.47	1.147		FARNESENE		0.43	0.043	
TOTAL TERPENEOL	0.007	0.21	0.021		ALPHA-HUMULENE	0.007	<2	<0.02	
ALPHA-BISABOLOL	0.007	<0.2	<0.02		VALENCENE	0.007	0.43	0.043	
ALPHA-PINENE	0.007	0.47	0.047		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<2	<0.02	
BETA-PINENE	0.007	0.65	0.065		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.22	0.122		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.36	0.036		<div>Analyzed by: 2076, S&S, 1440Weight: 0.8629gExtraction date: 03/13/23 10:30:32Extracted by: 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA057273TERInstrument Used : DA-GCMS-004Running on : 03/13/23 14:52:12</div> <div>Dilution : 10Reagent : 121622.26Consumables : 210414634; MKCN9995; CE0123; R1KB14270Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.007	<0.2	<0.02						
ALPHA-TERPINENE	0.007	<0.2	<0.02						
LIMONENE	0.007	1.17	0.117						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	0.9	0.09						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	3.74	0.374						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.24	0.024						
FENCHYL ALCOHOL	0.007	<0.2	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.2	<0.02						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.65	0.165						
Total (%)1.147									



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30311007-003
 Harvest/Lot ID: 5235 0308 0328 7035

 Batch# : 6822 7980 1468
 7627
 Sample Size Received : 16 gram
 Total Amount : 1455 units
 Completed : 03/14/23 Expires: 03/14/24
 Ordered : 03/11/23
 Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379, 1440	Weight: 0.2677g	Extraction date: 03/13/23 11:30:24	Extracted by: 585		
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057260PES			Reviewed On : 03/14/23 11:38:45		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/12/23 17:19:17		
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Running on : 03/13/23 12:58:15					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 030623.R01; 030823.R28; 031023.R02; 030923.R14; 022123.R33; 030823.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2677g	Extraction date: 03/13/23 11:30:24	Extracted by: 585		
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057264VOL			Reviewed On : 03/14/23 11:32:14		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 03/12/23 17:31:51		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Running on : 03/13/23 13:10:00					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 031023.R02; 040521.11; 030923.R23; 030923.R24					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30311007-003

Harvest/Lot ID: 5235 0308 0328 7035

Batch# : 6822 7980 1468 7627

Sampled : 03/11/23

Ordered : 03/11/23

Sample Size Received : 16 gram

Total Amount : 1455 units

Completed : 03/14/23 **Expires:** 03/14/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0253g

Extraction date:
 03/14/23 14:39:37

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA057293SOL

Instrument Used : DA-GCMS-002

Running on : 03/14/23 15:17:23

Reviewed On : 03/14/23 15:28:29

Batch Date : 03/13/23 15:20:33

Dilution : 1

Reagent : 030420.09

Consumables : G201.062; KF140

Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30311007-003
Harvest/Lot ID: 5235 0308 0328 7035

Batch# : 6822 7980 1468
Sample Size Received : 16 gram
Total Amount : 1455 units
Completed : 03/14/23 **Expires:** 03/14/24
Ordered : 03/11/23 **Sample Method :** SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3621, 585, 1440 Weight: 1.073g Extraction date: N/A Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057232MIC Instrument Used : PathogenDx Scanner DA-111 Running on : 03/11/23 16:04:27 Dilution : N/A Reagent : 011223.36; 072122.22; 020123.R55 Consumables : N/A Pipette : N/A					

Analyzed by: 3390, 3621, 585, 1440	Weight: 1.073g	Extraction date: N/A	Extracted by: 3621,3390
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057252TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 03/13/23 13:33:43 Dilution : 10 Reagent : 011223.36; 013123.R21 Consumables : N/A Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 585, 3379, 1440 Weight: 0.2677g Extraction date: 03/13/23 11:30:24 Extracted by: 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057263MYC Instrument Used : N/A Running on : 03/13/23 12:58:21 Dilution : 250 Reagent : 030623.R01; 030823.R28; 031023.R02; 030923.R14; 022123.R33; 030823.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440	Weight: 0.4101g	Extraction date: 03/13/23 09:30:53	Extracted by: 3619,1022
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057271HEA Instrument Used : DA-ICPMS-003 Running on : 03/13/23 13:32:07 Dilution : 50 Reagent : 021723.R02; 123022.R14; 031023.R25; 030623.R30; 031023.R23; 031023.R24; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216			

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30311007-003

Harvest/Lot ID: 5235 0308 0328 7035

Batch# : 6822 7980 1468 7627

Sampled : 03/11/23

Ordered : 03/11/23

Sample Size Received : 16 gram

Total Amount : 1455 units

Completed : 03/14/23 **Expires:** 03/14/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057250FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/11/23 22:14:43

Reviewed On : 03/11/23 22:18:50

Batch Date : 03/11/23 22:14:12

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.502	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.48g	Extraction date: 03/13/23 10:40:48	Extracted by: 2926
--	-------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057234WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/13/23 09:32:48

Reviewed On : 03/13/23 11:20:18

Batch Date : 03/11/23 12:20:46

Dilution : N/A

Reagent : 111621.17

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.