



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30314003-001
Harvest/Lot ID: 4523 8952 6822 1676
Batch#: 5547 6654 2259 2341
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 4523 8952 6822 1676
Batch Date: 02/02/23
Sample Size Received: 900 gram
Total Amount: 4478 units
Retail Product Size: 62.0084 gram
Ordered: 03/13/23
Sampled: 03/13/23
Completed: 03/16/23
Sampling Method: SOP.T.20.010

Mar 16, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.156%

Total THC/Container : 96.733 mg



Total CBD

ND

Total CBD/Container : 0 mg



Total Cannabinoids

0.164%

Total Cannabinoids/Container : 101.694 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.156	ND	ND	ND	ND	0.005	ND	0.003	ND	ND	ND
mg/unit	96.733	ND	ND	ND	ND	3.1	ND	1.86	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 3379

Weight:
2.9436g

Extraction date:
03/14/23 11:46:38

Extracted by:
3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA057318POT
Instrument Used : DA-LC-007
Running on : 03/14/23 12:29:38

Reviewed On : 03/15/23 11:43:50
Batch Date : 03/14/23 10:00:07

Dilution : 40
Reagent : 030123.01; 031323.R08; 070122.11; 070621.18; 031323.R06
Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30314003-001
 Harvest/Lot ID: 4523 8952 6822 1676

 Batch# : 5547 6654 2259 Sample Size Received : 900 gram
 2341 Total Amount : 4478 units
 Sampled : 03/13/23 Completed : 03/16/23 Expires: 03/16/24
 Ordered : 03/13/23 Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	585, 3379	0.8569g	03/14/23 14:03:01	585,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057307PES			Reviewed On : 03/15/23 10:50:01		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/14/23 09:28:16		
FENHEXAMID	0.01	ppm	3	PASS	ND	Running on : 03/14/23 15:29:48					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 030823.R28; 031323.R01; 031023.R02; 030923.R14; 022123.R33; 030823.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 3379	0.8569g	N/A	450,585		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA057310VOL			Reviewed On : 03/15/23 10:46:06		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 03/14/23 09:33:02		
METALAXYL	0.01	ppm	3	PASS	ND	Running on : 03/15/23 10:18:02					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 031023.R02; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30314003-001

Harvest/Lot ID: 4523 8952 6822 1676

Batch# : 5547 6654 2259 2341

Sampled : 03/13/23

Ordered : 03/13/23

Sample Size Received : 900 gram

Total Amount : 4478 units

Completed : 03/16/23 **Expires:** 03/16/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 3379

Weight:
 0.0221g

Extraction date:
 03/15/23 10:37:53

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA057333SOL

Instrument Used : DA-GCMS-002

Running on : 03/15/23 10:46:24

Reviewed On : 03/15/23 11:37:37

Batch Date : 03/14/23 15:51:31

Dilution : 1

Reagent : 030420.09

Consumables : G201.062; G201.120

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30314003-001

Harvest/Lot ID: 4523 8952 6822 1676

Batch# : 5547 6654 2259 2341

Sampled : 03/13/23

Ordered : 03/13/23



Sample Size Received : 900 gram


Total Amount : 4478 units

Completed : 03/16/23 **Expires:** 03/16/24

Sample Method : SOP.T.20.010

Page 4 of 5

<div>MicrobialPASSED</div>						<div>MycotoxinsPASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 585, 3379	Weight: 1.0811g	Extraction date: 03/14/23 10:26:58	Extracted by: 3621,3390			Analyzed by: 585, 3379, 53	Weight: 0.8569g	Extraction date: N/A	Extracted by: 585,450		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA057296MIC						Analytical Batch : DA057309MYC					
Instrument Used : PathogenDx Scanner DA-111						Instrument Used : DA-LCMS-003 (MYC)					
Running on : 03/14/23 11:42:32						Running on : 03/14/23 15:29:54					
Dilution : 1						Dilution : 250					
Reagent : 011223.38; 030723.R28; 072122.22						Reagent : 030823.R28; 031323.R01; 031023.R02; 030923.R14; 022123.R33; 030823.R01; 040521.11					
Consumables : N/A						Consumables : 6697075-02					
Pipette : N/A						Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

<div>Heavy MetalsPASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	2
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 53, 3379, 585	Weight: 0.5332g	Extraction date: 03/14/23 11:21:51	Extracted by: 3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA057306HEA			Reviewed On : 03/15/23 07:50:46		
Instrument Used : DA-ICPMS-003			Batch Date : 03/14/23 09:28:00		
Running on : 03/14/23 14:04:58					
Dilution : 50					
Reagent : 021723.R02; 123022.R14; 031023.R25; 030623.R30; 031023.R23; 031023.R24; 030123.R46; 022323.R22; 020123.02					
Consumables : 179436; 210508058; 12607-302CC-302					
Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30314003-001
 Harvest/Lot ID: 4523 8952 6822 1676

 Batch# : 5547 6654 2259 2341
 Sample Size Received : 900 gram
 Total Amount : 4478 units
 Completed : 03/16/23 Expires: 03/16/24
 Ordered : 03/13/23 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 3379	NA	N/A	N/A

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA057358FIL
 Instrument Used : Filth/Foreign Material Microscope
 Running on : 03/15/23 15:23:31

 Reviewed On : 03/15/23 15:36:17
 Batch Date : 03/15/23 09:48:24

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.542	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 3379	5.665g	03/14/23 14:38:44	2926

 Analysis Method : SOP.T.40.019
 Analytical Batch : DA057322WAT
 Instrument Used : DA-028 Rotronic HygroPalm
 Running on : 03/14/23 11:21:17

 Reviewed On : 03/14/23 15:35:05
 Batch Date : 03/14/23 10:27:36

 Dilution : N/A
 Reagent : 100522.09
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	7.358	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3335, 585, 3379	6.246g	03/14/23 10:42:18	3335

 Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
 Analytical Batch : DA057297HOM
 Instrument Used : DA-LC-004
 Running on : 03/14/23 10:47:00
 Reviewed On : 03/15/23 11:42:02
 Batch Date : 03/14/23 07:53:39

 Dilution : 40
 Reagent : 030123.01; 071222.46; 022823.R10
 Consumables : 947.109; 245081; CE0123; 115C4-1151; 12607-302CC-302; 61633-125C6-125E; R1KB14270
 Pipette : N/A

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.