



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA30314003-002
Harvest/Lot ID: HYB-BC-011623-C0072
Batch#: 6467 2375 7023 3867
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 1486 7593 1850 6404
Batch Date: 01/02/23
Sample Size Received: 27 gram
Total Amount: 1616 units
Retail Product Size: 1.5 gram
Ordered: 03/13/23
Sampled: 03/13/23
Completed: 03/16/23
Sampling Method: SOP.T.20.010

Mar 16, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents NOT TESTED	Filtration PASSED	Water Activity PASSED	Moisture PASSED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 3112, 1665, 585, 3379 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA057317POT Instrument Used : DA-LC-002 Running on : 03/14/23 12:06:24	Weight: 0.2017g	Extraction date: 03/14/23 11:48:50 Reviewed On : 03/15/23 11:42:08 Batch Date : 03/14/23 09:59:45	Extracted by: 3112
Dilution : 400 Reagent : 071222.01; 030223.R09; 031323.R05 Consumables : 245081; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30314003-002
Harvest/Lot ID: HYB-BC-011623-C0072

Batch# : 6467 2375 7023 3867
Sample Size Received : 27 gram
Total Amount : 1616 units
Completed : 03/16/23 Expires: 03/16/24
Ordered : 03/13/23 Sample Method : SOP.T.20.010

Page 2 of 5



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30314003-002
 Harvest/Lot ID: HYB-BC-011623-C0072

 Batch# : 6467 2375 7023 Sample Size Received : 27 gram
 3867 Total Amount : 1616 units
 Sampled : 03/13/23 Completed : 03/16/23 Expires: 03/16/24
 Ordered : 03/13/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 585, 3379	Weight: 1.0801g	Extraction date: 03/14/23 14:01:26	Extracted by: 585,450		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057312PES			Reviewed On : 03/15/23 11:39:18		
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/14/23 09:34:48		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on : 03/14/23 15:29:44					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 030823.R28; 031323.R01; 031023.R02; 030923.R14; 022123.R33; 030823.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 53, 3379, 585	Weight: 1.0801g	Extraction date: 03/14/23 14:01:26	Extracted by: 585,450		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057314VOL			Reviewed On : 03/15/23 10:55:57		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 03/14/23 09:37:49		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Running on : N/A					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.01	ppm	0.2	PASS	ND	Reagent : 031023.R02; 040521.11; 030923.R23; 030923.R24					
METALAXYL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis



PASSED
FLUENT


 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30314003-002
Harvest/Lot ID: HYB-BC-011623-C0072

Batch# : 6467 2375 7023
Sample Size Received : 27 gram
Total Amount : 1616 units
Completed : 03/16/23 **Expires:** 03/16/24
Ordered : 03/13/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

<div> Microbial</div> <div>PASSED</div>						<div><div></div> Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	5000	PASS	100000						
Analyzed by: 3336, 585, 3379	Weight: 0.9438g	Extraction date: 03/14/23 10:26:58	Extracted by: 3621,3390			Analyzed by: 585, 3379	Weight: 1.0801g	Extraction date: 03/14/23 14:01:26	Extracted by: 585,450		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA057296MIC						Analytical Batch : DA057313MYC					
Instrument Used : PathogenDx Scanner DA-111						Reviewed On : 03/15/23 11:40:06					
Running on : 03/14/23 11:42:32						Batch Date : 03/14/23 09:37:44					
Dilution : 1						Running on : 03/14/23 15:29:53					
Reagent : 011223.38; 030723.R28; 072122.22						Dilution : 250					
Consumables : N/A						Reagent : 030823.R28; 031323.R01; 031023.R02; 030923.R14; 022123.R33; 030823.R01; 040521.11					
Pipette : N/A						Consumables : 6697075-02					
						Pipette : DA-093; DA-094; DA-219					
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 3621, 585, 3379						Analyzed by: 1022, 585, 3379					
Weight: 0.9438g						Weight: 0.4419g					
Extraction date: 03/14/23 10:26:58						Extraction date: 03/14/23 09:37:59					
Extracted by: 3621,3336,3390						Extracted by: 1022,3619					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA057325TYM						Analytical Batch : DA057304HEA					
Instrument Used : Incubator (25-27C) DA-097						Instrument Used : DA-ICPMS-003					
Running on : 03/14/23 11:41:51						Running on : 03/14/23 14:05:30					
Dilution : 1000						Dilution : 50					
Reagent : 011223.38; 013123.R21						Reagent : 021723.R02; 123022.R14; 031023.R25; 030623.R30; 031023.R23; 031023.R24; 030123.R46; 022323.R22; 020123.02					
Consumables : N/A						Consumables : 179436; 210508058; 12607-302CC-302					
Pipette : N/A						Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

<div><div></div> Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.1	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2

<div><div><div>Hg</div></div></div> Heavy Metals			PASSED		
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.1	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3379	Weight: 0.4419g	Extraction date: 03/14/23 09:37:59		Extracted by: 1022,3619	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA057304HEA			Reviewed On : 03/15/23 11:43:01		
Instrument Used : DA-ICPMS-003			Batch Date : 03/14/23 09:11:57		
Running on : 03/14/23 14:05:30					
Dilution : 50					
Reagent : 021723.R02; 123022.R14; 031023.R25; 030623.R30; 031023.R23; 031023.R24; 030123.R46; 022323.R22; 020123.02					
Consumables : 179436; 210508058; 12607-302CC-302					
Pipette : DA-061; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30314003-002
Harvest/Lot ID: HYB-BC-011623-C0072

Batch# : 6467 2375 7023
Sample Size Received : 27 gram
Total Amount : 1616 units
Completed : 03/16/23 **Expires:** 03/16/24
Ordered : 03/13/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1
Analyzed by: 1879, 3379	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090			Reviewed On : 03/15/23 15:36:54 Batch Date : 03/15/23 15:20:04		
Analytical Batch : DA057384FIL					
Instrument Used : Filth/Foreign Material Microscope			Running on : 03/15/23 15:23:38		
Running on : 03/15/23 15:23:38					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.52	PASS	0.65
Analyzed by: 2926, 585, 3379	Weight: 0.681g	Extraction date: 03/14/23 12:21:42		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 03/14/23 14:12:03		
Analytical Batch : DA057269WAT					
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 03/13/23 08:52:36		
Running on : 03/13/23 09:39:14					
Dilution : N/A					
Reagent : 100522.09					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	10.79	PASS	15
Analyzed by: 2926, 585, 3379	Weight: 0.492g	Extraction date: 03/14/23 12:43:51		Extracted by: 2926	
Analysis Method : SOP.T.40.021					
Analytical Batch : DA057270MOI			Reviewed On : 03/14/23 14:12:02		
Instrument Used : DA-003 Moisture Analyzer			Batch Date : 03/13/23 09:02:56		
Running on : 03/13/23 09:44:07					
Dilution : N/A					
Reagent : 101920.06; 020123.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.