



# Certificate of Analysis


## COMPLIANCE FOR RETAIL

**Sample: DA30316004-005**
**Harvest/Lot ID: 8582 2139 5730 6943**
**Batch#: 8582 2139 5730 6943**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility: Tampa Processing**
**Distributor Facility:**
**Source Facility: Tampa Processing**
**Seed to Sale# 2898 3823 3418 0793**
**Batch Date: 02/03/23**
**Sample Size Received: 16 gram**
**Total Amount: 972 units**
**Retail Product Size: 1 gram**
**Ordered: 03/15/23**
**Sampled: 03/15/23**
**Completed: 03/18/23**
**Sampling Method: SOP.T.20.010**
**Mar 18, 2023 | FLUENT**

82 NE 26th street  
Miami, FL, 33137, US

**PASSED**
**Pages 1 of 6**
**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides  
PASSED**

**Heavy Metals  
PASSED**

**Microbials  
PASSED**

**Mycotoxins  
PASSED**

**Residuals Solvents  
PASSED**

**Filtration  
PASSED**

**Water Activity  
PASSED**

**Moisture  
NOT TESTED**

**Terpenes  
TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**80.19%**
**Total THC/Container: 801.9 mg**

**Total CBD**
**0.21%**
**Total CBD/Container: 2.1 mg**

**Total Cannabinoids**
**84.302%**
**Total Cannabinoids/Container: 843.02 mg**

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	80.106	0.096	0.21	ND	0.373	1.314	ND	0.83	0.394	ND	0.979
mg/unit	801.06	0.96	2.1	ND	3.73	13.14	ND	8.3	3.94	ND	9.79
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

**Analyzed by:**  
3112, 585, 3963

**Weight:**  
0.0926g

**Extraction date:**  
03/16/23 12:00:13

**Extracted by:**  
1665

**Analysis Method:** SOP.T.40.031, SOP.T.30.031  
**Analytical Batch:** DA057397POT  
**Instrument Used:** DA-LC-007  
**Running on:** 03/17/23 09:34:53

**Reviewed On:** 03/17/23 09:59:18  
**Batch Date:** 03/16/23 08:40:28

**Dilution:** 400  
**Reagent:** 031323.R08; 071222.01; 031323.R06  
**Consumables:** 280670723; CE0123; 61633-125C6-125E; R1KB14270  
**Pipette:** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**


FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30316004-005  
 Harvest/Lot ID: 8582 2139 5730 6943

 Batch# : 8582 2139 5730  
 Sample Size Received : 16 gram  
 Total Amount : 972 units  
 Completed : 03/18/23 Expires: 03/18/24  
 Ordered : 03/15/23  
 Sample Method : SOP.T.20.010

Page 2 of 6



# Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	15.17	1.517		FARNESENE		0.14	0.014	
TOTAL TERPENEOL	0.007	<0.2	<0.02		ALPHA-HUMULENE	0.007	0.93	0.093	
ALPHA-BISABOLOL	0.007	4.94	0.494		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.15	0.115		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	0.28	0.028	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.52	0.052		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	2.87	0.287		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 3963Weight: 0.9228gExtraction date: 03/16/23 11:50:43Extracted by: 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA057408TERInstrument Used : DA-GCMS-005Running on : 03/16/23 16:03:20</div> <div>Dilution : 10Reagent : 121622.26Consumables : 210414634; MKCN9995; CE0123; R1KB14270Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.2	0.12						
EUCALYPTOL	0.007	ND	ND		<div>Reviewed On : 03/18/23 16:31:44Batch Date : 03/16/23 09:50:34</div>				
OCIMENE	0.007	0.35	0.035						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.48	0.048						
FENCHYL ALCOHOL	0.007	0.21	0.021						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	2.1	0.21						
Total (%)			1.517						



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30316004-005

Harvest/Lot ID: 8582 2139 5730 6943

Batch# : 8582 2139 5730 6943

Sampled : 03/15/23

Ordered : 03/15/23

Sample Size Received : 16 gram

Total Amount : 972 units

Completed : 03/18/23 Expires: 03/18/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

Analyzed by: 3379, 585, 3963 Weight: 0.2546g Extraction date: 03/16/23 13:53:19 Extracted by: 585,3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA057411PES

Instrument Used : DA-LCMS-003 (PES)

Running on : 03/16/23 13:56:54

Reviewed On : 03/17/23 11:49:43

Batch Date : 03/16/23 09:52:02

Dilution : 250

Reagent : 031323.R01; 031423.R23; 031423.R24; 030923.R14; 022123.R33; 031523.R01; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 3963 Weight: 0.2546g Extraction date: 03/16/23 13:53:19 Extracted by: 585,3379

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA057419VOL

Instrument Used : DA-GCMS-001

Running on : 03/16/23 15:09:13

Reviewed On : 03/17/23 11:49:08

Batch Date : 03/16/23 10:18:22

Dilution : 250

Reagent : 031423.R24; 040521.11; 030923.R23; 030923.R24

Consumables : 6697075-02; 14725401

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30316004-005

**Harvest/Lot ID:** 8582 2139 5730 6943

**Batch# :** 8582 2139 5730 6943

**Sampled :** 03/15/23

**Ordered :** 03/15/23

**Sample Size Received :** 16 gram

**Total Amount :** 972 units

**Completed :** 03/18/23 **Expires:** 03/18/24

**Sample Method :** SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

**Analyzed by:**  
 850, 585, 3963

**Weight:**  
 0.0222g

**Extraction date:**  
 03/17/23 14:21:12

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL

**Analytical Batch :** DA05744850L

**Instrument Used :** DA-GCMS-002

**Running on :** 03/17/23 14:32:21

**Reviewed On :** 03/17/23 14:58:55

**Batch Date :** 03/16/23 14:06:18

**Dilution :** 1

**Reagent :** 030420.09

**Consumables :** R2017.167; G201.120

**Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30316004-005

**Harvest/Lot ID:** 8582 2139 5730 6943

**Batch# :** 8582 2139 5730 6943

**Sampled :** 03/15/23

**Ordered :** 03/15/23




**Sample Size Received :** 16 gram

**Total Amount :** 972 units

**Completed :** 03/18/23 **Expires:** 03/18/24

**Sample Method :** SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS							
<b>TOTAL YEAST AND MOLD</b>	10	CFU/g	<10	PASS	100000						
<b>Analyzed by:</b> 3390, 3336, 585, 3963 <b>Weight:</b> 1.0254g <b>Extraction date:</b> 03/16/23 11:21:31 <b>Extracted by:</b> 3390 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA057393MIC <b>Instrument Used :</b> PathogenDx Scanner DA-111 <b>Running on :</b> 03/16/23 13:52:21 <b>Dilution :</b> N/A <b>Reagent :</b> 011223.33; 031423.R29; 072122.22 <b>Consumables :</b> 7558002055 <b>Pipette :</b> N/A						<b>Analyzed by:</b> 3379, 585, 3963 <b>Weight:</b> 0.2546g <b>Extraction date:</b> 03/16/23 13:53:19 <b>Extracted by:</b> 585,3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA057418MYC <b>Instrument Used :</b> N/A <b>Running on :</b> 03/16/23 13:57:16 <b>Dilution :</b> 250 <b>Reagent :</b> 031323.R01; 031423.R23; 031423.R24; 030923.R14; 022123.R33; 031523.R01; 040521.11 <b>Consumables :</b> 6697075-02 <b>Pipette :</b> DA-093; DA-094; DA-219					
<b>Analyzed by:</b> 3390, 3336, 585, 3963 <b>Weight:</b> 1.0254g <b>Extraction date:</b> N/A <b>Extracted by:</b> 3390 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA057413TYM <b>Instrument Used :</b> Incubator (25-27C) DA-096 <b>Running on :</b> 03/16/23 14:18:29 <b>Dilution :</b> 10 <b>Reagent :</b> 011223.33; 013123.R21 <b>Consumables :</b> N/A <b>Pipette :</b> N/A						<b>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
						 <b>Heavy Metals</b> <b>PASSED</b>					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
<b>TOTAL CONTAMINANT LOAD METALS</b>	0.11	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.05	ppm	ND	PASS	0.5						
<b>Analyzed by:</b> 1022, 585, 3963 <b>Weight:</b> 0.2021g <b>Extraction date:</b> 03/16/23 11:24:17 <b>Extracted by:</b> 1022,3619 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA057406HEA <b>Instrument Used :</b> DA-ICPMS-003 <b>Running on :</b> N/A <b>Dilution :</b> 50 <b>Reagent :</b> 031423.R28; 031423.R18; 031023.R25; 031523.R45; 031023.R23; 031023.R24; 030123.R46; 022323.R22; 020123.02 <b>Consumables :</b> 179436; 210508058; 12607-302CC-302 <b>Pipette :</b> DA-061; DA-216						<b>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30316004-005

**Harvest/Lot ID:** 8582 2139 5730 6943

**Batch# :** 8582 2139 5730 6943

**Sampled :** 03/15/23

**Ordered :** 03/15/23

**Sample Size Received :** 16 gram

**Total Amount :** 972 units

**Completed :** 03/18/23 **Expires:** 03/18/24

**Sample Method :** SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.1	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879, 3963	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA057508FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Running on :** 03/17/23 14:36:20

**Reviewed On :** 03/17/23 14:48:10

**Batch Date :** 03/17/23 14:27:25

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.01	aw	0.82	<b>TESTED</b>	

<b>Analyzed by:</b> 2926, 585, 3963	<b>Weight:</b> 0.515g	<b>Extraction date:</b> 03/16/23 14:48:06	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA057437WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Running on :** 03/16/23 14:45:58

**Reviewed On :** 03/16/23 15:16:05

**Batch Date :** 03/16/23 11:13:51

**Dilution :** N/A

**Reagent :** 100522.09

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.