

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

# **Certificate of Analysis**

**COMPLIANCE FOR RETAIL** 

Mar 18, 2023 | FLUENT 82 NE 26th street Miami, FL, 33137, US



### **Kaycha Labs**

Vela Drops 30g N/A



Matrix: Derivative

Sample: DA30316004-006 Harvest/Lot ID: 1202 1781 0344 1580

Batch#: 1202 1781 0344 1580

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Distributor Facility:** 

**Source Facility: Tampa Processing** Seed to Sale# 6184 8332 3166 8999

Batch Date: 12/27/22

Sample Size Received: 180 gram

Total Amount: 1210 units Retail Product Size: 30 gram

Ordered: 03/15/23 Sampled: 03/15/23 Completed: 03/18/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS









Heavy Metals PASSED



Microbials

Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity PASSED



Moisture NOT TESTED



MISC.

NOT TESTED



#### Cannabinoid

**PASSED** 



**Total THC** 

0.386%

Total THC/Container: 115.8 mg



**Total CBD** 

Total CBD/Container: 478.2 mg

Reviewed On: 03/17/23 09:59:26 Batch Date: 03/16/23 08:40:28



**Total Cannabinoids** 

Total Cannabinoids/Container : 627.9 mg

D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC % 0.384 0.003 1.58 0.017 ND 0.038 ND 0.009 ND ND 0.062 mg/unit 115.2 0.9 474 5.1 ND 11.4 ND 2.7 ND ND 18.6 LOD 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001								
	%							

Extracted by: 1665 Extraction date: 03/16/23 12:00:18 Analyzed by: 3112, 585, 3963

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA057397POT Instrument Used: DA-LC-007 Running on: 03/17/23 09:34:53

Dilution: 400
Reagent: 031323.R08; 071222.01; 031323.R06
Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/18/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

#### Kaycha Labs

Vela Drops 30g

Matrix : Derivative



# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30316004-006 Harvest/Lot ID: 1202 1781 0344 1580

Batch#: 1202 1781 0344

Sampled: 03/15/23 Ordered: 03/15/23

Sample Size Received: 180 gram Total Amount: 1210 units Completed: 03/18/23 Expires: 03/18/24 Sample Method: SOP.T.20.010

**PASSED** 

Page 2 of 5



#### **Pesticides**

**PASSED** 

esticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL			ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET		0.01	ppm	0.2	PASS	ND
TAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
TAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN		0.01	ppm	0.4	PASS	ND
TAL SPINOSAD	0.01	ppm	3	PASS	ND					1	PASS	ND
AMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPICONAZOLE		0.01	ppm	_		
EPHATE	0.01	ppm	3	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
EQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN		0.01	ppm	3	PASS	ND
ETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN		0.01	ppm	3	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	3	PASS	ND
OXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
ENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE		0.01	ppm	1	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
SCALID	0.01	ppm	3	PASS	ND			0.01	ppm	1	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM TRIFLOXYSTROBIN		0.01	ppm	3	PASS	ND
RBOFURAN	0.01	ppm	0.1	PASS	ND			0.01				
ILORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *			PPM	0.2	PASS	ND
LORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
LORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	3	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *		0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		ion date:	A	Extracted	h
ИЕТНОАТЕ	0.01	ppm	0.1	PASS	ND		0.2694g		3 13:53:19		585,3379	by:
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.10				(Davie) SOP		Gainesvi
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	Zii E (Guii esvi	, 501	.50.1022	(burie), boi		oucov.
OXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch: DA057411P				On:03/17/2		
NHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LCMS-0			Batch Dat	<b>e</b> :03/16/23	09:52:02	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on: 03/16/23 13:56:5	4					
NPYROXIMATE	0.01	ppm	2	PASS	ND	<b>Dilution</b> : 250	2 222 221 422	D24 0200	22 014 02	2122 022 0	21522 001 0	10501 11
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 031323.R01; 03142 Consumables: 6697075-02	3.R23; 031423	.R24; 0309	923.R14; U2	2123.R33; U.	31523.R01; 04	10521.11
ONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-	219					
UDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass				SS		
XYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance with			Cilioniacog	aprij mpie (	quadrapore ria	
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Veight:	Extraction	on date:		Extracted	by:
IDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 3963	).2694g	03/16/23	13:53:19		585,3379	
ESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method: SOP.T.30.15						
LATHION	0.01	ppm	2	PASS	ND	Analytical Batch: DA057419V				:03/17/23 1		
TALAXYL	0.01	ppm	3	PASS	ND	Instrument Used :DA-GCMS-001 Batch Date :03/16/23 10:18:22						
THIOCARB	0.01	ppm	0.1	PASS	ND	Running on :03/16/23 15:09:13						
THOMYL	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 031423.R24; 04052	1 11 1030923	23. 03002	3 R24			
VINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 1		.23, 03032	.5.1124			
CLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-						
	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is	C 1 122			- les Tales Is On	1 1 14	C

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/18/23



**DAVIE, FL, 33314, US** 

### Kaycha Labs

Vela Drops 30g

Matrix : Derivative



# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample : DA30316004-006 Harvest/Lot ID: 1202 1781 0344 1580

Sampled: 03/15/23 Ordered: 03/15/23

Sample Size Received: 180 gram Total Amount: 1210 units Completed: 03/18/23 Expires: 03/18/24

Sample Method: SOP.T.20.010

### PASSED

Page 3 of 5



## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 3963	<b>Weight:</b> 0.0226g	Extraction date: 03/17/23 14:21:			Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch: DA057448SOL Instrument Used : DA-GCMS-002

Reagent: 030420.09
Consumables: R2017.167; G201.120
Pipette: DA-309 25 uL Syringe 35028

Running on: 03/17/23 14:32:21

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

Reviewed On: 03/17/23 14:58:58

Batch Date: 03/16/23 14:06:18

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/18/23



**DAVIE, FL, 33314, US** 

#### Kaycha Labs

Vela Drops 30g

N/A Matrix : Derivative



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30316004-006 Harvest/Lot ID: 1202 1781 0344 1580

Reviewed On: 03/17/23 12:24:53

Batch Date: 03/16/23 08:01:56

Batch#: 1202 1781 0344

Sampled: 03/15/23 Ordered: 03/15/23

Sample Size Received: 180 gram Total Amount: 1210 units Completed: 03/18/23 Expires: 03/18/24 Sample Method: SOP.T.20.010

Page 4 of 5

Reviewed On: 03/17/23 09:53:13

Batch Date :  $03/16/23\ 10:18:18$ 



### Microbial



# **Mycotoxins**

LOD Units	Result	Pass / Fail	Action Level
	Not Present	PASS	
10 CFU/g	<10	PASS	100000
			d by:
	10 CFU/g	Not Present 10 CFU/g <10	Not Present

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA057393MIC Reviewed On

Instrument Used: PathogenDx Scanner DA-111

**Running on :** 03/16/23 13:52:21

Dilution : N/A Reagent: 011223.33; 031423.R29; 072122.22

Consumables: 7558002055

Pipette: N/A

Analyzed by: 3390, 3336, 585, 3963	Weight: 0.8521g	Extraction date: N/A	Extracted by: 3390
Analysis Method : SOP.T.40.208	(Gainesville), S	OP.T.40.209.FL	
Analytical Batch: DA057413TYN	1	Reviewed On: 03	3/18/23 11:45:33

Instrument Used: Incubator (25-27C) DA-096 Running on: 03/16/23 14:18:29

Batch Date: 03/16/23 09:57:31

Dilution: 10

Reagent: 011223.33; 013123.R21

Consumables: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Result	Pass / Fail	Action
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 3963	<b>Weight:</b> 0.2694g	Extraction dat 03/16/23 13:5	Extracted by: 585,3379			

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA057418MYC

Instrument Used: N/A Running on: 03/16/23 13:57:16

Dilution: 250

Reagent: 031323.R01; 031423.R23; 031423.R24; 030923.R14; 022123.R33; 031523.R01; 040521.11

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



### **Heavy Metals**

## **PASSED**

Metal		LOD Uni		Result	Pass / Fail	Action Level
TOTAL CONTAMINAN	T LOAD METAL	. <b>S</b> 0.11	ppm	ND	PASS	5
ARSENIC		0.02	ppm ppm	ND ND	PASS PASS	1.5
CADMIUM		0.02				0.5
MERCURY		0.02	ppm	ND	PASS	3
LEAD		0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963	<b>Weight:</b> 0.2208g		Extraction date: Extract 03/16/23 10:05:54 1022,3			

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA057406HEA Instrument Used: DA-ICPMS-003 Running on : N/A

Reviewed On: 03/17/23 09:38:19 Batch Date: 03/16/23 09:49:24

Reagent: 031423.R28; 031423.R18; 031023.R25; 031523.R45; 031023.R23; 031023.R24;

030123.R46; 022323.R22; 020123.02

Consumables: 179436; 210508058; 12607-302CC-302

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/18/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** 

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30316004-006 Harvest/Lot ID: 1202 1781 0344 1580

Batch#: 1202 1781 0344

**Sampled:** 03/15/23 Ordered: 03/15/23

Sample Size Received: 180 gram Total Amount: 1210 units Completed: 03/18/23 Expires: 03/18/24 Sample Method: SOP.T.20.010

**Kaycha Labs** 

Vela Drops 30g

Matrix : Derivative



PASSED

Page 5 of 5

## Filth/Foreign **Material**

Reviewed On: 03/17/23 14:48:09

Batch Date: 03/17/23 14:27:25

Analyte		LOD Units	Result	P/F	<b>Action Level</b>	
Filth and Foreign	Material	0.1 %	ND	PASS	1	
Analyzed by:	Weight:	Extraction	n date:	Extra	cted by:	
1879, 3963	NA	N/A		N/A		

Analysis Method : SOP.T.40.090 Analytical Batch : DA057508FIL

Instrument Used: Filth/Foreign Material Microscope Running on: 03/17/23 14:36:20

Dilution : N/A Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

Analyte Water Activity	<b>LOD</b> 0.01	<b>Units</b> aw	Result 0.458	P/F TESTED	Action Level	
Analyzed by: 2926, 585, 3963	Extraction date: 03/16/23 14:48:10			Extracted by: 2926		
Analysis Method : SOF Analytical Batch : DAG				Reviewed O	n: 03/16/23	15:16:06
Instrument Used : DA-	028 Rotronic F	lygropa	lm	Batch Date	: 03/16/23 1	1:13:51

Instrument Used : DA-028 Rotronic Hygropalm

Running on: 03/16/23 14:45:58

Reagent: 100522.09 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/18/23