



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30316005-002
Harvest/Lot ID: HYB-CMWR-031323
Batch#: 2233 8796 9201 1199
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Distributor Facility:
Source Facility: Homestead Cultivation
Seed to Sale#: 0700 2578 2743 9153
Batch Date: 02/20/23
Sample Size Received: 31.5 gram
Total Amount: 1939 units
Retail Product Size: 3.5 gram
Ordered: 03/15/23
Sampled: 03/15/23
Completed: 03/18/23
Sampling Method: SOP.T.20.010

Mar 18, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

20.674%

Total THC/Container : 723.59 mg



Total CBD

0.054%

Total CBD/Container : 1.89 mg



Total Cannabinoids

24.142%

Total Cannabinoids/Container : 844.97 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.457	23.053	ND	0.062	0.032	0.106	0.374	0.013	ND	ND	0.045	0.061	23.578	27.534
mg/unit	15.995	806.855	ND	2.17	1.12	3.71	13.09	0.455	ND	ND	1.575	2.135	825.23	963.69
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 3963

Weight:
0.2179g

Extraction date:
03/16/23 11:37:33

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA057401POT

Instrument Used : DA-LC-002

Running on : 03/16/23 11:40:28

Dilution : 400

Reagent : 031323.R09; 071222.01; 031323.R05

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Reviewed On : 03/17/23 09:59:49

Batch Date : 03/16/23 09:19:49

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30316005-002
Harvest/Lot ID: HYB-CMWR-031323

Batch# : 2233 8796 9201 Sample Size Received : 31.5 gram
1199 Total Amount : 1939 units
Sampled : 03/15/23 Completed : 03/18/23 Expires: 03/18/24
Ordered : 03/15/23 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	72.135	2.061		FARNESENE	0.007	2.45	0.07	
TOTAL TERPENEOL	0.007	1.575	0.045		ALPHA-HUMULENE	0.007	3.255	0.093	
ALPHA-BISABOLOL	0.007	<0.7	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.87	0.082		CIS-NEROLIDOL	0.007	<0.7	<0.02	
CAMPHERE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	1.645	0.047	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	2.625	0.075		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	4.76	0.136		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<p>Analysis by: 2076, 585, 3963 Weight: 1.1088g Extraction date: 03/16/23 12:16:05 Extracted by: 2076</p> <p>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA057407TER</p> <p>Instrument Used : DA-GCMS-008 Running on : N/A</p> <p>Dilution : 10 Reagent : 121622.26 Consumables : 210414634; MKCN9995; CE0123; R1KB14270</p> <p>Pipette : N/A</p> <p>Reviewed On : 03/18/23 16:49:47 Batch Date : 03/16/23 09:49:40</p> <p>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</p>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	14	0.4						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	1.295	0.037						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	<0.7	<0.02						
LINALOOL	0.007	7.175	0.205						
FENCHYL ALCOHOL	0.007	2.1	0.06						
ISOPULEGOL	0.007	ND	ND						
CAMPOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.7	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	11.725	0.335						
Total (%)			2.061						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30316005-002
 Harvest/Lot ID: HYB-CMWR-031323

 Batch# : 2233 8796 9201 Sample Size Received : 31.5 gram
 1199 Total Amount : 1939 units
 Sampled : 03/15/23 Completed : 03/18/23 Expires: 03/18/24
 Ordered : 03/15/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 3963	0.8248g	03/16/23 13:55:34	585,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057420PES			Reviewed On : 03/17/23 15:00:35		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/16/23 10:19:08		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 03/16/23 13:56:56					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 031323.R01; 031423.R23; 031423.R24; 022123.R33; 031523.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 3963	0.8248g	03/16/23 13:55:34	585,3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057422VOL			Reviewed On : 03/17/23 10:42:20		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 03/16/23 10:20:34		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 03/16/23 15:11:02					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 031423.R24; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30316005-002
Harvest/Lot ID: HYB-CMWR-031323

Batch# : 2233 8796 9201 **Sample Size Received :** 31.5 gram
 1199 **Total Amount :** 1939 units
Sampled : 03/15/23 **Completed :** 03/18/23 **Expires:** 03/18/24
Ordered : 03/15/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3336, 585, 3963 Weight: 1.0281g Extraction date: 03/16/23 11:21:33 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057393MIC Reviewed On : 03/17/23 12:24:59 Instrument Used : PathogenDx Scanner DA-111 Batch Date : 03/16/23 08:01:56 Running on : 03/16/23 13:52:21 Dilution : N/A Reagent : 011223.33; 031423.R29; 072122.22 Consumables : 7558002055 Pipette : N/A					

Analyzed by: 3390, 3336, 585, 3963	Weight: 1.0281g	Extraction date: N/A	Extracted by: 3390
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057413TYM Reviewed On : 03/18/23 11:47:46 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 03/16/23 09:57:31 Running on : 03/16/23 14:18:29 Dilution : 10 Reagent : 011223.33; 013123.R21 Consumables : N/A Pipette : N/A			
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.			

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 3963 Weight: 0.8248g Extraction date: 03/16/23 13:55:34 Extracted by: 585,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057421MYC Reviewed On : 03/17/23 14:57:28 Instrument Used : N/A Batch Date : 03/16/23 10:20:31 Running on : 03/16/23 13:57:15 Dilution : 250 Reagent : 031323.R01; 031423.R23; 031423.R24; 022123.R33; 031523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	<0.1	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3963 Weight: 0.2498g Extraction date: 03/16/23 10:03:33 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057404HEA Reviewed On : 03/17/23 09:41:13 Instrument Used : DA-ICPMS-003 Batch Date : 03/16/23 09:45:38 Running on : N/A Dilution : 50 Reagent : 031423.R28; 031423.R18; 031023.R25; 031523.R45; 031023.R23; 031023.R24; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30316005-002
Harvest/Lot ID: HYB-CMWR-031323

Batch# : 2233 8796 9201
Sample Size Received : 31.5 gram
Total Amount : 1939 units
Completed : 03/18/23 **Expires:** 03/18/24
Sampled : 03/15/23
Ordered : 03/15/23
Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1
Analyzed by: 1879, 3963	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090			Reviewed On : 03/17/23 14:47:30		
Analytical Batch : DA057500FIL					
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 03/17/23 14:20:35		
Running on : 03/17/23 14:36:26					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.552	PASS	0.65
Analyzed by: 2926, 585, 3963	Weight: 0.69g	Extraction date: 03/16/23 14:00:55		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 03/16/23 14:20:15 Batch Date : 03/16/23 11:15:19		
Analytical Batch : DA057438WAT					
Instrument Used : DA-028 Rotronic HygroPalm					
Running on : 03/16/23 14:00:05					
Dilution : N/A					
Reagent : 100522.09					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	12.32	PASS	15
Analyzed by: 2926, 585, 3963	Weight: 0.495g	Extraction date: 03/16/23 14:16:30		Extracted by: 2926	
Analysis Method : SOP.T.40.021			Reviewed On : 03/16/23 14:20:14		
Analytical Batch : DA057441MOI					
Instrument Used : DA-003 Moisture Analyzer			Batch Date : 03/16/23 11:21:25		
Running on : 03/16/23 14:07:31					
Dilution : N/A					
Reagent : 101920.06; 020123.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.