



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30318003-006

Harvest/Lot ID: 0296 6020 7327 1409

Batch#: 2436 1359 7344 7375

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation

Seed to Sale#: 0296 6020 7327 1409

Batch Date: 02/02/23

Sample Size Received: 15.3 gram

Total Amount: 1407 units

Retail Product Size: 0.3 gram

Ordered: 03/17/23

Sampled: 03/17/23

Completed: 03/21/23

Sampling Method: SOP.T.20.010

Mar 21, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

92.364%

Total THC/Container : 277.092 mg



Total CBD

0.25%

Total CBD/Container : 0.75 mg



Total Cannabinoids

96.909%

Total Cannabinoids/Container : 290.727 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.306	0.067	0.25	ND	0.195	1.443	ND	1.095	0.642	ND	0.911
mg/unit	276.918	0.201	0.75	ND	0.585	4.329	ND	3.285	1.926	ND	2.733
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3112, 585, 1440

Weight:
0.1083g

Extraction date:
03/20/23 09:51:57

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA057551POT
Instrument Used : DA-LC-007
Running on : 03/20/23 09:54:46

Reviewed On : 03/21/23 10:12:17
Batch Date : 03/18/23 23:55:48

Dilution : 400
Reagent : 031323.R08; 070621.18; 031323.R06
Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30318003-006
Harvest/Lot ID: 0296 6020 7327 1409

Batch# : 2436 1359 7344
Sample Size Received : 15.3 gram
Total Amount : 1407 units
Sampled : 03/17/23
Completed : 03/21/23 Expires: 03/21/24
Ordered : 03/17/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.598	1.866		FARNESENE	ND	ND		
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.123	0.041	
ALPHA-BISABOLOL	0.007	0.072	0.024		VALENCENE	0.007	<0.06	<0.02	
ALPHA-PINENE	0.007	0.105	0.035		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.135	0.045		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.717	0.239		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.258	0.086						
3-CARENE	0.007	<0.06	<0.02						
ALPHA-TERPINENE	0.007	0.069	0.023						
LIMONENE	0.007	0.324	0.108						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	0.624	0.208						
GAMMA-TERPINENE	0.007	<0.06	<0.02						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	2.88	0.96						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	<0.06	<0.02						
FENCHYL ALCOHOL	0.007	<0.06	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.06	<0.02						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.291	0.097						
Total (%)			1.866						

Analysis by:

1879, 2076, 585, 1440

Weight:

0.9285g

Extraction date:

03/20/23 13:38:12

Extracted by:

2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA057577TER

Instrument Used : DA-GCMS-005

Running on : 03/21/23 16:48:09

Reviewed On : 03/21/23 17:06:15

Batch Date : 03/20/23 10:02:55

Dilution : 10

Reagent : 121622.26

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30318003-006
 Harvest/Lot ID: 0296 6020 7327 1409

 Batch# : 2436 1359 7344 Sample Size Received : 15.3 gram
 7375 Total Amount : 1407 units
 Sampled : 03/17/23 Completed : 03/21/23 Expires: 03/21/24
 Ordered : 03/17/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 1440Weight: 0.2334gExtraction date: 03/20/23 13:06:05Extracted by: 3379,450</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA057562PESReviewed On : 03/21/23 10:11:25</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 03/19/23 14:42:15</div> <div>Running on : 03/20/23 12:11:09</div> <div>Dilution : 250</div> <div>Reagent : 031623.R21; 022123.R33; 031523.R01; 040521.11; 032023.R01; 032023.R03; 032023.R04</div> <div>Consumables : 6697075-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> <div>Analyzed by: 450, 585, 1440Weight: 0.2334gExtraction date: 03/20/23 13:06:05Extracted by: 3379,450</div> <div>Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL</div> <div>Analytical Batch : DA057564VOLReviewed On : 03/21/23 10:10:50</div> <div>Instrument Used : DA-GCMS-006Batch Date : 03/19/23 14:46:21</div> <div>Running on : 03/20/23 13:09:53</div> <div>Dilution : 250</div> <div>Reagent : 031623.R21; 040521.11; 030923.R23; 030923.R24</div> <div>Consumables : 6697075-02; 14725401</div> <div>Pipette : DA-080; DA-146; DA-218</div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30318003-006

Harvest/Lot ID: 0296 6020 7327 1409

Batch# : 2436 1359 7344 7375

Sampled : 03/17/23

Ordered : 03/17/23

Sample Size Received : 15.3 gram

Total Amount : 1407 units

Completed : 03/21/23 **Expires:** 03/21/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0214g

Extraction date:
 03/21/23 13:03:19

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA057603SOL

Instrument Used : DA-GCMS-002

Running on : 03/21/23 13:51:46

Reviewed On : 03/21/23 14:06:01

Batch Date : 03/20/23 14:39:52

Dilution : 1

Reagent : 030420.09

Consumables : G201.062; G201.062

Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30318003-006

Harvest/Lot ID: 0296 6020 7327 1409

Batch# : 2436 1359 7344
 7375

Sampled : 03/17/23

Ordered : 03/17/23




Sample Size Received : 15.3 gram

Total Amount : 1407 units

Completed : 03/21/23 **Expires:** 03/21/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.940g Extraction date: 03/18/23 14:32:57 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057537MIC Instrument Used : PathogenDx Scanner DA-111 Running on : 03/20/23 11:07:58 Dilution : N/A Reagent : 011223.41; 031423.R29; 072122.22 Consumables : 7558002036 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.2334g Extraction date: 03/20/23 13:06:05 Extracted by: 3379,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057563MYC Instrument Used : N/A Running on : 03/20/23 12:11:00 Dilution : 250 Reagent : 031623.R21; 022123.R33; 031523.R01; 040521.11; 032023.R01; 032023.R03; 032023.R04 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 3390, 585, 1440 Weight: 0.940g Extraction date: 03/18/23 14:32:57 Extracted by: 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057547TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 03/18/23 16:09:12 Dilution : 10 Reagent : 011223.41 Consumables : 007109 Pipette : N/A						Analyzed by: 1022, 585, 1440 Weight: 0.2056g Extraction date: 03/20/23 08:49:15 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057569HEA Instrument Used : DA-ICPMS-003 Running on : 03/20/23 13:04:16 Dilution : 50 Reagent : 031423.R28; 031423.R18; 031723.R22; 031523.R45; 031723.R20; 031723.R21; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30318003-006

Harvest/Lot ID: 0296 6020 7327 1409

Batch# : 2436 1359 7344 7375

Sampled : 03/17/23

Ordered : 03/17/23

Sample Size Received : 15.3 gram

Total Amount : 1407 units

Completed : 03/21/23 **Expires:** 03/21/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057574FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/20/23 09:13:35

Reviewed On : 03/20/23 09:20:34

Batch Date : 03/20/23 09:11:31

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.517	PASS	0.85

Analyzed by: 3807, 3379, 1440	Weight: 0.499g	Extraction date: 03/20/23 09:23:39	Extracted by: 3807
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057543WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/20/23 07:40:21

Reviewed On : 03/20/23 12:02:35

Batch Date : 03/18/23 14:02:54

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.