

COMPLIANCE FOR RETAIL

## **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes

Matrix: Derivative

Sample: DA30318007-004 Harvest/Lot ID: 9512 4460 4307 2578

Batch#: 2969 4394 0756 6227

**Cultivation Facility: Processing Facility:** 

**Distributor Facility:** 

**Source Facility: Tampa Cultivation** Seed to Sale# 9512 4460 4307 2578

Batch Date: 02/03/23

Sample Size Received: 16 gram

Total Amount: 1482 gram Retail Product Size: 1 gram

> Ordered: 03/18/23 Sampled: 03/18/23

Completed: 03/21/23

Sampling Method: SOP.T.20.010

# PASSED

Pages 1 of 6

SAFETY RESULTS

Mar 21, 2023 | FLUENT





















MISC.

82 NE 26th street Miami, FL, 33137, US



Pesticides

Heavy Metals PASSED

**Certificate of Analysis** 

Microbials

Mycotoxins

Residuals Solvents PASSED

Filth

Water Activity PASSED

Moisture NOT TESTED

**PASSED** 



### Cannabinoid

**Total THC** 

Total THC/Container: 933.33 mg



**Total CBD** 

Total CBD/Container: 2.33 mg



**Total Cannabinoids** 98.093%

Total Cannabinoids/Container: 980.93



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	93.273	0.069	0.233	ND	0.234	1.775	ND	0.931	0.516	ND	1.062
mg/g	932.73	0.69	2.33	ND	2.34	17.75	ND	9.31	5.16	ND	10.62
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
nalyzed by: 665, 3112, 58	5, 1440		/	Weight:		Extraction date: 03/20/23 09:52:17	1			Extracted by:	

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA057551POT Instrument Used: DA-LC-007 Running on: 03/20/23 09:54:46

Reviewed On: 03/21/23 10:14:30 Batch Date: 03/18/23 23:55:48

Dilution: 400

Dilution 1:400 Reagent : 031323.R08; 070621.18; 031323.R06 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/21/23



## **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



# **Certificate of Analysis**

**PASSED** 

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor, lones@getfluent.com

Sample : DA30318007-004 Harvest/Lot ID: 9512 4460 4307 2578

Batch#: 2969 4394 0756

Sampled: 03/18/23 Ordered: 03/18/23 Sample Size Received: 16 gram
Total Amount: 1482 gram
Completed: 03/21/23 Expires: 03/21/24
Sample Method: SOP.T.20.010

Page 2 of 6



# **Terpenes**

**TESTED** 

Terpenes	LOD mg (%)	/g % Res	ult (%)	Terpenes		LOD (%)	mg/g	%	Result (%)
TOTAL TERPENES	0.007 11.9	8 1.198		FARNESENE			ND	ND	
TOTAL TERPINEOL	0.007 ND	ND		ALPHA-HUMULENE		0.007	0.24	0.024	
ALPHA-BISABOLOL	0.007 0.28	0.028		VALENCENE		0.007	< 0.2	< 0.02	
ALPHA-PINENE	0.007 0.23	0.023		CIS-NEROLIDOL		0.007	ND	ND	
CAMPHENE	0.007 ND	ND		TRANS-NEROLIDOL		0.007	ND	ND	
SABINENE	0.007 ND	ND		CARYOPHYLLENE OXIDE		0.007	ND	ND	
BETA-PINENE	0.007 0.28	0.028		GUAIOL		0.007	ND	ND	
BETA-MYRCENE	0.007 1.61	0.161		CEDROL		0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007 0.54	0.054		Analyzed by:	Weight:		Extractio		Extracted by:
3-CARENE	0.007 < 0.2	2 <0.02		2076, 585, 1440	1.0774g		03/20/23	13:38:1	.3 2076
ALPHA-TERPINENE	0.007 < 0.2	2 <0.02		Analysis Method : SOP.T.30		OP.T.40			
IMONENE	0.007 0.7	0.07		Analytical Batch : DA05757 Instrument Used : DA-GCMS					n: 03/21/23 17:07:34 : 03/20/23 10:02:55
UCALYPTOL	0.007 ND	ND		Running on: 03/21/23 16:4			Date	.ii Date .	. 03/20/23 10.02.33
CIMENE	0.007 1.39	0.139		Dilution: 10				$\mathcal{X}$	
AMMA-TERPINENE	0.007 ND	ND		Reagent: 121622.26					
ABINENE HYDRATE	0.007 ND	ND		Consumables: 210414634; Pipette: N/A	MKCN9995	; CE012	23; R1KB	14270	
ERPINOLENE	0.007 6.12	0.612				Character	to and the state of	C	the state of the s
ENCHONE	0.007 ND	ND		Terpenoid testing is performed Terpenes % is dry-weight corre		Cnroma	tograpny	wass Spec	ctrometry. For all Flower samples, the Tol
INALOOL	0.007 < 0.2	2 <0.02							
ENCHYL ALCOHOL	0.007 < 0.2	2 <0.02							
SOPULEGOL	0.007 ND	ND							
AMPHOR	0.007 ND	ND							
SOBORNEOL	0.007 ND	ND							
ORNEOL	0.013 ND	ND							
IEXAHYDROTHYMOL	0.007 ND	ND							
IEROL	0.007 ND	ND							
ULEGONE	0.007 ND	ND							
ERANIOL	0.007 ND	ND							
GERANYL ACETATE	0.007 ND	ND							
LPHA-CEDRENE	0.007 ND	ND							
BETA-CARYOPHYLLENE	0.007 0.59	0.059							
otal (%)		1.198							<u> </u>

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/21/23



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



# **Certificate of Analysis**

**PASSED** 

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30318007-004 Harvest/Lot ID: 9512 4460 4307 2578

Batch#: 2969 4394 0756

**Sampled:** 03/18/23 Ordered: 03/18/23

Sample Size Received: 16 gram Total Amount: 1482 gram
Completed: 03/21/23 Expires: 03/21/24 Sample Method: SOP.T.20.010

Page 3 of 6



### **Pesticides**

**PASSED** 

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	mag	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
SAMECTIN B1A	0.01	ppm	0.1	PASS	ND				0.1	PASS	ND
EPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm			
EQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
OXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
DSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
RBOFURAN	0.01	ppm	0.1	PASS	ND			PPM	0.15	PASS	ND
ILORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (F		PPM	0.15		ND
LORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01			PASS	
LORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Wei	ight: Extrac	tion date:		Extracted	hv
METHOATE	0.01	ppm	0.1	PASS	ND			23 13:06:08		3379,450	٠,٠
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.Fl					Gainesvil
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
OXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057562PES	/ / 1 /		On:03/21/2		
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (F	PES)	Batch Dat	te:03/19/23	14:42:15	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :03/20/23 12:11:09					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 031623.R21; 022123.R3	2, 021522 001, 040	1521 11: 022	0022 001 - 02	2022 002-022	022 004
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02	3, 031323.R01, 040	7521.11, 052	.023.R01, 03.	2023.N03, 032	023.N04
ONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is per	formed utilizing Liqui	d Chromatog	raphy Triple-0	Quadrupole Ma	SS
XYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S		1			
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weig		ion date:		Extracted I	oy:
IDACLOPRID	0.01	ppm	0.4	PASS	ND	<b>450, 585, 1440</b> 0.223		3 13:06:08	A /	3379,450	
ESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.Fl					
LATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch: DA057564VOL Instrument Used: DA-GCMS-006			1:03/21/23 1 03/19/23 14:		
TALAXYL	0.01	ppm	0.1	PASS	ND	Running on :03/20/23 13:09:53	Y \ '	Jaccii Date :	05/15/25 14:		
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
THOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 031623.R21; 040521.11	; 030923.R23; 0309	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02; 1472					
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectro in accordance with F.S. Rule 64ER20-39.					Spectron

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/21/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



**Certificate of Analysis** 

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

**DAVIE, FL, 33314, US** 

Sample : DA30318007-004

Harvest/Lot ID: 9512 4460 4307 2578

Batch#: 2969 4394 0756

**Sampled:** 03/18/23 Ordered: 03/18/23

Sample Size Received: 16 gram Total Amount: 1482 gram
Completed: 03/21/23 Expires: 03/21/24 Sample Method: SOP.T.20.010

Page 4 of 6



# **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	<b>Weight:</b> 0.0285g	Extraction date: 03/21/23 13:03:		//	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA057603SOL Instrument Used : DA-GCMS-002 **Running on :** 03/21/23 13:51:46

Reagent: 030420.09 Consumables: G201.062; G201.062 Pipette: DA-309 25uL Syringe 35028

Reviewed On: 03/21/23 14:06:32 Batch Date: 03/20/23 14:39:52

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/21/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30318007-004 Harvest/Lot ID: 9512 4460 4307 2578

Batch#: 2969 4394 0756

Sampled: 03/18/23 Ordered: 03/18/23

Reviewed On: 03/21/23 11:19:35

Batch Date: 03/18/23 10:35:32

Sample Size Received: 16 gram Total Amount: 1482 gram
Completed: 03/21/23 Expires: 03/21/24 Sample Method: SOP.T.20.010

Page 5 of 6



## Microbial



# **Mycotoxins**

### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3621, 585, 1440	Weight: 0.885g	Extract N/A	ion date:	Extracted 3390	l by:

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA057538MIC Reviewed On

Instrument Used: PathogenDx Scanner DA-111

Running on: 03/20/23 11:07:59

Dilution : N/A Reagent: 011223.41; 031423.R29; 072122.22

Consumables: 7558002036

Pipette: N/A

3390, 3621, 585, 1440	0.885g	N/A	3336,3390			
Analysis Method : SOP.T.40.208	(Gainesville),	SOP.T.40.209.FL				
Analytical Batch: DA057556TYN	/	Reviewed On: 03/21/23 09:14:59				
Instrument Used: Incubator (25	-27C) DA-096	6 <b>Batch Date :</b> 03/19/23 08:43:21				
Running on: 03/20/23 10:48:19						

Dilution: 10

Reagent: 011223.41; 013123.R21 Consumables : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

0						
Analyte	38	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02

Extraction date:

Analyzed by: 3379, 585, 1440 **Weight:** 0.2234g Extracted by: 03/20/23 13:06:08 3379,450 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch: DA057563MYC Reviewed On: 03/21/23 10:15:08 Batch Date: 03/19/23 14:46:17

Instrument Used: N/A Running on: 03/20/23 12:11:00

Dilution: 250 Reagent: 031623.R21; 022123.R33; 031523.R01; 040521.11; 032023.R01; 032023.R03; 032023.R04

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

# **PASSED**

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINAN	0.11	ppm	ND	PASS	1.1	
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2178g	<b>Extraction da</b> 03/20/23 09:			Extracted 3619	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA057569HEA Instrument Used : DA-ICPMS-003 Running on: 03/20/23 13:04:16

Reviewed On: 03/21/23 09:10:45 Batch Date: 03/19/23 18:12:11

Reagent: 031423.R28; 031423.R18; 031723.R22; 031523.R45; 031723.R20; 031723.R21;

030123.R46; 022323.R22; 020123.02

Consumables: 179436; 210508058; 12607-302CC-302

**Pipette**: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/21/23



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30318007-004 Harvest/Lot ID: 9512 4460 4307 2578

Batch#: 2969 4394 0756

**Sampled:** 03/18/23 Ordered: 03/18/23

Sample Size Received: 16 gram

Total Amount: 1482 gram
Completed: 03/21/23 Expires: 03/21/24 Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



### Filth/Foreign **Material**

Reviewed On: 03/20/23 09:20:29

Batch Date: 03/20/23 09:11:31

Reviewed On: 03/20/23 12:05:06

Batch Date: 03/18/23 14:09:25

Analyte Units **Action Level** Filth and Foreign Material PASS 0.1 % ND Analyzed by: Weight: **Extraction date:** Extracted by:

1879, 1440

Analysis Method: SOP.T.40.090 Analytical Batch: DA057574FIL

Instrument Used: Filth/Foreign Material Microscope Running on: 03/20/23 09:13:35

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**



Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.01	aw	0.501	PASS	0.85

Weight: **Extraction date:** Extracted by: Analyzed by: 3807, 3379, 1440 0.553g 03/20/23 09:33:51

Analysis Method: SOP.T.40.019 Analytical Batch : DA057544WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on: 03/19/23 18:06:56

Reagent: 100522.09 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/21/23