



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30321002-001
Harvest/Lot ID: ID-CAC-011723-A093
Batch#: 3690 9072 2109 5321
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 9078 4809 0104 6601
Batch Date: 01/12/23
Sample Size Received: 27 gram
Total Amount: 1683 units
Retail Product Size: 1.5 gram
Ordered: 03/20/23
Sampled: 03/20/23
Completed: 03/23/23
Sampling Method: SOP.T.20.010

Mar 23, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
20.831%

Total THC/Container : 312.465 mg


Total CBD
0.048%

Total CBD/Container : 0.72 mg


Total Cannabinoids
24.761%

Total Cannabinoids/Container : 371.415 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.416	23.279	ND	0.055	0.062	0.105	0.803	<0.01	ND	ND	0.041	0.052	22.776	27.073
mg/unit	6.24	349.185	ND	0.825	0.93	1.575	12.045	<0.15	ND	ND	0.615	0.78	341.64	406.095
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.2137g

Extraction date:
03/21/23 11:17:39

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA057638POT

Instrument Used : DA-LC-002

Running on : 03/21/23 11:52:49

Reviewed On : 03/22/23 09:09:25

Batch Date : 03/21/23 10:11:28

Dilution : 400

Reagent : 071222.01; 031323.R09; 031323.R04

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30321002-001
Harvest/Lot ID: ID-CAC-011723-A093

Batch# : 3690 9072 2109
5321

Sampled : 03/20/23
Ordered : 03/20/23

Sample Size Received : 27 gram
Total Amount : 1683 units
Completed : 03/23/23 Expires: 03/23/24
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	11.805	0.787		FARNESENE	0.007	ND	ND	
TOTAL TERPENEOL	0.007	0.45	0.03		ALPHA-HUMULENE	0.007	1.035	0.069	
ALPHA-BISABOLOL	0.007	<0.3	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.825	0.055		CIS-NEROLIDOL	0.007	0.33	0.022	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.3	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.3	<0.02	
BETA-PINENE	0.007	0.51	0.034		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.155	0.077		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.065	0.071						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.66	0.044						
FENCHYL ALCOHOL	0.007	0.465	0.031						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.3	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	3.39	0.226						
Total (%)			0.787						

Analyzed by: 2076, 585, 1440 Weight: 1.0334g Extraction date: 03/21/23 12:28:44 Extracted by: 2076
 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
 Analytical Batch: DA057633TER
 Instrument Used: DA-GCMS-008
 Running on: 03/22/23 08:59:55
 Reviewed On: 03/22/23 15:59:48
 Batch Date: 03/21/23 09:32:25
 Dilution: 10
 Reagent: 121622.26
 Consumables: 210414634; MKCN9995; CE0123; R1KB14270
 Pipette: N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30321002-001

Harvest/Lot ID: ID-CAC-011723-A093

 Batch# : 3690 9072 2109
 5321

Sampled : 03/20/23

Ordered : 03/20/23

Sample Size Received : 27 gram

Total Amount : 1683 units

Completed : 03/23/23 Expires: 03/23/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	1.1883g	03/21/23 13:33:12	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057630PES			Reviewed On : 03/22/23 10:26:13		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/21/23 09:29:00		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 03/21/23 13:32:22					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 022123.R33; 031523.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	1.1883g	03/21/23 13:33:12	3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057632VOL			Reviewed On : 03/22/23 10:27:09		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 03/21/23 09:31:57		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 03/21/23 14:00:45					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30321002-001

Harvest/Lot ID: ID-CAC-011723-A093

 Batch# : 3690 9072 2109
 5321

Sampled : 03/20/23

Ordered : 03/20/23


Sample Size Received : 27 gram


Total Amount : 1683 units


Completed : 03/23/23 Expires: 03/23/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	11000	PASS	100000
Analyzed by: 3621, 3390, 585, 1440	Weight: 1.8825g	Extraction date: 03/21/23 11:12:57	Extracted by: 3336		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 03/22/23 15:27:14		
Analytical Batch : DA057616MIC			Batch Date : 03/21/23 07:55:32		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Running on : 03/21/23 12:05:52					
Dilution : N/A					
Reagent : 011223.50; 031423.R29; 072122.22					
Consumables : 7558002055					
Pipette : N/A					
Analyzed by: 3621, 585, 1440	Weight: 1.8825g	Extraction date: 03/21/23 11:12:57	Extracted by: 3336,3621		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 03/23/23 12:47:22		
Analytical Batch : DA057647TYM			Batch Date : 03/21/23 11:14:01		
Instrument Used : Incubator (25-27C) DA-097					
Running on : 03/21/23 12:04:21					
Dilution : 1000					
Reagent : 011223.50					
Consumables : 008109					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 1.1883g	Extraction date: 03/21/23 13:33:12	Extracted by: 3379		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA057631MYC			Reviewed On : 03/22/23 09:31:08		
Instrument Used : N/A			Batch Date : 03/21/23 09:31:53		
Running on : 03/21/23 13:33:44					
Dilution : 250					
Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 022123.R33; 031523.R01; 040521.11					
Consumables : 6697075-02					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	<0.25	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2799g	Extraction date: 03/21/23 10:21:54	Extracted by: 1022,3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			Reviewed On : 03/22/23 09:00:40		
Analytical Batch : DA057626HEA			Batch Date : 03/21/23 09:08:09		
Instrument Used : DA-ICPMS-003					
Running on : 03/21/23 13:20:19					
Dilution : 50					
Reagent : 031423.R28; 031423.R18; 031723.R22; 031523.R45; 031723.R20; 031723.R21; 030123.R46; 022323.R22; 020123.02					
Consumables : 179436; 210508058; 12607-302CC-302					
Pipette : DA-061; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30321002-001

Harvest/Lot ID: ID-CAC-011723-A093

Batch# : 3690 9072 2109 5321

Sampled : 03/20/23

Ordered : 03/20/23

Sample Size Received : 27 gram

Total Amount : 1683 units

Completed : 03/23/23 **Expires:** 03/23/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057712FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/22/23 18:45:35

Reviewed On : 03/22/23 19:02:06

Batch Date : 03/22/23 18:41:15

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.455	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.597g	Extraction date: 03/21/23 13:56:30	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057648WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/21/23 13:56:15

Reviewed On : 03/21/23 14:43:59

Batch Date : 03/21/23 11:24:47

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	8.54	PASS	15

Analyzed by: 2926, 585, 1440	Weight: 0.492g	Extraction date: 03/21/23 14:11:23	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021

Analytical Batch : DA057651MOI

Instrument Used : DA-003 Moisture Analyzer

Running on : 03/21/23 14:11:04

Reviewed On : 03/21/23 14:43:57

Batch Date : 03/21/23 11:30:40

Dilution : N/A

Reagent : 101920.06; 020123.02

Consumables : N/A

Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.