



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30321002-002
Harvest/Lot ID: SA-STF-022823-A099
Batch#: 9863 8765 6025 2148
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 6774 9036 1175 7567
Batch Date: 02/23/23
Sample Size Received: 87.5 gram
Total Amount: 6713 units
Retail Product Size: 3.5 gram
Ordered: 03/20/23
Sampled: 03/20/23
Completed: 03/23/23
Sampling Method: SOP.T.20.010

Mar 23, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
19.608%

Total THC/Container : 686.28 mg


Total CBD
0.057%

Total CBD/Container : 1.995 mg


Total Cannabinoids
23.227%

Total Cannabinoids/Container : 812.945 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.298	22.019	ND	0.065	0.023	0.096	0.69	<0.01	ND	ND	0.036	0.063	21.767	25.784
mg/unit	10.43	770.665	ND	2.275	0.805	3.36	24.15	<0.35	ND	ND	1.26	2.205	761.845	902.44
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.2025g

Extraction date:
03/21/23 11:17:45

Extracted by:
1665

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA057638POT
Instrument Used: DA-LC-002
Running on: 03/21/23 11:52:49

Reviewed On: 03/22/23 09:09:30
Batch Date: 03/21/23 10:11:28

Dilution: 400
Reagent: 071222.01; 031323.R09; 031323.R04
Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30321002-002

Harvest/Lot ID: SA-STF-022823-A099

Batch# : 9863 8765 6025
2148

Sampled : 03/20/23

Ordered : 03/20/23

Sample Size Received : 87.5 gram

Total Amount : 6713 units

Completed : 03/23/23 **Expires:** 03/23/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	53.97	1.542		FARNESENE	0.007	2.24	0.064	
TOTAL TERPENEOL	0.007	<0.7	<0.02		ALPHA-HUMULENE	0.007	1.785	0.051	
ALPHA-BISABOLOL	0.007	1.54	0.044		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.64	0.104		CIS-NEROLIDOL	0.007	<0.7	<0.02	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.7	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.7	<0.02	
BETA-PINENE	0.007	1.75	0.05		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	11.2	0.32		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, S&S, 1440 Weight: 0.9885g Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA057633TER Instrument Used: DA-GCMS-Q08 Running on: 03/22/23 08:59:55 Dilution: 10 Reagent: 121622.26 Consumables: 210414634; MKCN9995; CE0123; R1KB14270 Pipette: N/A <small>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</small>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	5.985	0.171						
EUCALYPTOL	0.007	ND	ND		Extraction date: 03/21/23 12:28:44 Reviewed On: 03/22/23 15:59:50 Batch Date: 03/21/23 09:32:25				
OCIMENE	0.007	8.4	0.24						
GAMMA-TERPINENE	0.007	ND	ND		Extracted by: 2076				
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.77	0.022						
FENCHYL ALCOHOL	0.007	0.875	0.025						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	5.635	0.161						
Total (%)			1.542						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30321002-002

Harvest/Lot ID: SA-STF-022823-A099

Batch# : 9863 8765 6025
 2148

Sampled : 03/20/23

Ordered : 03/20/23

Sample Size Received : 87.5 gram

Total Amount : 6713 units

Completed : 03/23/23 **Expires:** 03/23/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9096g	03/21/23 13:33:12	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057630PES			Reviewed On :03/22/23 10:26:14		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :03/21/23 09:29:00		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :03/21/23 13:32:22					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 022123.R33; 031523.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.9096g	03/21/23 13:33:12	3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057632VOL			Reviewed On :03/22/23 10:24:48		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-006			Batch Date :03/21/23 09:31:57		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :03/21/23 14:00:45					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30321002-002

Harvest/Lot ID: SA-STF-022823-A099

 Batch# : 9863 8765 6025
 2148




 Sampled : 03/20/23
 Ordered : 03/20/23

Sample Size Received : 87.5 gram

Total Amount : 6713 units

 Completed : 03/23/23 Expires: 03/23/24
 Sample Method : SOP.T.20.010

Page 4 of 5

<div>MicrobialPASSED</div>						<div>MycotoxinsPASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	270	PASS	100000	Analyzed by:		Weight:		Extraction date:	Extracted by:
						3379, 585, 1440		0.9096g		03/21/23 13:33:12	3379
Analyzed by: 3621, 3390, 585, 1440						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA057631MYC					
Analytical Batch : DA057616MIC						Instrument Used : N/A					
Reviewed On : 03/22/23 15:27:15						Running on : 03/21/23 13:33:44					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250					
Running on : 03/21/23 12:05:52						Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 022123.R33; 031523.R01; 040521.11					
Dilution : N/A						Consumables : 6697075-02					
Reagent : 011223.50; 031423.R29; 072122.22						Pipette : DA-093; DA-094; DA-219					
Consumables : 7558002055						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											
Analyzed by:	Weight:	Extraction date:	Extracted by:			<div><div>Heavy MetalsPASSED</div></div>					
3621, 585, 1440	0.8558g	03/21/23 11:12:57	3336,3621			Metal	LOD	Units	Result	Pass / Fail	Action Level
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						TOTAL CONTAMINANT LOAD METALS					
Analytical Batch : DA057647TYM						ARSENIC					
Instrument Used : Incubator (25-27C) DA-097						CADMIUM					
Running on : 03/21/23 12:04:21						MERCURY					
Dilution : 10						LEAD					
Reagent : 011223.50						Analyzed by:					
Consumables : 008109						1022, 585, 1440					
Pipette : N/A						Weight:					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						0.2334g					
						Extraction date:					
						03/21/23 10:06:06					
						Extracted by:					
						1022,3619					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30321002-002

Harvest/Lot ID: SA-STF-022823-A099

Batch# : 9863 8765 6025
 2148

Sampled : 03/20/23

Ordered : 03/20/23

Sample Size Received : 87.5 gram

Total Amount : 6713 units

Completed : 03/23/23 **Expires:** 03/23/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057712FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/22/23 18:45:35

Reviewed On : 03/22/23 19:02:04

Batch Date : 03/22/23 18:41:15

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	9.92	PASS	15

Analyzed by: 2926, 585, 1440	Weight: 0.506g	Extraction date: 03/21/23 14:11:27	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021

Analytical Batch : DA057651MOI

Instrument Used : DA-003 Moisture Analyzer

Running on : 03/21/23 14:11:04

Reviewed On : 03/21/23 14:44:00

Batch Date : 03/21/23 11:30:40

Dilution : N/A

Reagent : 101920.06; 020123.02

Consumables : N/A

Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.513	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.669g	Extraction date: 03/21/23 13:56:41	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057648WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/21/23 13:56:15

Reviewed On : 03/21/23 14:44:02

Batch Date : 03/21/23 11:24:47

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.