



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30321002-005
Harvest/Lot ID: 2818 5658 7207 7593
Batch#: 2818 5658 7207 7593
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 0506 6384 7239 2133
Batch Date: 11/23/22
Sample Size Received: 15.5 gram
Total Amount: 2827 units
Retail Product Size: 0.5 gram
Ordered: 03/20/23
Sampled: 03/20/23
Completed: 03/23/23
Sampling Method: SOP.T.20.010




Mar 23, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 1665, 585, 1440 Weight: 0.0991g Extraction date: 03/21/23 11:25:25 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA057619POT
 Instrument Used : DA-LC-007
 Running on : 03/21/23 11:40:28
 Reviewed On : 03/22/23 09:09:43
 Batch Date : 03/21/23 08:53:01

Dilution : 400
 Reagent : 031323.R08; 121321.34; 031323.R06
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30321002-005
 Harvest/Lot ID: 2818 5658 7207 7593

 Batch# : 2818 5658 7207 7593
 Sample Size Received : 15.5 gram
 Total Amount : 2827 units
 Sampled : 03/20/23
 Completed : 03/23/23 Expires: 03/23/24
 Ordered : 03/20/23
 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	10.365	2.073		FARNESENE		ND	ND	
TOTAL TERPENEOL	0.007	0.28	0.056		ALPHA-HUMULENE	0.007	0.195	0.039	
ALPHA-BISABOLOL	0.007	1.32	0.264		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.28	0.056		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.1	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.1	<0.02	
BETA-PINENE	0.007	0.395	0.079		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.575	0.115		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	<0.1	<0.02		<div>Analyzed by: 2076, S&S, 1440Weight: 1.1666gExtraction date: 03/21/23 12:26:32Extracted by: 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLAnalytical Batch : DA057635TERInstrument Used : DA-GCMS-004Running on : 03/22/23 09:00:01</div> <div>Dilution : 10Reagent : 121622.26Consumables : 210414634; MKCN9995; CE0123; R1KB14270Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	2.025	0.405			Reviewed On : 03/23/23 09:33:38Batch Date : 03/21/23 09:33:55			
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.1	<0.02						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.86	0.172						
FENCHYL ALCOHOL	0.007	0.375	0.075						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	<0.1	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.1	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	4.06	0.812						
Total (%)			2.073						



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30321002-005
Harvest/Lot ID: 2818 5658 7207 7593

Batch# : 2818 5658 7207 7593
Sample Size Received : 15.5 gram
Total Amount : 2827 units
Completed : 03/23/23 **Expires:** 03/23/24
Ordered : 03/20/23 **Sample Method :** SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 1440Weight: 0.2146gExtraction date: 03/21/23 13:29:31Extracted by: 3379</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA057627PESReviewed On : 03/22/23 10:23:39</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 03/21/23 09:22:07</div> <div>Running on : 03/21/23 13:32:23</div> <div>Dilution : 250</div> <div>Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 022123.R33; 031523.R01; 040521.11</div> <div>Consumables : 6697075-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30321002-005

Harvest/Lot ID: 2818 5658 7207 7593

 Batch# : 2818 5658 7207
 7593

Sampled : 03/20/23

Ordered : 03/20/23

Sample Size Received : 15.5 gram

Total Amount : 2827 units

Completed : 03/23/23 Expires: 03/23/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0224g

 Extraction date:
 03/21/23 18:13:28

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA057654SOL

Instrument Used : DA-GCMS-003

Running on : 03/22/23 15:34:06

Reviewed On : 03/22/23 16:09:10

Batch Date : 03/21/23 14:38:03

Dilution : 1

Reagent : 030420.09

Consumables : 27296; G201.062

Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30321002-005

Harvest/Lot ID: 2818 5658 7207 7593

Batch# : 2818 5658 7207 7593

Sampled : 03/20/23

Ordered : 03/20/23

Sample Size Received : 15.5 gram

Total Amount : 2827 units

Completed : 03/23/23 Expires: 03/23/24

Sample Method : SOP.T.20.010

Page 5 of 6

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:		Weight:		Extraction date:	
						3621, 3390, 585, 1440	0.2146g	03/21/23 13:29:31	3379		
Analyzed by:	Weight:	Extraction date:	Extracted by:								
3621, 3390, 585, 1440	0.996g	03/21/23 11:03:18	3336								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL											
Analytical Batch : DA057617MIC											
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems											
MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block											
DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific											
Isotemp Heat Block DA-021											
Running on : 03/21/23 12:05:51											
Dilution : N/A											
Reagent : 011223.50; 031423.R29; 072122.22											
Consumables : 7558002052											
Pipette : N/A											
Analyzed by:	Weight:	Extraction date:	Extracted by:								
3621, 585, 1440	0.996g	03/21/23 11:03:18	3336, 3621								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA057643TYM											
Instrument Used : Incubator (25-27C) DA-097											
Running on : 03/21/23 12:04:17											
Dilution : 10											
Reagent : 011223.50											
Consumables : 008109											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction date:	Extracted by:		
1022, 585, 1440	0.2159g	03/21/23 10:36:13	1022, 3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA057639HEA					
Instrument Used : DA-ICPMS-003					
Running on : 03/21/23 13:20:06					
Dilution : 50					
Reagent : 031423.R28; 031423.R18; 031723.R22; 031523.R45; 031723.R20; 031723.R21; 030123.R46; 022323.R22; 020123.02					
Consumables : 179436; 210508058; 12607-302CC-302					
Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30321002-005

Harvest/Lot ID: 2818 5658 7207 7593

Batch# : 2818 5658 7207 7593

Sampled : 03/20/23

Ordered : 03/20/23

Sample Size Received : 15.5 gram

Total Amount : 2827 units

Completed : 03/23/23 **Expires:** 03/23/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057711FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/22/23 18:45:39

Reviewed On : 03/22/23 19:01:45

Batch Date : 03/22/23 18:38:59

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.452	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.512g	Extraction date: 03/21/23 14:28:26	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057649WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/21/23 14:23:53

Reviewed On : 03/21/23 14:44:05

Batch Date : 03/21/23 11:26:14

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.