



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30321002-006  
**Harvest/Lot ID:** 7745 0940 4069 2355  
**Batch#:** 7745 0940 4069 2355  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility:** Tampa Processing  
**Distributor Facility:**  
**Source Facility:** Tampa Cultivation  
**Seed to Sale#** 2735 8089 9551 2274  
**Batch Date:** 02/03/23  
**Sample Size Received:** 900 gram  
**Total Amount:** 4220 units  
**Retail Product Size:** 63.7230 gram  
**Ordered:** 03/20/23  
**Sampled:** 03/20/23  
**Completed:** 03/23/23  
**Sampling Method:** SOP.T.20.010

Mar 23, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



# PASSED

Pages 1 of 5


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



### Cannabinoid

# PASSED



Total THC

**0.155%**

Total THC/Container : 98.771 mg



Total CBD

**ND**

Total CBD/Container : 0 mg



Total Cannabinoids

**0.162%**

Total Cannabinoids/Container : 103.231 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.155	ND	ND	ND	ND	0.005	ND	0.002	ND	ND	ND
mg/unit	98.77	ND	ND	ND	ND	3.186	ND	1.274	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
2.8861g

Extraction date:  
03/21/23 11:22:47

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA057622POT  
 Instrument Used : DA-LC-007  
 Running on : 03/21/23 11:43:31

Reviewed On : 03/22/23 09:11:57  
 Batch Date : 03/21/23 08:55:20

Dilution : 40  
 Reagent : 030123.01; 032123.R08; 070122.11; 071222.01; 031323.R06  
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30321002-006  
 Harvest/Lot ID: 7745 0940 4069 2355

 Batch# : 7745 0940 4069 2355  
 Sample Size Received : 900 gram  
 Total Amount : 4220 units  
 Completed : 03/23/23 Expires: 03/23/24  
 Ordered : 03/20/23 Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9975g	03/21/23 13:31:41	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057634PES				Reviewed On : 03/22/23 15:25:20	
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/21/23 09:32:59	
FENHEXAMID	0.01	ppm	3	PASS	ND	Running on : 03/21/23 13:32:18					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 022123.R33; 031523.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.9975g	03/21/23 13:31:41	3379		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA057637VOL				Reviewed On : 03/22/23 15:24:32	
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-006				Batch Date : 03/21/23 09:34:55	
METALAXYL	0.01	ppm	3	PASS	ND	Running on : 03/21/23 14:02:28					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30321002-006

Harvest/Lot ID: 7745 0940 4069 2355

Batch# : 7745 0940 4069 2355

Sampled : 03/20/23

Ordered : 03/20/23

Sample Size Received : 900 gram

Total Amount : 4220 units

Completed : 03/23/23 Expires: 03/23/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0263g

 Extraction date:  
 03/21/23 18:13:28

 Extracted by:  
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA057654SOL

Instrument Used : DA-GCMS-003

Running on : 03/22/23 15:34:06

Reviewed On : 03/22/23 16:09:15

Batch Date : 03/21/23 14:38:03

Dilution : 1

Reagent : 030420.09

Consumables : 27296; G201.062

Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30321002-006

Harvest/Lot ID: 7745 0940 4069 2355

Batch#: 7745 0940 4069 2355

Sampled : 03/20/23

Ordered : 03/20/23

Sample Size Received : 900 gram

Total Amount : 4220 units

Completed : 03/23/23 Expires: 03/23/24

Sample Method : SOP.T.20.010

Page 4 of 5

Microbial						Mycotoxins					
<b>PASSED</b>						<b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3390, 585, 1440 Weight: 1.1918g Extraction date: 03/21/23 11:03:19 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057617MIC Reviewed On : 03/22/23 16:01:11 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Running on : 03/21/23 12:05:51 Dilution : N/A Reagent : 011223.50; 031423.R29; 072122.22 Consumables : 7558002052 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.9975g Extraction date: 03/21/23 13:31:41 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057636MYC Instrument Used : N/A Running on : 03/21/23 13:33:41 Reviewed On : 03/22/23 11:33:46 Batch Date : 03/21/23 09:34:53					
Dilution : 10 Reagent : 011223.50 Consumables : 008109 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Dilution : 250 Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 022123.R33; 031523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



## Heavy Metals

**PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>					
ARSENIC	0.11	ppm	ND	PASS	5
CADMIUM	0.02	ppm	ND	PASS	1.5
MERCURY	0.02	ppm	ND	PASS	0.5
LEAD	0.02	ppm	ND	PASS	3
	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2217g Extraction date: 03/21/23 12:24:22 Extracted by: 1022, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057640HEA Instrument Used : DA-ICPMS-003 Running on : 03/21/23 13:19:53 Reviewed On : 03/22/23 08:58:49 Batch Date : 03/21/23 10:25:23					
Dilution : 50 Reagent : 031423.R28; 031423.R18; 031723.R22; 031523.R45; 031723.R20; 031723.R21; 030123.R46; 022323.R22; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30321002-006  
 Harvest/Lot ID: 7745 0940 4069 2355

 Batch# : 7745 0940 4069 2355  
 Sample Size Received : 900 gram  
 Total Amount : 4220 units  
 Completed : 03/23/23 Expires: 03/23/24  
 Ordered : 03/20/23  
 Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**
**Homogeneity**
**PASSED**

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.1	%	ND	<b>PASS</b>	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 1440	NA	N/A	N/A

 Analysis Method : SOP.T.40.090  
 Analytical Batch : DA057710FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Running on : 03/22/23 18:45:40

 Reviewed On : 03/22/23 19:01:25  
 Batch Date : 03/22/23 18:38:29

 Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.01	aw	0.49	<b>PASS</b>	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 1440	10.256g	03/21/23 15:21:11	2926

 Analysis Method : SOP.T.40.019  
 Analytical Batch : DA057650WAT  
 Instrument Used : DA-028 Rotronic HygroPalm  
 Running on : 03/21/23 15:20:01

 Reviewed On : 03/22/23 09:10:35  
 Batch Date : 03/21/23 11:27:29

 Dilution : N/A  
 Reagent : 100522.09  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
<b>TOTAL THC - HOMOGENEITY (RSD)</b>	0.001	%	<b>PASS</b>	11.563	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3335, 585, 1440	6.165g	03/21/23 09:34:36	3605,3335

 Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL  
 Analytical Batch : DA057618HOM  
 Instrument Used : DA-LC-001 (Homo)  
 Running on : 03/21/23 11:28:49

 Reviewed On : 03/22/23 09:10:31  
 Batch Date : 03/21/23 08:15:41

 Dilution : 40  
 Reagent : 030123.01; 030923.R04; 071222.46; 030923.R02  
 Consumables : 947.109; 250346; CE0123; 115C4-1151; 12607-302CC-302; 61633-125C6-125E; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.