



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30322004-004
Harvest/Lot ID: 8521 9964 9634 7173
Batch#: 2430 8871 0100 6333
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 8521 9964 9634 7173
Batch Date: 02/03/23
Sample Size Received: 16 gram
Total Amount: 1444 units
Retail Product Size: 1 gram
Ordered: 03/21/23
Sampled: 03/21/23
Completed: 03/24/23
Sampling Method: SOP.T.20.010

Mar 24, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
86.98%

Total THC/Container : 869.8 mg


Total CBD
0.266%

Total CBD/Container : 2.66 mg


Total Cannabinoids
91.827%

Total Cannabinoids/Container : 918.27 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.967	0.015	0.266	ND	0.237	1.585	ND	0.785	0.562	ND	1.41
mg/unit	869.67	0.15	2.66	ND	2.37	15.85	ND	7.85	5.62	ND	14.1
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 1440

Weight:
0.0945g

Extraction date:
03/22/23 10:18:47

Extracted by:
3335

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA057678POT
Instrument Used: DA-LC-007
Running on: 03/22/23 10:47:59

Reviewed On: 03/23/23 09:54:03
Batch Date: 03/22/23 09:28:29

Dilution: 400
Reagent: 032123.R08; 071222.01; 032123.R06
Consumables: 250350; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30322004-004
Harvest/Lot ID: 8521 9964 9634 7173

Batch# : 2430 8871 0100
Sampled : 03/21/23
Ordered : 03/21/23

Sample Size Received : 16 gram
Total Amount : 1444 units
Completed : 03/24/23 Expires: 03/24/24
Sample Method : SOP.T.20.010

Page 2 of 6

TESTED

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	20.96	2.096		FARNESENE	0.007	0.64	0.064	
TOTAL TERPINEOL	0.007	0.37	0.037		ALPHA-HUMULENE	0.007	1.3	0.13	
ALPHA-BISABOLOL	0.007	0.47	0.047		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.27	0.027		CIS-NEROLIDOL	0.007	<2	<0.02	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<2	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<2	<0.02	
BETA-PINENE	0.007	0.52	0.052		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	3.17	0.317		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, S&S, 1440Weight: 0.8672gExtraction date: 03/22/23 12:56:56Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 03/24/23 16:20:33</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Analytical Batch : DA057675TERInstrument Used : DA-GCMS-008Batch Date : 03/22/23 09:24:55</div>				
LIMONENE	0.007	5.72	0.572		<div>Dilution : 10</div>				
EUCALYPTOL	0.007	ND	ND		<div>Reagent : 121622.34</div>				
OCIMENE	0.007	<0.2	<0.02		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
GAMMA-TERPINENE	0.007	ND	ND		<div>Pipette : N/A</div>				
SABINENE HYDRATE	0.007	ND	ND		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	2.51	0.251						
FENCHYL ALCOHOL	0.007	0.96	0.096						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	5.03	0.503						
Total (%)			2.096						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30322004-004
 Harvest/Lot ID: 8521 9964 9634 7173

 Batch# : 2430 8871 0100 Sample Size Received : 16 gram
 6333 Total Amount : 1444 units
 Sampled : 03/21/23 Completed : 03/24/23 Expires: 03/24/24
 Ordered : 03/21/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2123g	03/22/23 14:17:29	3379,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057680PES			Reviewed On :03/23/23 15:05:20		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :03/22/23 10:03:12		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :03/22/23 13:37:58					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 032123.R01; 032223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2123g	03/22/23 14:17:29	3379,450		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057682VOL			Reviewed On :03/23/23 11:03:29		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-006			Batch Date :03/22/23 10:06:09		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :N/A					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30322004-004

Harvest/Lot ID: 8521 9964 9634 7173

 Batch# : 2430 8871 0100
 6333

Sampled : 03/21/23

Ordered : 03/21/23

Sample Size Received : 16 gram

Total Amount : 1444 units

Completed : 03/24/23 Expires: 03/24/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.027g

 Extraction date:
 03/22/23 12:56:59

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA05767650L

Instrument Used : DA-GCMS-003

Running on : 03/24/23 05:43:44

Reviewed On : 03/24/23 09:11:11

Batch Date : 03/22/23 09:25:40

Dilution : 1

Reagent : 030420.09

Consumables : G201.062; G201.062

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30322004-004

Harvest/Lot ID: 8521 9964 9634 7173

 Batch# : 2430 8871 0100
 6333

Sampled : 03/21/23

Ordered : 03/21/23

Sample Size Received : 16 gram

Total Amount : 1444 units

Completed : 03/24/23 Expires: 03/24/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

 Analyzed by: 3621, 3390, 585, 1440
 Weight: 1.001g
 Extraction date: N/A
 Extracted by: 3621, 3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA057665MIC

 Reviewed On : 03/23/23
 11:06:48

 Instrument Used : PathogenDx Scanner DA-111, fisherbrand
 Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block
 DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED
 BIOSYSTEMS THERMOCYCLER DA-254
 Running on : 03/22/23 10:55:15

 Batch Date : 03/22/23
 07:56:54

Dilution : N/A

Reagent : 011223.50; 031423.R29; 092122.07

Consumables : 7558002052

Pipette : N/A

 Analyzed by: 3621, 3390, 585, 1440
 Weight: 1.001g
 Extraction date: N/A
 Extracted by: 3621, 3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA057693TYM

Instrument Used : Incubator (25-27C) DA-096

Running on : 03/22/23 12:51:13

Reviewed On : 03/24/23 12:56:05

Batch Date : 03/22/23 10:32:47

Dilution : 10

Reagent : 011223.50; 013123.R21

Consumables : N/A

Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

 Analyzed by: 3379, 585, 1440
 Weight: 0.2123g
 Extraction date: 03/22/23 14:17:29
 Extracted by: 3379, 450

 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),
 SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA057681MYC

Instrument Used : N/A

Running on : 03/22/23 13:39:28

Reviewed On : 03/23/23 15:06:08

Batch Date : 03/22/23 10:06:07

Dilution : 250

 Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 032123.R01; 032223.R01;
 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5

 Analyzed by: 1022, 585, 1440
 Weight: 0.2461g
 Extraction date: 03/22/23 12:52:29
 Extracted by: 1879, 3807, 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA057669HEA

Instrument Used : DA-ICPMS-003

Running on : 03/22/23 14:59:09

Reviewed On : 03/23/23 09:52:25

Batch Date : 03/22/23 09:02:36

Dilution : 50

 Reagent : 031423.R28; 031423.R18; 031723.R22; 031523.R45; 031723.R20; 031723.R21;
 030123.R46; 022323.R22; 020123.02

Consumables : 179436; 210508058; 12607-302CC-302

Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30322004-004

Harvest/Lot ID: 8521 9964 9634 7173

Batch# : 2430 8871 0100 6333

Sampled : 03/21/23

Ordered : 03/21/23

Sample Size Received : 16 gram

Total Amount : 1444 units

Completed : 03/24/23 **Expires:** 03/24/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057711FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/22/23 18:45:39

Reviewed On : 03/22/23 19:01:35

Batch Date : 03/22/23 18:38:59

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.477	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.453g	Extraction date: 03/22/23 14:34:47	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057689WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/22/23 12:16:24

Reviewed On : 03/22/23 16:34:10

Batch Date : 03/22/23 10:19:44

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.