



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30322004-008
 Harvest/Lot ID: 7571 8668 6517 8361
 Batch#: 6231 2879 1837 5527
 Cultivation Facility: Zolfo Springs Cultivation
 Processing Facility: Tampa Processing
 Distributor Facility:
 Source Facility: Tampa Cultivation
 Seed to Sale#: 7571 8668 6517 8361
 Batch Date: 11/23/22
 Sample Size Received: 26 gram
 Total Amount: 1895 units
 Retail Product Size: 1 gram
 Ordered: 03/21/23
 Sampled: 03/21/23
 Completed: 03/24/23
 Sampling Method: SOP.T.20.010

Mar 24, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

26.648%

Total THC/Container : 266.48 mg



Total CBD

0.077%

Total CBD/Container : 0.77 mg



Total Cannabinoids

31.198%

Total Cannabinoids/Container : 311.98 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	1.578	28.587	ND	0.088	0.034	0.117	0.661	0.017	ND	ND	0.116	0.084	29.117	34.088
mg/unit	15.78	285.87	ND	0.88	0.34	1.17	6.61	0.17	ND	ND	1.16	0.84	291.17	340.88
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.2125g

Extraction date:
03/22/23 10:26:57

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA057677POT
 Instrument Used : DA-LC-002
 Running on : 03/22/23 10:29:40

Reviewed On : 03/23/23 09:07:39
 Batch Date : 03/22/23 09:27:23

Dilution : 400
 Reagent : 030923.R04; 071222.01; 030223.R09
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30322004-008
Harvest/Lot ID: 7571 8668 6517 8361

Batch# : 6231 2879 1837
Sample Size Received : 26 gram
Total Amount : 1895 units
Completed : 03/24/23 **Expires:** 03/24/24
Ordered : 03/21/23 **Sample Method :** SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)						
TOTAL TERPENES	0.007	12.7	1.27		FARNESENE	0.007	<2	<0.02							
TOTAL TERPINEOL	0.007	0.52	0.052		ALPHA-HUMULENE	0.007	1.66	0.166							
ALPHA-BISABOLOL	0.007	1.11	0.111		VALENCENE	0.007	ND	ND							
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND							
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND							
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.38	0.038							
BETA-PINENE	0.007	ND	ND		GUAIOL	0.007	ND	ND							
BETA-MYRCENE	0.007	ND	ND		CEDROL	0.007	ND	ND							
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, S&S, 1440				Weight: 1.0558g	Extraction date: 03/22/23 12:56:58	Extracted by: 2076				
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				Reviewed On : 03/24/23 16:20:41						
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA057675TER				Instrument Used : DA-GCMS-008						
LIMONENE	0.007	<0.2	<0.02		Running on : 03/22/23 16:36:49				Batch Date : 03/22/23 09:24:55						
EUCALYPTOL	0.007	ND	ND		Dilution : 10										
OCIMENE	0.007	ND	ND		Reagent : 121622.34										
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270										
SABINENE HYDRATE	0.007	ND	ND		Pipette : N/A										
TERPINOLENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.										
FENCHONE	0.007	ND	ND												
LINALOOL	0.007	1.55	0.155												
FENCHYL ALCOHOL	0.007	0.5	0.05												
ISOPULEGOL	0.007	ND	ND												
CAMPHOR	0.013	ND	ND												
ISOBORNEOL	0.007	ND	ND												
BORNEOL	0.013	<0.4	<0.04												
HEXAHYDROTHYMOL	0.007	ND	ND												
NEROL	0.007	ND	ND												
PULEGONE	0.007	ND	ND												
GERANIOL	0.007	<0.2	<0.02												
GERANYL ACETATE	0.007	ND	ND												
ALPHA-CEDRENE	0.007	ND	ND												
BETA-CARYOPHYLLENE	0.007	4.92	0.492												
Total (%)				1.27											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30322004-008

Harvest/Lot ID: 7571 8668 6517 8361

Batch# : 6231 2879 1837
 5527

Sampled : 03/21/23

Ordered : 03/21/23

Sample Size Received : 26 gram

Total Amount : 1895 units

Completed : 03/24/23 **Expires:** 03/24/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9757g	03/22/23 14:21:26	3379,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057686PES			Reviewed On :03/23/23 18:37:27		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :03/22/23 10:10:36		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :03/22/23 13:37:52					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 032123.R01; 032223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.9757g	03/22/23 14:21:26	3379,450		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057688VOL			Reviewed On :03/23/23 11:02:27		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-006			Batch Date :03/22/23 10:12:41		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :N/A					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30322004-008

Harvest/Lot ID: 7571 8668 6517 8361

 Batch# : 6231 2879 1837
 5527

Sampled : 03/21/23

Ordered : 03/21/23




Sample Size Received : 26 gram

Total Amount : 1895 units

Completed : 03/24/23 Expires: 03/24/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	40	PASS	100000						
Analyzed by: 3621, 3390, 585, 1440 Weight: 1.1824g Extraction date: 03/22/23 10:31:29 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057665MIC Reviewed On : 03/23/23 11:06:55 Batch Date : 03/22/23 07:56:54 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254 Running on : 03/22/23 10:55:15 Dilution : N/A Reagent : 011223.50; 031423.R29; 092122.07 Consumables : 7558002052 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.9757g Extraction date: 03/22/23 14:21:26 Extracted by: 3379, 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057687MYC Instrument Used : N/A Running on : 03/22/23 13:39:22 Dilution : 250 Reagent : 032023.R01; 032023.R03; 032023.R08; 032023.R04; 032123.R01; 032223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3621, 585, 1440 Weight: 1.1824g Extraction date: 03/22/23 10:31:29 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057693TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 03/22/23 12:51:13 Dilution : 10 Reagent : 011223.50; 013123.R21 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2636g Extraction date: 03/22/23 13:44:26 Extracted by: 1022, 3807 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057691HEA Instrument Used : DA-ICPMS-003 Running on : 03/22/23 15:06:42 Dilution : 50 Reagent : N/A Consumables : N/A Pipette : N/A Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30322004-008
Harvest/Lot ID: 7571 8668 6517 8361

Batch# : 6231 2879 1837 **Sample Size Received :** 26 gram
 5527 **Total Amount :** 1895 units
Sampled : 03/21/23 **Completed :** 03/24/23 **Expires:** 03/24/24
Ordered : 03/21/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA057709FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 03/22/23 18:46:02

Reviewed On : 03/22/23 19:01:02
Batch Date : 03/22/23 18:38:14

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.416	PASS	0.65

Analyzed by: 2926, 585, 1440	Weight: 0.716g	Extraction date: 03/22/23 13:36:31	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA057690WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 03/22/23 12:16:13

Reviewed On : 03/22/23 16:34:16
Batch Date : 03/22/23 10:21:22

Dilution : N/A
Reagent : 100522.09
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	8.48	PASS	15

Analyzed by: 2926, 585, 1440	Weight: 0.507g	Extraction date: 03/22/23 14:00:35	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021
Analytical Batch : DA057697MOI
Instrument Used : DA-003 Moisture Analyzer
Running on : 03/22/23 13:52:30

Reviewed On : 03/22/23 16:34:15
Batch Date : 03/22/23 10:44:35

Dilution : N/A
Reagent : 101920.06; 020123.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.