



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30324009-007  
Harvest/Lot ID: HYB-GP-020123-C0076  
Batch#: 4309 3658 2554 5077  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Distributor Facility:  
Source Facility: Tampa Cultivation  
Seed to Sale# 8328 1838 4034 5217  
Batch Date: 01/17/23  
Sample Size Received: 27 gram  
Total Amount: 1365 units  
Retail Product Size: 1.5 gram  
Ordered: 03/24/23  
Sampled: 03/24/23  
Completed: 03/27/23  
Sampling Method: SOP.T.20.010











Mar 27, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US




**PASSED**

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides <b>PASSED</b>	Heavy Metals <b>PASSED</b>	Microbials <b>PASSED</b>	Mycotoxins <b>PASSED</b>	Residuals Solvents <b>NOT TESTED</b>	Filtration <b>PASSED</b>	Water Activity <b>PASSED</b>	Moisture <b>PASSED</b>	Terpenes <b>TESTED</b>

	<b>Cannabinoid</b>	<b>PASSED</b>
--	--------------------	---------------



Analyzed by: 2076, 3112, 1665, 3379  Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA057826POT Instrument Used : DA-LC-002 Running on : 03/24/23 12:50:21	Weight: 0.2054g	Extraction date: 03/24/23 12:35:39  Reviewed On : 03/27/23 16:19:08 Batch Date : 03/24/23 10:41:33	Extracted by: 1665,3112
Dilution : 400 Reagent : 032323.R06; 071222.01; 032323.R03 Consumables : 250350; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30324009-007  
Harvest/Lot ID: HYB-GP-020123-C0076

Batch# : 4309 3658 2554  
Sample Size Received : 27 gram  
Total Amount : 1365 units  
Sampled : 03/24/23  
Completed : 03/27/23 Expires: 03/27/24  
Ordered : 03/24/23  
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	11.19	0.746		FARNESENE	0.007	<0.3	<0.02	
TOTAL TERPINEOL	0.007	<0.3	<0.02		ALPHA-HUMULENE	0.007	1.125	0.075	
ALPHA-BISABOLOL	0.007	1.425	0.095		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	0.33	0.022	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.3	<0.02	
BETA-PINENE	0.007	<0.3	<0.02		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	<0.3	<0.02		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 585, 3379Weight: 0.8895gExtraction date: 03/24/23 16:15:40Extracted by: 2076				
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 03/27/23 11:27:36				
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA057808TERBatch Date : 03/24/23 09:30:41				
LIMONENE	0.007	0.585	0.039		Instrument Used : DA-GCMS-008				
EUCALYPTOL	0.007	ND	ND		Running on : 03/24/23 17:28:32				
OCIMENE	0.007	ND	ND		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : N/A				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	ND	ND		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	1.56	0.104						
FENCHYL ALCOHOL	0.007	0.3	0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	3.855	0.257						
Total (%)			0.746						



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30324009-007  
 Harvest/Lot ID: HYB-GP-020123-C0076

 Batch# : 4309 3658 2554    Sample Size Received : 27 gram  
 5077    Total Amount : 1365 units  
 Sampled : 03/24/23    Completed : 03/27/23 Expires: 03/27/24  
 Ordered : 03/24/23    Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585	0.9938g	03/24/23 14:57:54	3379,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057821PES			Reviewed On : 03/27/23 10:14:33		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/24/23 10:18:34		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 03/24/23 14:32:58					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R01; 032423.R01; 032023.R08; 032023.R04; 032123.R01; 032223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 3379	0.9938g	N/A	3379,450		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057823VOL			Reviewed On : 03/27/23 10:14:00		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 03/24/23 10:20:51		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 03/24/23 14:59:16					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30324009-007  
 Harvest/Lot ID: HYB-GP-020123-C0076

 Batch# : 4309 3658 2554    Sample Size Received : 27 gram  
 5077    Total Amount : 1365 units  
 Sampled : 03/24/23    Completed : 03/27/23 Expires: 03/27/24  
 Ordered : 03/24/23    Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SPECIFIC GENE			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	4000	PASS	100000

Analyzed by: 3621, 3336, 585, 3379    Weight: 1.9863g    Extraction date: 03/24/23 12:45:11    Extracted by: 3621

 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
 Analytical Batch : DA057814MIC    Reviewed On : 03/26/23 13:42:54

 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021  
 Running on : 03/24/23 12:50:11    Batch Date : 03/24/23 10:10:54

 Dilution : N/A  
 Reagent : 011223.47; 031423.R29; 092122.07  
 Consumables : 7558002032  
 Pipette : N/A

Analyzed by: 3621, 585, 3379    Weight: 1.9863g    Extraction date: 03/24/23 12:45:11    Extracted by: 3621

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
 Analytical Batch : DA057849TYM    Reviewed On : 03/26/23 16:51:01  
 Instrument Used : Incubator (25-27C) DA-096    Batch Date : 03/24/23 12:49:01  
 Running on : 03/24/23 12:50:12

 Dilution : 10  
 Reagent : 011223.47; 032323.R29  
 Consumables : N/A  
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585    Weight: 0.9938g    Extraction date: N/A    Extracted by: 3379, 450

 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
 Analytical Batch : DA057822MYC    Reviewed On : 03/27/23 08:40:01  
 Instrument Used : N/A    Batch Date : 03/24/23 10:20:48  
 Running on : 03/24/23 14:34:19

 Dilution : 250  
 Reagent : 032023.R01; 032423.R01; 032023.R08; 032023.R04; 032123.R01; 032223.R01; 040521.11  
 Consumables : 6697075-02  
 Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Heavy Metals

**PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.1	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 3379    Weight: 0.224g    Extraction date: 03/24/23 13:04:18    Extracted by: 1022, 3619

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : DA057810HEA    Reviewed On : 03/26/23 13:27:17  
 Instrument Used : DA-ICPMS-003    Batch Date : 03/24/23 09:56:06  
 Running on : 03/24/23 16:01:10

 Dilution : 50  
 Reagent : 031423.R28; 031423.R18; 031723.R22; 032323.R08; 031723.R20; 031723.R21; 032323.R07; 020123.02  
 Consumables : 179436; 210508058; 12607-302CC-302  
 Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

Sample : DA30324009-007

Harvest/Lot ID: HYB-GP-020123-C0076

 Batch# : 4309 3658 2554  
 5077

Sampled : 03/24/23

Ordered : 03/24/23

Sample Size Received : 27 gram

Total Amount : 1365 units

Completed : 03/27/23 Expires: 03/27/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**

**Moisture**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.1	%	ND	<b>PASS</b>	1

Analyzed by: 1879, 3379	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA057850FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/24/23 16:20:49

Reviewed On : 03/24/23 16:22:23

Batch Date : 03/24/23 16:10:28

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.01	aw	0.49	<b>PASS</b>	0.65

Analyzed by: 2926, 585, 3379	Weight: 0.696g	Extraction date: 03/24/23 14:43:18	Extracted by: 2926
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA057841WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/24/23 14:40:27

Reviewed On : 03/24/23 16:02:40

Batch Date : 03/24/23 11:09:25

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.