










Certificate of Analysis

COMPLIANCE FOR RETAIL


Sample:DA30324009-008
Harvest/Lot ID: HYB-BH-012523-C0072
Batch#: 3087 2461 9321 9314
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Distributor Facility :
Source Facility : Tampa Cultivation
Seed to Sale# 1872 2501 4770 4939
Batch Date: 01/02/23
Sample Size Received: 27 gram
Total Amount: 1414 units
Retail Product Size: 1.5 gram
Ordered : 03/24/23
Sampled : 03/24/23
Completed: 03/27/23
Sampling Method: SOP.T.20.010
Mar 27, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED
Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents NOT TESTED	 Filtration PASSED	 Water Activity PASSED	 Moisture PASSED	 Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------


Analyzed by:
2076, 3112, 1665, 585, 3379

Weight:
0.2163g

Extraction date:
03/24/23 12:35:48

Extracted by:
1665,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA057826POT
Instrument Used : DA-LC-002
Running on : 03/24/23 12:50:21

Reviewed On : 03/26/23 13:27:44
Batch Date : 03/24/23 10:41:33

Dilution : 400
Reagent : 032323.R06; 071222.01; 032323.R03
Consumables : 250350; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30324009-008
Harvest/Lot ID: HYB-BH-012523-C0072

Batch# : 3087 2461 9321
Sample Size Received : 27 gram
Total Amount : 1414 units
Sampled : 03/24/23
Completed : 03/27/23 Expires: 03/27/24
Ordered : 03/24/23
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	13.035	0.869		FARNESENE	0.007	0.72	0.048	
TOTAL TERPINEOL	0.007	<0.3	<0.02		ALPHA-HUMULENE	0.007	0.645	0.043	
ALPHA-BISABOLOL	0.007	0.39	0.026		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.745	0.183		CIS-NEROLIDOL	0.007	<0.3	<0.02	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.3	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.3	<0.02	
BETA-PINENE	0.007	0.615	0.041		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	2.235	0.149		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, S&S, 3379Weight: 0.8839gExtraction date: 03/24/23 16:15:40Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 03/27/23 11:27:46</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Analytical Batch : DA057808TERBatch Date : 03/24/23 09:30:41</div>				
LIMONENE	0.007	0.435	0.029		<div>Instrument Used : DA-GCMS-008</div>				
EUCALYPTOL	0.007	ND	ND		<div>Running on : 03/24/23 17:28:32</div>				
OCIMENE	0.007	0.525	0.035		<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.007	ND	ND		<div>Reagent : N/A</div>				
SABINENE HYDRATE	0.007	ND	ND		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
TERPINOLENE	0.007	ND	ND		<div>Pipette : N/A</div>				
FENCHONE	0.007	ND	ND		<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.007	1.425	0.095						
FENCHYL ALCOHOL	0.007	<0.3	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.3	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.545	0.103						
Total (%)			0.869						



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30324009-008
 Harvest/Lot ID: HYB-BH-012523-C0072

 Batch# : 3087 2461 9321 Sample Size Received : 27 gram
 9314 Total Amount : 1414 units
 Sampled : 03/24/23 Completed : 03/27/23 Expires: 03/27/24
 Ordered : 03/24/23 Sample Method : SOP.T.20.010

Page 3 of 5

<div>  Pesticides </div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585 Weight: 0.9054g Extraction date: 03/24/23 14:57:54 Extracted by: 3379,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA057821PES Reviewed On : 03/27/23 10:14:34 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/24/23 10:18:34 Running on : 03/24/23 14:32:58					
DIAZINON	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 032023.R01; 032423.R01; 032023.R08; 032023.R04; 032123.R01; 032223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 3379 Weight: 0.9054g Extraction date: N/A Extracted by: 3379,450 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA057823VOL Reviewed On : 03/27/23 10:14:01 Instrument Used : DA-GCMS-001 Batch Date : 03/24/23 10:20:51 Running on : 03/24/23 14:59:16					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 25 Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24 Consumables : 6697075-02; 14725401 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30324009-008
 Harvest/Lot ID: HYB-BH-012523-C0072

 Batch# : 3087 2461 9321
 Sample Size Received : 27 gram
 Total Amount : 1414 units
 Completed : 03/27/23 Expires: 03/27/24
 Ordered : 03/24/23
 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SPECIFIC GENE			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	990	PASS	100000
Analyzed by: 3621, 3336, 585, 3379 Weight: 2.0156g Extraction date: 03/24/23 12:45:11 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057814MIC Reviewed On : 03/26/23 13:42:55 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Running on : 03/24/23 12:50:11 Dilution : N/A Reagent : 011223.47; 031423.R29; 092122.07 Consumables : 7558002032 Pipette : N/A					

Analyzed by: 3621, 585, 3379	Weight: 2.0156g	Extraction date: 03/24/23 12:45:11	Extracted by: 3621
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057849TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 03/24/23 12:50:12 Dilution : 10 Reagent : 011223.47; 032323.R29 Consumables : N/A Pipette : N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585 Weight: 0.9054g Extraction date: N/A Extracted by: 3379, 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057822MYC Instrument Used : N/A Running on : 03/24/23 14:34:19 Dilution : 250 Reagent : 032023.R01; 032423.R01; 032023.R08; 032023.R04; 032123.R01; 032223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.1	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3379 Weight: 0.2787g Extraction date: 03/24/23 13:04:46 Extracted by: 1022, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057810HEA Instrument Used : DA-ICPMS-003 Running on : 03/24/23 16:01:10 Dilution : 50 Reagent : 031423.R28; 031423.R18; 031723.R22; 032323.R08; 031723.R20; 031723.R21; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30324009-008
Harvest/Lot ID: HYB-BH-012523-C0072

Batch# : 3087 2461 9321
Sample Size Received : 27 gram
Total Amount : 1414 units
Completed : 03/27/23 **Expires:** 03/27/24
Ordered : 03/24/23
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1
Analyzed by: 1879, 3379	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090			Reviewed On : 03/24/23 16:22:23 Batch Date : 03/24/23 16:10:28		
Analytical Batch : DA057850FIL					
Instrument Used : Filth/Foreign Material Microscope					
Running on : 03/24/23 16:20:49					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.514	PASS	0.65
Analyzed by: 2926, 585, 3379	Weight: 0.565g	Extraction date: 03/24/23 14:43:18		Extracted by: 2926	
Analysis Method : SOP.T.40.019					
Analytical Batch : DA057841WAT			Reviewed On : 03/24/23 16:02:43		
Instrument Used : DA-028 Rotronic HygroPalm			Batch Date : 03/24/23 11:09:25		
Running on : 03/24/23 14:40:27					
Dilution : N/A					
Reagent : 100522.09					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	7.02	PASS	15
Analyzed by: 3807, 2926, 585, 3379	Weight: 0.488g	Extraction date: 03/24/23 15:40:32		Extracted by: 2926	
Analysis Method : SOP.T.40.021					
Analytical Batch : DA057844MOI			Reviewed On : 03/24/23 16:02:42		
Instrument Used : DA-003 Moisture Analyzer			Batch Date : 03/24/23 11:18:42		
Running on : 03/24/23 15:31:18					
Dilution : N/A					
Reagent : 101920.06; 020123.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.