

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

Sundae Driver RSO Syringes 1g Sundae Driver Matrix: Derivative

Pages 1 of 6



PASSED

MISC.

Sample:DA30324009-009 Harvest/Lot ID: 3410 6510 1856 8865 Batch#: 3410 6510 1856 8865 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Distributor Facility : Source Facility : Tampa Cultivation** Seed to Sale# 9784 7887 0890 0326 Batch Date: 01/19/23 Sample Size Received: 16 gram Total Amount: 980 units Retail Product Size: 1 gram Ordered : 03/24/23 Sampled : 03/24/23 Completed: 03/27/23 Sampling Method: SOP.T.20.010

Mar 27, 2023 | FLUENT

SAFETY RESULTS

82 NE 26th street Miami, FL, 33137, US

PRODUCT IMAGE

١g Heavy Metals PASSED Pesticides Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED TESTED PASSED PASSED PASSED PASSED NOT TESTED PASSED PASSED Д Cannabinoid Total CBD **Total THC Total Cannabinoids** 86.009% 90.614% 0.214% Total THC/Container : 860.09 mg Total CBD/Container : 2.14 mg Total Cannabinoids/Container : 906.14 mg THCA CBD CBDA D8-THC CRGA CBN THCV CBDV СВС D9-THO CBG 85.757 0.288 0.214 ND 0.375 1.944 ND 0.624 0.205 ND 1,207 857.57 2.88 2.14 ND 3.75 19.44 ND 6.24 2.05 ND 12.07 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 LOD % % % % % % % % % % % Weight: 0.1056q Extraction date: 03/24/23 12:41:36 Extracted by: 3112,1665 Analyzed by: 1665, 585, 3379 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA057846POT Reviewed On : 03/26/23 13:27:49 Instrument Used : DA-LC-007 Batch Date : 03/24/23 11:54:12 Running on : 03/24/23 12:48:12 Dilution: 400 Bildton : 400 Reagent : 032323.R05; 071222.01; 032323.R02 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/27/23



DAVIE, FL, 33314, US

Kaycha Labs

..... Sundae Driver RSO Syringes 1g Sundae Driver Matrix : Derivative



PASSED

TESTED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30324009-009 Harvest/Lot ID: 3410 6510 1856 8865

Batch#: 3410 6510 1856 Sampled : 03/24/23 Ordered : 03/24/23

Sample Size Received : 16 gram Total Amount : 980 units Completed : 03/27/23 Expires: 03/27/24 Sample Method : SOP.T.20.010

Page 2 of 6

(0)

Terpenes

Terpenes	LOD (%)	mg/unit	% Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	12.1	1.21	FARNESENE		0.007	0.29	0.029	
TOTAL TERPINEOL	0.007	0.23	0.023	ALPHA-HUMULENE		0.007	1.19	0.119	
ALPHA-BISABOLOL	0.007	1.22	0.122	VALENCENE		0.007	ND	ND	
ALPHA-PINENE	0.007	0.26	0.026	CIS-NEROLIDOL		0.007	ND	ND	
CAMPHENE	0.007	ND	ND	TRANS-NEROLIDOL		0.007	<2	< 0.02	
SABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE		0.007	<2	< 0.02	
BETA-PINENE	0.007	0.31	0.031	GUAIOL		0.007	ND	ND	
BETA-MYRCENE	0.007	1.11	0.111	CEDROL		0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND	Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
3-CARENE	0.007	ND	ND	2076, 585, 3379	0.9317g		03/24/23 16	:15:41	2076
ALPHA-TERPINENE	0.007	ND	ND	Analysis Method : SOP.T.30.061		1. C			
IMONENE	0.007	2.91	0.291	Analytical Batch : DA057808TE Instrument Used : DA-GCMS-00					3/27/23 11:27:48
UCALYPTOL	0.007	ND	ND	Running on : 03/24/23 17:28:32			Batch	Date : 03/	24/23 09:30:41
CIMENE	0.007	0.55	0.055	Dilution : 10					
GAMMA-TERPINENE	0.007	ND	ND	Reagent : N/A					
ABINENE HYDRATE	0.007	ND	ND	Consumables : 210414634; MK	CN9995; CE0123; R1K	314270			
ERPINOLENE	0.007	0.27	0.027	Pipette : N/A					
ENCHONE	0.007	ND	ND	Terpenoid testing is performed utili	zing Gas Chromatography	Mass Spect	trometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
NALOOL	0.007	0.51	0.051						
ENCHYL ALCOHOL	0.007	0.33	0.033						
OPULEGOL	0.007	ND	ND						
AMPHOR	0.013	ND	ND						
SOBORNEOL	0.007	ND	ND						
ORNEOL	0.013	ND	ND						
IEXAHYDROTHYMOL	0.007	ND	ND						
IEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	2.92	0.292						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/27/23



..... Sundae Driver RSO Syringes 1g Sundae Driver Matrix : Derivative



PASSED

PASSED

Page 3 of 6

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com R O

FLUENT

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE
IFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE
IFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM
ARBARYL	0.01	ppm	0.5	PASS	ND	
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBE
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *
ICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:
IMETHOATE	0.01	ppm	0.1	PASS	ND	3379, 585
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0578
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCI
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :03/24/23 14
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 032023.R01: 03
IPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural age
IEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 3379
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA0578 Instrument Used : DA-GC
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :03/24/23 14
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25
IETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 04
IEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural ager in accordance with F.S. Rule

Certificate of Analysis

Sample : DA30324009-009 Harvest/Lot ID: 3410 6510 1856 8865

Sample Size Received : 16 gram

Sample Method : SOP.T.20.010

Total Amount : 980 units Completed : 03/27/23 Expires: 03/27/24

Batch#: 3410 6510 1856

Sampled : 03/24/23

Ordered : 03/24/23

Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OXAMYL		0.01	ppm	0.5	PASS	ND
PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
PHOSMET		0.01	ppm	0.1	PASS	ND
PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
PRALLETHRIN		0.01	ppm	0.1	PASS	ND
PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
PROPOXUR		0.01	ppm	0.1	PASS	ND
PYRIDABEN		0.01	ppm	0.2	PASS	ND
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
SPIROXAMINE		0.01	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
THIACLOPRID		0.01	ppm	0.1	PASS	ND
THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
PENTACHLORONITROB	NZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
CAPTAN *		0.07	PPM	0.7	PASS	ND
CHLORDANE *		0.01	PPM	0.1	PASS	ND
CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
Analyzed by: 3379, 585	Weight: 0.298g	Extraction 03/24/23 14			Extracted b 3379,450	y:
Analysis Method : SOP.T	.30.101.FL (Gaine	sville), SOP.T	.30.102.FL	_ (Davie), SOP	.T.40.101.FL (Gainesville),
SOP.T.40.102.FL (Davie) Analytical Batch : DA057	7821PES		Reviewe	d On :03/27/2	3 10.14.35	
Instrument Used : DA-LO				te:03/24/23		
Running on :03/24/23 1	4:32:58					
Dilution : 250 Reagent : 032023.R01; (Consumables : 6697075 Pipette : DA-093; DA-09	-02	23.R08; 0320)23.R04; 0	32123.R01; 0	32223.R01; 04	40521.11
Testing for agricultural ag Spectrometry in accordan			Chromato	graphy Triple-(Quadrupole Ma	SS
Analyzed by: 450, 585, 3379	Weight: 0.298g	Extra N/A	ction dat	e:	Extracted by 3379,450	•
Analysis Method :SOP.T Analytical Batch :DA05 Instrument Used :DA-G Running on :03/24/23 1	7823VOL CMS-001	Re	eviewed O	FL (Davie), SO On :03/27/23 1 :03/24/23 10:	.0:14:02	
Dilution : 25 Reagent : 032023.R08; (Consumables : 6697075 Pipette : DA-080; DA-14	-02; 14725401	3.R23; 03092	23.R24			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

03/27/23



Sundae Driver RSO Syringes 1g Sundae Driver Matrix : Derivative



PASSED

PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30324009-009 Harvest/Lot ID: 3410 6510 1856 8865

Batch#: 3410 6510 1856 Sampled : 03/24/23 Ordered : 03/24/23

Sample Size Received : 16 gram Total Amount : 980 units Completed : 03/27/23 Expires: 03/27/24 Sample Method : SOP.T.20.010

Page 4 of 6

л

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
HLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
THANOL	500	ppm		TESTED	ND
THYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
THYLENE OXIDE	0.5	ppm	5	PASS	ND
IEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
I-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ROPANE	500	ppm	5000	PASS	ND
OLUENE	15	ppm	150	PASS	ND
OTAL XYLENES	15	ppm	150	PASS	ND
RICHLOROETHYLENE	2.5	ppm	25	PASS	ND
nalyzed by: 50, 585, 3379	Weight: 0.0248g	Extraction date: 03/24/23 14:05			Extracted by: 350
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA057840SOL nstrument Used : DA-GCMS-002 Aunning on : 03/27/23 13:19:25			ved On : 03/27/23 14:38:00 Date : 03/24/23 11:06:39		
Dilution : 1 Reagent : 030420.09 Consumables : G201.062; G201.062 Pipette : DA-309 25 uL Syringe 35028			TYV	$\langle X \rangle$	$\langle \chi \rangle$

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/27/23



Sundae Driver RSO Syringes 1g Sundae Driver Matrix : Derivative



PASSED

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

PASSED

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30324009-009 Harvest/Lot ID: 3410 6510 1856 8865

Batch#: 3410 6510 1856 Sampled : 03/24/23 Ordered : 03/24/23

Sample Size Received : 16 gram Total Amount : 980 units Completed : 03/27/23 Expires: 03/27/24 Sample Method : SOP.T.20.010

Page 5 of 6

Units

ppm

ppm

ppm

ppm

ppm

Result

ND

ND

ND

ND

ND

Ċ,	Micro	bial			PAS	SED	လို့	Mycoto	cins
ASPERGILLU	S NIGER S FUMIGATUS	LOD	Units	Result Not Present Not Present Not Present Not Present Not Present	Pass / Fail PASS PASS PASS PASS PASS	Action Level	Analyte AFLATOXIN E AFLATOXIN E OCHRATOXIN AFLATOXIN C AFLATOXIN C	31 N A 51	4
GENE	A COLI SPECIFIC T AND MOLD	10	CFU/g	Not Present	PASS PASS	100000	Analyzed by: 3379, 585	Weight: 0.298g d : SOP.T.30.101.FL (G	Extra N/A
	35, 3379 od : SOP.T.40.056 ch : DA057814MIC		Extraction 0 03/24/23 12 58.FL, SOP.T	2:45:11 .40.209.FL	Extracte 3621	1	Analytical Batc Instrument Use	L (Davie), SOP.T.40.10 h:DA057822MYC d:N/A 3/24/23 14:34:19	2.FL (Davi
Instrument Us Thermocycler DA-020,fisher Isotemp Heat	ed : PathogenDx S DA-010,fisherbran prand Isotemp He	Scanner DA-12 nd Isotemp He at Block DA-0	at Block	13:42: osystems Batch 10:10:	57 Date: 03/2	/	040521.11 Consumables :)23.R01; 032423.R01; (6697075-02)3; DA-094; DA-219)32023.R0
Dilution : N/A	223.47; 031423.R		7	H	1	7	accordance with	ing utilizing Liquid Chroma F.S. Rule 64ER20-39. Heavy M	
Analyzed by: 3621, 585, 337	Wei 9 1.07		raction date: 24/23 12:45		Extracted 3621	l by:	[[Hg]]	neavy M	etai
Analytical Bate	od : SOP.T.40.208 ch : DA057849TYM ed : Incubator (25 3/24/23 12:50:12	M 5-27C) DA-096	Rev	9.FL iewed On : 03/20 ch Date : 03/24/2			Metal TOTAL CONT. ARSENIC	AMINANT LOAD MET.	ALS

Dilution: 10 Reagent : 011223.47; 032323.R29 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Extraction date: Weight: 0.298g Extracted by: N/A 3379,450 0.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) 322MYC Reviewed On : 03/27/23 08:40:04 Batch Date : 03/24/23 10:20:48 :34:19

LOD

0.002

0.002

0.002

0.002

0.002

32423.R01: 032023.R08: 032023.R04: 032123.R01: 032223.R01:

Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in 4ER20-39.

avy Metals

Metal			LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINA	ANT LOAD META	LS	0.11	ppm	ND	PASS	1.1
ARSENIC			0.02	ppm	ND	PASS	0.2
CADMIUM			0.02	ppm	ND	PASS	0.2
MERCURY			0.02	ppm	ND	PASS	0.2
LEAD			0.05	ppm	ND	PASS	0.5
			tion dat 23 13:0			tracted b 022,3619	y:
Analysis Method : SO Analytical Batch : DA Instrument Used : DA Running on : 03/24/23	057825HEA -ICPMS-003	XI	Review	ed On : 03, ate : 03/24			

Dilution: 50

Reagent : 031423.R28; 031423.R18; 031723.R22; 032323.R08; 031723.R20; 031723.R21; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302

Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/27/23



Sundae Driver RSO Syringes 1g Sundae Driver Matrix : Derivative



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30324009-009 Harvest/Lot ID: 3410 6510 1856 8865 Batch#: 3410 6510 1856

Reviewed On : 03/24/23 17:34:05

Batch Date : 03/24/23 16:14:02

Sampled : 03/24/23 Ordered : 03/24/23

Sample Size Received : 16 gram Total Amount : 980 units Completed : 03/27/23 Expires: 03/27/24 Sample Method : SOP.T.20.010

	Filth/Fo Materia		PASSED			
Analyte		LOD Units	Result	P/F	Action Level	
Filth and For	eign Material	0.1 %	ND	PASS	1	
Analyzed by: 1879, 3379	Weight: NA	Extraction on N/A	date:	Extra N/A	cted by:	
Analysis Metho	d: SOP.T.40.090					

Analytical Batch : DA057852FIL Instrument Used : Filth/Foreign Material Microscope Running on : 03/24/23 16:23:12

Dilution : N/A Reagent : N/A

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	\bigcirc	Water A	ctiv	vity	-	PAS	SSED
	nalyte Vater Activity		LOD 0.01	Units aw	Result 0.483	P/F TESTED	Action Level
	nalyzed by: 926, 585, 3379	Weight: 0.49g		traction d 3/24/23 14		Ext 292	acted by: 6
A Ir		: DA057842WAT : DA-028 Rotronic H	lygropa	Im		n:03/24/23 :03/24/231	
R C	ilution:N/A eagent:100522 onsumables:PS ipette:N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

03/27/23

PASSED

Page 6 of 6