

# **Certificate of Analysis**

**COMPLIANCE FOR RETAIL** 

Sample: DA30324009-011

Elara

**Kaycha Labs** 

Elara Capsules 600 mg

Matrix: Derivative

Harvest/Lot ID: 7783 7672 0793 3912 Batch#: 7783 7672 0793 3912

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing** 

**Distributor Facility:** 

**Source Facility: Tampa Cultivation** Seed to Sale# 2119 5316 8937 6589

Batch Date: 03/31/22

Sample Size Received: 30 gram

Total Amount: 928 units Retail Product Size: 0.3627 gram

Ordered: 03/24/23 Sampled: 03/24/23

Completed: 03/27/23

Sampling Method: SOP.T.20.010

## PASSED

Pages 1 of 6

PRODUCT IMAGE

82 NE 26th street Miami, FL, 33137, US

SAFETY RESULTS





















MISC.

Pesticides

Heavy Metals PASSED

Microbials

Mycotoxins

Residuals Solvents PASSED

Filth

Water Activity PASSED

NOT TESTED

**PASSED** 



#### Cannabinoid

Mar 27, 2023 | FLUENT

**Total THC** 

1.493% Total THC/Capsule: 5.415 mg



**Total CBD** 

Total CBD/Capsule: 5.114 mg

Reviewed On: 03/26/23 13:30:53 Batch Date: 03/24/23 11:54:12



**Total Cannabinoids** 

Total Cannabinoids/Capsule: 11.178 mg



03/24/23 12:41:36

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA057846POT Instrument Used: DA-LC-007 Running on: 03/24/23 12:48:12

Dilution: 400
Reagent: 032323.R05; 071222.01; 032323.R02
Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/27/23

Signed On

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



### Kaycha Labs

Elara Capsules 600 mg Elara

Matrix : Derivative



# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30324009-011 Harvest/Lot ID: 7783 7672 0793 3912

Batch#: 7783 7672 0793

Sampled: 03/24/23 Ordered: 03/24/23

Sample Size Received: 30 gram

Total Amount: 928 units Completed: 03/27/23 Expires: 03/27/24 Sample Method: SOP.T.20.010

**PASSED** 

Page 2 of 6



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/uni	it %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	ND	ND		FARNESENE		0.007	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE		0.007	ND	ND	
ALPHA-BISABOLOL	0.007	ND	ND		VALENCENE		0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL		0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE		0.007	ND	ND	
BETA-PINENE	0.007	ND	ND		GUAIOL		0.007	ND	ND	
ETA-MYRCENE	0.007	ND	ND		CEDROL		0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by:	Weight:		Extraction da	to.	Extracted by:
-CARENE	0.007	ND	ND		2076, 585, 3379	1.0981g		03/24/23 16:		2076
LPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.	061A.FL. SOP.T.40.061A.FL				
IMONENE	0.007	ND	ND		Analytical Batch : DA057806	TER				03/27/23 14:39:01
UCALYPTOL	0.007	ND	ND		Instrument Used: DA-GCMS Running on: 03/25/23 15:38			Batch	Date : 03,	/24/23 09:27:14
CIMENE	0.007	ND	ND		Dilution : 10	1,41				
AMMA-TERPINENE	0.007	ND	ND		Reagent: 121622.34					
ABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634;	MKCN9995; CE0123; R1KB:	14270			
ERPINOLENE	0.007	ND	ND		Pipette : N/A					
ENCHONE	0.007	ND	ND		Terpenoid testing is performed	utilizing Gas Chromatography I	Mass Spect	rometry. For all F	lower sam	ples, the Total Terpenes % is dry-weight corrected.
NALOOL	0.007	ND	ND							
		ND	ND							
ENCHYL ALCOHOL	0.007	ND ND	ND ND							
ENCHYL ALCOHOL COPULEGOL	0.007 0.007	ND	ND							
ENCHYL ALCOHOL COPULEGOL AMPHOR	0.007 0.007 0.013	ND ND	ND ND		11					
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL	0.007 0.007 0.013 0.007	ND ND ND	ND ND ND		- 74					
ENCHYL ALCOHOL GOPULEGOL AMPHOR GOBORNEOL ORNEOL	0.007 0.007 0.013 0.007 0.013	ND ND ND ND	ND ND ND ND		1					
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL EXAHYDROTHYMOL	0.007 0.007 0.013 0.007 0.013 0.007	ND ND ND ND	ND ND ND ND		H					
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL EXAHYDROTHYMOL EERAHYDROTHYMOL	0.007 0.007 0.013 0.007 0.013 0.007 0.007	ND ND ND ND ND	ND ND ND ND ND		力					
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL EXAHYDROTHYMOL EROL ULEGONE	0.007 0.007 0.013 0.007 0.013 0.007 0.007	ND ND ND ND ND ND	ND ND ND ND ND ND		力					
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL EXAHYDROTHYMOL EEROL ULGEONE EERANIOL	0.007 0.007 0.013 0.007 0.013 0.007 0.007	ND ND ND ND ND ND ND	ND ND ND ND ND ND ND		力					
VENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL JORNEOL JEKSAHYDROTHYMOL JEROL JULEGONE SERANIOL SERANIOL SERANIOL	0.007 0.007 0.013 0.007 0.013 0.007 0.007 0.007 0.007	ND N	ND ND ND ND ND ND ND		#					
FENCHYL ALCOHOL SOPULEGOL -AMPHOR SOBORNEOL SORNEOL HEXAHYDROTHYMOL HEROL UPULEGONE SERANIOL SERANYL ACETATE LLPHA-CEDRENE	0.007 0.007 0.013 0.007 0.013 0.007 0.007 0.007 0.007	ND N	ND N		#					
ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL IORNEOL JERCAHYDROTHYMOL JERCOL JULEGONE SERANIOL SERANIOL SERANIOL SERANIOL	0.007 0.007 0.013 0.007 0.013 0.007 0.007 0.007 0.007	ND N	ND ND ND ND ND ND ND				1			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/27/23



### **Kaycha Labs**

Elara Capsules 600 mg

Elara Matrix : Derivative



# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30324009-011 Harvest/Lot ID: 7783 7672 0793 3912

Batch#: 7783 7672 0793

Sampled: 03/24/23 Ordered: 03/24/23 Sample Size Received : 30 gram
Total Amount : 928 units
Completed : 03/27/23 Expires: 03/27/24
Sample Method : SOP.T.20.010

**PASSED** 

Page 3 of 6



#### **Pesticides**

P	A	S	S	Ε	D

esticide	LOD	Units	Action	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL		0.01	mag	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	1	PASS	ND			0.01	maa	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PHOSMET			P P			ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND	PIPERONYL BUTOXID	E	0.01	ppm	3	PASS	
OTAL SPINOSAD	0.01	ppm	3	PASS	ND	PRALLETHRIN		0.01	ppm	0.4	PASS	ND
BAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPICONAZOLE		0.01	ppm	1	PASS	ND
СЕРНАТЕ	0.01	ppm	3	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN		0.01	ppm	3	PASS	ND
CETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN		0.01	ppm	3	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	3	PASS	ND
OXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE		0.01	ppm	1	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	3	PASS	ND			0.01		1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM			ppm			
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	3	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITRO	BENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
ILORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL	*	0.01	PPM	0.1	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	3	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *		0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND					A		
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585	<b>Weight:</b> 0.3679g	03/24/23 1			Extracted b 3379,450	y:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOF				(Davie) SOP		Gainesvi
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (David		3411107, 301.1	.50.102.11	(Davie), Joi		Cumcsvi
OXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DAG			Reviewed	On:03/27/2	23 10:14:40	
NHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA			Batch Da	te:03/24/23	10:18:34	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 03/24/23	14:32:58					
NPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 250	/					
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 032023.R01 Consumables: 66970		23.R08; 0320	J23.R04; 0.	32123.R01; 0	32223.R01; 04	10521.11
ONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093: DA-0						
UDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural		itilizina Liquia	Chromator	ranhy Trinle-	Ouadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accord				,,pic .	2 - 2 al apole 1910	
IAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extra	action date	e:	Extracted by	/:
IIDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 3379	0.3679g	N/A			3379,450	
RESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method : SO						
ALATHION	0.01	ppm	2	PASS	ND	Analytical Batch : DAG				1:03/27/23 1		
ETALAXYL	0.01	ppm	3	PASS	ND	Instrument Used : DA- Running on : 03/24/23		Ba	atch Date	03/24/23 10:	:20:51	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 25	14.39:10					
THOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 032023.R08	3. 040521 11. 03092	3 R23: 03093	23 R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 66970		525, 05052	.5.11.2-7			
YCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-						
			0.5	PASS	ND					phy Triple-Qu		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/27/23



**DAVIE, FL, 33314, US** 

### Kaycha Labs

Elara Capsules 600 mg

Elara Matrix : Derivative



# **Certificate of Analysis**

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample : DA30324009-011 Harvest/Lot ID: 7783 7672 0793 3912

Batch#: 7783 7672 0793

Sampled: 03/24/23 Ordered: 03/24/23

Sample Size Received: 30 gram

Total Amount: 928 units Completed: 03/27/23 Expires: 03/27/24 Sample Method: SOP.T.20.010

### PASSED

Page 4 of 6



## **Residual Solvents**

**PASSED** 

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 3379	<b>Weight:</b> 0.0215g	Extraction date: 03/24/23 14:05:		// // \	Extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch: DA057840SOL Instrument Used : DA-GCMS-002 **Running on :** 03/27/23 13:19:25

Reagent: 030420.09 Consumables: G201.062; G201.062 Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 03/27/23 14:38:55 Batch Date: 03/24/23 11:06:39

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/27/23



### **Kaycha Labs**

Elara Capsules 600 mg

Elara Matrix : Derivative



# **Certificate of Analysis**

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30324009-011 Harvest/Lot ID: 7783 7672 0793 3912

Batch#: 7783 7672 0793

Sampled: 03/24/23 Ordered: 03/24/23

Sample Size Received: 30 gram Total Amount: 928 units Completed: 03/27/23 Expires: 03/27/24 Sample Method: SOP.T.20.010

Page 5 of 6



#### Microbial



### PASSED

0.02 0.02

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SPECIFIC GENE			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by:	Weight:	Extraction		Extracte	d by:
3621, 3336, 585, 3379	1.1467g	03/24/23 1	2:45:12	3621	

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA057814MIC Reviewed On: 03/26/23

Instrument Used: PathogenDx Scanner DA-111,Applied BiosystemsBatch Date: 03/24/23 Thermocycler DA-010,fisherbrand Isotemp Heat Block 10:10:54

Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Running on: 03/24/23 12:50:11

Dilution: N/A

Reagent: 011223.47; 031423.R29; 092122.07

Consumables: 7558002032

Pipet

Pipette : N/A				Hg	<b>Heavy Met</b>	als	
Analyzed by: 3621, 585, 3379	Weight: 1.1467g	Extraction date: 03/24/23 12:45:12	Extracted by: 3621	II.ia li			
Analysis Method : SO	P.T.40.208 (Gaine	esville), SOP.T.40.209.FL		Metal		LOD	U
Analytical Batch : DAI	057849TYM	Reviewe	ed On: 03/26/23 16:51:05 ate: 03/24/23 12:49:01	TOTAL CONT	TAMINANT LOAD METALS	0.11	р
Running on: 03/24/2	3 12:50:12			ARSENIC		0.02	р
Dilution: 10				CADMIUM		0.02	р
- 011222 47	022222 020			MEDCLIDY		0.02	n

Reagent: 011223.47; 032323.R29  $\textbf{Consumables}: \mathsf{N}/\mathsf{A}$ Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

240	Hycoto	XIII3			7	
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN E	32	0.002	ppm	ND	PASS	0.02
AFLATOXIN E	31	0.002	ppm	ND	PASS	0.02
OCHRATOXIN	I A	0.002	mag	ND	PASS	0.02

Analyzed by: 3379, 585	<b>Weight:</b> 0.3679g	Extraction da N/A	ate:		tracted by: 79,450
AFLATOXIN G2		0.002	ppm	ND	PASS
AFLATOXIN G1		0.002	ppm	ND	PASS
OCITICATION IN A		0.002	ppiii	ND	1 433

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA057822MYC

Reviewed On: 03/27/23 08:40:06 Instrument Used: N/A Running on: 03/24/23 14:34:19 Batch Date: 03/24/23 10:20:48

Dilution: 250

Reagent: 032023.R01; 032423.R01; 032023.R08; 032023.R04; 032123.R01; 032223.R01; 040521.11

Consumables : 6697075-02 Pipette: DA-093; DA-094; DA-219

 $My cotoxins\ testing\ utilizing\ Liquid\ Chromatography\ with\ Triple-Quadrupole\ Mass\ Spectrometry\ in\ accordance\ with\ F.S.\ Rule\ 64ER20-39.$ 



## **PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
	10/		- W -		

03/24/23 13:11:59 0.336g

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA057825HEA Instrument Used : DA-ICPMS-003 Running on: 03/24/23 16:05:22

Reviewed On: 03/26/23 13:21:27 Batch Date: 03/24/23 10:31:43

Reagent: 031423.R28; 031423.R18; 031723.R22; 032323.R08; 031723.R20; 031723.R21;

032323.R07; 020123.02 Consumables: 179436; 210508058; 12607-302CC-302

**Pipette**: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/27/23



# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30324009-011

Batch#: 7783 7672 0793

Sampled: 03/24/23 Ordered: 03/24/23

Harvest/Lot ID: 7783 7672 0793 3912

Sample Size Received: 30 gram Total Amount: 928 units Completed: 03/27/23 Expires: 03/27/24

Sample Method: SOP.T.20.010

PASSED

Page 6 of 6

**Kaycha Labs** 

Matrix : Derivative

Elara

Elara Capsules 600 mg



#### Filth/Foreign **Material**

**PASSED** 

Reviewed On: 03/24/23 17:34:06

Batch Date: 03/24/23 16:14:02

Reviewed On: 03/24/23 16:02:47

Batch Date: 03/24/23 11:11:31

Analyte Units **Action Level** Filth and Foreign Material PASS 0.1 % ND Analyzed by: Weight: **Extraction date:** Extracted by:

1879, 3379

Analysis Method: SOP.T.40.090 Analytical Batch : DA057852FIL

Instrument Used: Filth/Foreign Material Microscope

Running on: 03/24/23 16:23:12

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



### **Water Activity**

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.01	aw	0.517	TESTED	

Extraction date: Extracted by: Analyzed by: 2926, 585, 3379 1.099g 03/24/23 14:58:43

Analysis Method: SOP.T.40.019 Analytical Batch : DA057842WAT

Instrument Used : DA-028 Rotronic Hygropalm

Running on: 03/24/23 14:57:03

Reagent: 100522.09 Consumables: PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/27/23