

Kaycha Labs

Sundae Driver Cartridge Concentrate (1:1) 0.5g Sundae Driver

Matrix: Derivative



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30325005-006 Harvest/Lot ID: 6241 0547 9285 9066

Batch#: 8517 3803 2994 0680

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Distributor Facility:

Source Facility: Tampa Cultivation Seed to Sale# 6241 0547 9285 9066

Batch Date: 03/31/22

Sample Size Received: 15.5 gram

Total Amount: 1029 units Retail Product Size: 0.5 gram

> Ordered: 03/24/23 Sampled: 03/24/23

Completed: 03/28/23

Sampling Method: SOP.T.20.010

PASSED

Mar 28, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS



















MISC.

Pesticides

Heavy Metals PASSED

Microbials

Mycotoxins

Residuals Solvents PASSED

Filth

Water Activity PASSED

Moisture NOT TESTED

PASSED



Cannabinoid

Total THC

Total THC/Container : 217.59 mg




Total CBD

Total CBD/Container: 226.32 mg



Total Cannabinoids

Total Cannabinoids/Container: 469.795 mg



		1
		1
		ı
	D9-THC	
%	43.518	
mg/unit	217.59	
	0.001	













CBDA







Extraction date: 03/27/23 09:53:33



CRGA

CRN 0.641 3.205 0.001

THCV 0.229 1.145 0.001

ND ND 0.001

CBDV

Extracted by: 3112

0.001

2,298

11.49

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA057891POT

Instrument Used: DA-LC-007 Running on: 03/27/23 10:38:42

Reviewed On: 03/28/23 09:23:43 Batch Date: 03/25/23 23:59:55

Dilution: 400

Analyzed by: 3112, 1665, 585, 1879

Dilution: 400 Reagent: 032323.R05; 032523.R02; 071222.01 Consumables: 250350; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23



Kaycha Labs

Sundae Driver Cartridge Concentrate (1:1) 0.5g

Sundae Driver Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30325005-006 Harvest/Lot ID: 6241 0547 9285 9066

Batch#: 8517 3803 2994

Sampled: 03/24/23 Ordered: 03/24/23

Sample Size Received: 15.5 gram

Total Amount: 1029 units Completed: 03/28/23 Expires: 03/28/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

129 0.02 0.02 04 042 133 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	FARNESENE ALPHA-HUMULENE VALENCENE CIS-NEROLIDOL TRANS-NEROLIDOL CARVOPHYLLENE OXIDE GUAIOL CEDROL Analyzed by: 1879, 2076, 585 Analyzis Method: 5007.130.051A Analytical Batch: DAOS/3907ER Instrument Used: DA-GCMS-005 Running on: 382/62/3 100.339	0.00 0.00 0.00 0.00 0.00 0.00 0.00 Weight: 1.0141g	07 ND ND 17 ND ND 17 ND ND 17 ND ND 17 <0.1 <0.0	02 Extracted by: 1879,2076
024 042 00 00 00 00 044 133 00 00 00	VALENCENE CIS-NEROLIDOL TRANS-NEROLIDOL CARYOPHYLLENE OXIDE GUAIOL CEDROL Analyzed by: 1879, 2076, 385 Analysis Method: SOP.T.30.061A. Analytical Batch: DA057989FER Instrument Used: O-A-CCMS-0050	0.00 0.00 0.00 0.00 0.00 0.00 Weight: 1.0141g	77 ND ND 77 ND ND 77 ND ND 77 ND ND 77 ND ND 77 ND ND 84 Extraction date: 03/26/23 10:23:11	02 Extracted by: 1879,2076
042 0.02 0 0 044 133 0 0 0 0	CIS-NEROLIDOL TRANS-HEROLIDOL CARYOPHYLENE OXIDE GUAIOL CEDROL Analyzed by: 1879, 2076, 385 Analyzis Method: SOP T. 30.061A, Analytical Batch: DAG/SF/3091ER Instrument Used: DA-G/SF/3091	0.00 0.00 0.00 0.00 0.00 Weight: 1.0141g	07 ND ND 07 ND ND 07 <0.1 <0.6 07 ND ND 07 ND ND 07 ND ND 07 ND ND Extraction date: 03/26/23 10:23:11	02 Extracted by: 1879,2076
0.02 0 044 133 0 0 0 0 0 0	TRANS-NEROLIDOL CARVOPHYLLENE OXIDE GUAIOL CEDROL Analyzed by: 1879, 2076, 885 Analysis Method : SOP.T.30.061A. Analyted Batch : DA057990FER Instrument Used: O-A-CEMS-0050	0.00 0.00 0.00 0.00 Weight: 1.0141g	07 ND ND 07 <0.1 <0.0 07 ND ND 07 ND ND Extraction date: 03/26/23 10:23:11	Extracted by: 1879,2076
D 044 333 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	CARYOPHYLLENE OXIDE GUAIOL CEDROL Analyzed by: 1879, 2076, 385 Analysis Method: SOP.T.3.0.061A, Analytical Batch: DA057996TER Instrument Used: O-A-CCMS-0050	0.00 0.00 0.00 Weight: 1.0141g	07 <0.1 <0.0 07 ND ND 07 ND ND Extraction date: 03/26/23 10:23:11	Extracted by: 1879,2076
044 133 D D D D 375	GUAIOL CEDROL Analyzed by: 1979, 2076, 585 Analyzis Method: 5OP.T.30.061A, Analytical Batch: DAGGYS905TER Instrument Used: O-ACGMS-0050	0.00 0.00 Weight: 1.0141g	07 ND ND 07 ND ND Extraction date: 03/26/23 10:23:11	Extracted by: 1879,2076
133 D D D D D 3375	CEDROL Analyzed by: 1879, 2076, 585 Analysis Method: SOP.T.30.061A. Analytical Batch: DAO57896TER Instrument Used: DA-CCM-Used: DA-CC	0.00 Weight: 1.0141g	ND ND Extraction date: 03/26/23 10:23:11	1879,2076
D D D D D D D D D D D D D D D D D D D	Analyzed by: 1879, 2076, 585 Analysis Method : SOP.T.30.061A. Analytical Batch : DA057896TER Instrument Used : DA-GCMS-005	Weight: 1.0141g	Extraction date: 03/26/23 10:23:11	1879,2076
D D 375	1879, 2076, 585 Analysis Method : SOP.T.30.061A, Analytical Batch : DA057896TER Instrument Used : DA-GCMS-005	1.0141g	03/26/23 10:23:11	1879,2076
D 375	Analysis Method : SOP.T.30.061A. Analytical Batch : DA057896TER Instrument Used : DA-GCMS-005			
375	Analytical Batch : DA057896TER Instrument Used : DA-GCMS-005	.FL, SOP.T.40.061A.FL	Reviewed C	
	Instrument Used : DA-GCMS-005			
D				:: 03/26/23 09:23:45
			Buttir Butt	1103/20/23 03:00:43
056	Dilution: 10			
0	Reagent: 121622.34			
D	Consumables : 210414634; MKCN	19995; CE0123; R1KB14270		
036		C Characteranto Mare C	and the second second second	r samples, the Total Terpenes % is dry-weight corrected.
D	Terpenoid testing is performed dulizing	ig Gas Cirrolliatography Mass 5	pectronietry, ror air riower	r samples, the rotal respenses % is dry-weight corrected.
067				
045				
D				
D				
0.04				
D				
D				
D				
D				
NI	ND ND	ND ND		ND

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23



Kaycha Labs

Sundae Driver Cartridge Concentrate (1:1) 0.5g Sundae Driver

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.lones@getfluent.com

DAVIE, FL, 33314, US

Sample : DA30325005-006 Harvest/Lot ID: 6241 0547 9285 9066

Batch#: 8517 3803 2994

Sampled: 03/24/23 Ordered: 03/24/23 Sample Size Received: 15.5 gram
Total Amount: 1029 units
Completed: 03/28/23 Expires: 03/28/24
Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

|--|

esticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	mag	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND				0.1	PASS	ND
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm			
EQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
OXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
DSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND			PPM	0.15	PASS	ND
ILORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (P	,				
ILORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Wei	nht: Evtrac	tion date:		Extracted	hv
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 1879 0.22		23 15:17:39		3379,450	Jy.
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL			(Davie), SOP		Gainesvil
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
OXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057906PES	// 1/		On:03/28/2		
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (P	ES)	Batch Dat	e:03/27/23	08:01:34	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 03/27/23 13:22:19					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 032423.R01; 032723.R03	1 · U32U23 BU8 · U32	723 PN2- 03	2123 P01-0	32223 BUI - UA	10521 11
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02	1, UJZUZJ.NUU; UJZ	123.NUZ, U3	2123.NU1; U	JZZZJ.NUI; U4	0321.11
ONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is perfe	ormed utilizing Liqui	d Chromatog	raphy Triple-0	Quadrupole Ma	SS
XYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S.					
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weigl		ion date:		Extracted I	by:
IDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1879 0.229		3 15:17:39	(8) (1) ===	3379,450	
ESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL					
LATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA057908VOL Instrument Used : DA-GCMS-001			i:03/28/23 1 03/27/23 08:		
TALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 03/27/23 15:32:57	, B	accii Date :	05/2//25 00:	.05.30	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
THOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 032023.R08; 040521.11;	030923.R23; 0309	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075-02; 14725					
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is perfe	armand utiliaina Can (h romato ara	aby Triple Ou	adminala Mass	Chactron

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23



Kaycha Labs

Sundae Driver Cartridge Concentrate (1:1) 0.5g Sundae Driver

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

DAVIE, FL, 33314, US

Sample : DA30325005-006 Harvest/Lot ID: 6241 0547 9285 9066

Batch#: 8517 3803 2994

Sampled: 03/24/23 Ordered: 03/24/23

Sample Size Received: 15.5 gram Total Amount: 1029 units Completed: 03/28/23 Expires: 03/28/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	<2500
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1879	Weight: 0.0181g	Extraction date: 03/28/23 15:41		//	Extracted by: 850

0.0181g 03/28/23 15:41:50 Analysis Method : SOP.T.40.041.FL Analytical Batch : DA057931SOL Instrument Used : DA-GCMS-002 Reviewed On: 03/28/23 17:53:51 Batch Date: 03/27/23 15:51:10

Reagent: 030420.09 Consumables: R2017.120; KE136 Pipette: DA-309 25 uL Syringe 35028

Running on : 03/28/23 16:09:06

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23



Kaycha Labs

Sundae Driver Cartridge Concentrate (1:1) 0.5g

Sundae Driver Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30325005-006 Harvest/Lot ID: 6241 0547 9285 9066

Batch#: 8517 3803 2994

Sampled: 03/24/23 Ordered: 03/24/23

Sample Size Received: 15.5 gram Total Amount: 1029 units Completed: 03/28/23 Expires: 03/28/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ESCHERICHIA COLI SPECIFIC GENE			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: Weig 3621, 3390, 585, 1879 1.038		Extraction of 03/25/23 13		Extracte 3621	d by:

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057866MIC

Reviewed On: 03/28/23

Instrument Used: PathogenDx Scanner DA-111,Applied BiosystemsBatch Date: 03/25/23

Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Running on: 03/26/23 08:50:19

accordance with F.S. Rule 64ER20-39.

Dilution: N/A

Reagent: 011223.47; 031423.R29; 092122.07

Consumables: 7558002031

Pipette: N/A

Analyzed by: 3336, 3390, 585, 1879	Weight: 1.038g	Extraction date: N/A	Extracted by: 3621,3336,3390
Analysis Method: SOP.T.40. Analytical Batch: DA057880 Instrument Used: Incubator Running on: 03/25/23 15:10	TYM (25-27C) DA-09	Reviewed 0	on: 03/28/23 09:23:46 : 03/25/23 12:05:50
Dilution: 10 Reagent: 011223.47; 03232 Consumables: N/A Pipette: N/A	23.R29		
Total yeast and mold testing is	performed utilizing	MPN and traditional cul	ture based techniques in

Mycotoxins

0 8 0					
Analyte	LOD	Units	Result	Pass / Fail	Action
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02

Batch Date: 03/27/23 08:03:48

AFLATOXIN G1 PASS **AFLATOXIN G2** 0.002 ppm ND 0.02 Analyzed by: 3379, 585, 1879 Weight: 0.2299g Extraction date: 03/27/23 15:17:39 3379,450

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch: DA057907MYC Reviewed On: 03/28/23 17:57:53

Instrument Used: N/A Running on: 03/27/23 13:21:42

Dilution: 250 Reagent: 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

LOD	Units	Result	Pass / Fail	Action Level
0.11	ppm	ND	PASS	1.1
0.02	ppm	ND	PASS	0.2
0.02	ppm	ND	PASS	0.2
0.02	ppm	ND	PASS	0.2
0.05	ppm	ND	PASS	0.5
				y:
	0.11 0.02 0.02 0.02 0.05 xtraction da	0.11 ppm 0.02 ppm 0.02 ppm 0.02 ppm	0.11 ppm ND 0.02 ppm ND 0.02 ppm ND 0.02 ppm ND 0.02 ppm ND 0.05 ppm ND	Fail

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA057878HEA Instrument Used : DA-ICPMS-003 Running on: 03/27/23 11:40:44

Reviewed On: 03/28/23 08:59:05 Batch Date: 03/25/23 11:04:22

Reagent: 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31;

032323.R07; 020123.02 Consumables: 179436; 210508058; 12607-302CC-302

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23



Kaycha Labs

Sundae Driver Cartridge Concentrate (1:1) 0.5g Sundae Driver

Matrix : Derivative



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30325005-006 Harvest/Lot ID: 6241 0547 9285 9066

Batch#: 8517 3803 2994

Sampled: 03/24/23 Ordered: 03/24/23

Sample Size Received: 15.5 gram Total Amount: 1029 units Completed: 03/28/23 Expires: 03/28/24

Sample Method: SOP.T.20.010

Page 6 of 6

Filth/Foreign **Material**

PASSED

Reviewed On: 03/26/23 09:23:41

Batch Date: 03/26/23 09:09:15

Analyte Units **Action Level** Filth and Foreign Material PASS 0.1 % ND Analyzed by: Weight: Extraction date: Extracted by:

Analysis Method: SOP.T.40.090 Analytical Batch : DA057899FIL

Instrument Used: Filth/Foreign Material Microscope

Running on: 03/26/23 09:13:02

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.01	aw	0.497	PASS	0.85

Weight: **Extraction date:** Extracted by: Analyzed by: 3807, 585, 1879 0.57g 03/27/23 09:48:54

Analysis Method: SOP.T.40.019 Analytical Batch : DA057885WAT

Instrument Used: DA-028 Rotronic Hygropalm

Running on : N/A

Reviewed On: 03/27/23 10:19:17 Batch Date: 03/25/23 14:28:46

Dilution: N/A Reagent: 100522.09 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/28/23