



Certificate of Analysis


COMPLIANCE FOR RETAIL

Sample: DA30325009-001
Harvest/Lot ID: HYB-CB-013123-C0076
Batch#: 6845 6502 9797 5499
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Zolfo Springs Processing
Seed to Sale# 4534 6611 2604 4948
Batch Date: 01/17/23
Sample Size Received: 27 gram
Total Amount: 1393 units
Retail Product Size: 1.5 gram
Ordered: 03/25/23
Sampled: 03/25/23
Completed: 03/28/23
Sampling Method: SOP.T.20.010
Mar 28, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED
Pages 1 of 5
PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
21.999%
Total THC/Container: 329.985 mg

Total CBD
0.084%
Total CBD/Container: 1.26 mg

Total Cannabinoids
26.035%
Total Cannabinoids/Container: 390.525 mg


	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.308	24.734	ND	0.096	0.031	0.107	0.653	<0.01	ND	ND	0.106	0.093	24.427	28.908
mg/unit	4.62	371.01	ND	1.44	0.465	1.605	9.795	<0.15	ND	ND	1.59	1.395	366.405	433.62
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 4044

Weight:
0.1917g

Extraction date:
03/27/23 10:14:09

Extracted by:
1665

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA057857POT

Instrument Used: DA-LC-002

Running on: 03/27/23 10:15:06

Reviewed On: 03/28/23 09:44:15

Batch Date: 03/25/23 00:55:45

Dilution: 400

Reagent: 071222.01; 032323.R06; 030923.R03

Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB45277

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30325009-001
Harvest/Lot ID: HYB-CB-013123-C0076

Batch# : 6845 6502 9797
Sample Size Received : 27 gram
Total Amount : 1393 units
Sampled : 03/25/23
Completed : 03/28/23
Expires: 03/28/24
Ordered : 03/25/23
Sample Method : SOP.T.20.010

Page 2 of 5

<



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30325009-001
 Harvest/Lot ID: HYB-CB-013123-C0076

 Batch# : 6845 6502 9797 Sample Size Received : 27 gram
 5499 Total Amount : 1393 units
 Sampled : 03/25/23 Completed : 03/28/23 Expires: 03/28/24
 Ordered : 03/25/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	1.0913g	03/27/23 15:19:41	3379,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057912PES			Reviewed On :03/28/23 10:39:26		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :03/27/23 08:08:54		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :03/27/23 13:22:13					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	1.0913g	03/27/23 15:19:41	3379,450		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA057914VOL			Reviewed On :03/28/23 10:38:25		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-006			Batch Date :03/27/23 08:11:29		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :03/28/23 10:18:26					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30325009-001

Harvest/Lot ID: HYB-CB-013123-C0076

 Batch# : 6845 6502 9797
 5499

Sampled : 03/25/23

Ordered : 03/25/23




Sample Size Received : 27 gram

Total Amount : 1393 units

Completed : 03/28/23 Expires: 03/28/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ESCHERICHIA COLI SPECIFIC GENE			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	280	PASS	100000						
Analyzed by: 3390, 585, 4044 Weight: 0.8104g Extraction date: N/A Extracted by: 3390						Analyzed by: 3379, 585, 4044 Weight: 1.0913g Extraction date: 03/27/23 15:19:41 Extracted by: 3379,450					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057882MIC Reviewed On : 03/28/23 12:48:37 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Running on : 03/26/23 08:50:02 Dilution : N/A Reagent : 011223.43; 031423.R29; 092122.07 Consumables : 7558002031 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057913MYC Instrument Used : N/A Reviewed On : 03/28/23 09:56:36 Batch Date : 03/27/23 08:11:27 Running on : 03/27/23 13:21:36 Dilution : 250 Reagent : 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2933g Extraction date: N/A Extracted by: 3619						Analyzed by: 1022, 585, 4044 Weight: 0.2933g Extraction date: N/A Extracted by: 3619					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057916HEA Instrument Used : DA-ICPMS-003 Running on : 03/27/23 14:34:55 Dilution : 50 Reagent : 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057916HEA Instrument Used : DA-ICPMS-003 Running on : 03/27/23 14:34:55 Dilution : 50 Reagent : 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30325009-001
Harvest/Lot ID: HYB-CB-013123-C0076

Batch# : 6845 6502 9797 **Sample Size Received :** 27 gram
5499 **Total Amount :** 1393 units
Sampled : 03/25/23 **Completed :** 03/28/23 **Expires:** 03/28/24
Ordered : 03/25/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA057897FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 03/26/23 09:13:09

Reviewed On : 03/26/23 09:24:29
Batch Date : 03/26/23 09:08:30

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.499	PASS	0.65

Analyzed by: 3807, 1879, 4044	Weight: 0.533g	Extraction date: 03/27/23 09:39:33	Extracted by: 3807
---	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA057884WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 03/25/23 16:21:13

Reviewed On : 03/27/23 10:06:30
Batch Date : 03/25/23 14:17:49

Dilution : N/A
Reagent : 100522.09
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.