



Certificate of Analysis

Apr 07, 2022 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Page 1 of 4

PRODUCT IMAGE SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED

MISC.


Cannabinoid
PASSED


Total THC

17.5195%

Total THC/Container : 613.183 mg



Total CBD

0.0368%

Total CBD/Container : 1.288 mg



Total Cannabinoids

20.459%

Total Cannabinoids/Container :
716.065 mg

	CBDV	CBD	CBDA	CBGA	CBG	CBD	THCV	CBN	D9-THC	D8-THC	CBC	THCA
%	ND	0.042	0.383	0.028	ND	ND	ND	ND	0.304	0.072	<0.02	19.63
mg/unit	ND	1.47	13.405	0.98	ND	ND	ND	ND	10.64	2.52	<0.2	687.05
LOD	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
%	%	%	%	%	%	%	%	%	%	%	%	%

Cannabinoid Profile Test

Analyzed by	Weight	Extraction date :	Extracted By :
1440	0.1996g	04/05/22 03:04:11	3112
Analysis Method -SOP.T.40.020, SOP.T.30.050		Reviewed On - 04/06/22 12:44:42	Batch Date : 04/05/22 09:55:17
Analytical Batch -DA041417POT	Instrument Used : DA-LC-001 (Flower)	Running On : 04/05/22 15:17:24	
Dilution : 400			
Reagent : 033022.01; 040122.R40; 121321.66; 040422.R11			
Consumables : 239146; 280670723; CE0123; 61633-12SC6-125E; 11945-019CD-019C			
Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV). (Method: SOP.T.30.050 for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis. LOQ for all cannabinoids is 1 mg/L).			

Filtration PASSED

Analyzed By	Weight	Extraction date	Extracted By
1440	NA	NA	NA
Analyte	LOD	Pass/Fail	Result
Filtration and Foreign Material	0.1	Pass	ND
Analysis Method -SOP.T.40.013		Batch Date : 04/05/22 20:49:38	
Analytical Batch -DA041490FIL		Reviewed On - 04/05/22 21:08:26	
Instrument Used : Filtration/Foreign Material Microscope			

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. An SH-2B/T Stereo Microscope is used for inspection.

Water Activity PASSED

Analyzed by	Weight	Ext.	LOD	P/F	Result
1440	NA	NA	0.01	Pass	0.57
Analyte	Weight date				
Water Activity	NA	NA			
Analysis Method -Water Activity SOP.T.40.010					
Analytical Batch -DA041441WAT		Reviewed On - 04/05/22 22:15:19			
Instrument Used : DA-028 Rotronic Hygropalm		Batch Date : 04/05/22 11:36:23			

Moisture PASSED

Analyzed by	Weight	Ext.	LOD	P/F	Result
1440	0.501g	04/05/22	1	Pass	13.37
Analyte	Weight date				
Moisture Content	0.501g	04/05/22			
Analysis Method -Moisture		Batch Date : 04/05/22 11:37:08			
Analysis SOP.T.40.011		Reviewed On - 04/05/22 22:32:05			
Analytical Batch -DA041442MOI					
Instrument Used : DA-046 Moisture Analyzer					

Shimadzu moisture balance moc63u

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. RSD=Relative Standard Deviation. Action Levels are State determined thresholds based on F.S. Rule 64-4.310 and hemp. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature

04/07/22

Signed On



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Sam@getfluent.com

Sample : DA20405008-011
Harvest/Lot ID: SA-COM-033022-A051
Batch# : 9751 0628 5059
Sample Size Received : 9 units
Total Weight/Volume : 881 units
Completed : 04/07/22 Expires: 04/07/23
Sample Method : SOP.T.20.010

Page 2 of 4



Terpenes

TESTED

Terpenes	LOD(%)	mg/unit	%
TOTAL TERPENEOL	0.007	ND	ND
CAMPHENE	0.007	ND	ND
BETA-MYRCENE	0.007	5.6875	0.1625
3-CARENE	0.007	0.9205	0.0263
ALPHA-PHELLANDRENE	0.007	1.0115	0.0289
OCIMENE	0.007	<0.2	<0.02
EUCALYPTOL	0.007	ND	ND
LINALOOL	0.007	<0.2	<0.02
FENCHONE	0.007	ND	ND
ISOPULEGOL	0.007	ND	ND
ISOBORNEOL	0.007	ND	ND
HEXAHYDROTHYMOL	0.007	ND	ND
NEROL	0.007	ND	ND
GERANYL ACETATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	1.932	0.0552
VALENCENE	0.007	<0.2	<0.02
CEDROL	0.007	ND	ND
CIS-NEROLIDOL	0.007	ND	ND
FARNESENE	0.007	0.8435	0.0241
CARYOPHYLLENE OXIDE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	<0.2	<0.02
ALPHA-PINENE	0.007	1.491	0.0426
SABINENE	0.007	<0.2	<0.02
BETA-PINENE	0.007	1.9145	0.0547
ALPHA-TERPINENE	0.007	2.3065	0.0659
LIMONENE	0.007	1.582	0.0452
GAMMA-TERPINENE	0.007	<0.2	<0.02
TERPINOLENE	0.007	15.386	0.4396
SABINENE HYDRATE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	<0.2	<0.02
CAMPOR	0.013	ND	ND

Result (%)



Terpenes	LOD(%)	mg/unit	%
BORNEOL	0.013	ND	ND
GERANIOL	0.007	<0.2	<0.02
PULEGONE	0.007	ND	ND
ALPHA-CEDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	0.882	0.0252
TRANS-NEROLIDOL	0.007	<0.2	<0.02
GUAJOL	0.007	1.057	0.0302



Terpenes

TESTED

Analyzed by 1440 Weight 0.9244g Extraction date 04/05/22 06:04:51 Extracted By 3379

Analysis Method - SOP.T.40.090
Analytical Batch - DA041428TER
Instrument Used : DA-GCMS-004
Running On : 04/05/22 19:19:21
Batch Date : 04/05/22 10:40:09

Reviewed On - 04/06/22 17:13:24

Dilution : 1
Reagent :
Consumables :

Terpenoid profile screening is performed using GC-MS/MS TQ-8040 with Liquid Injection (Gas Chromatography - Mass Spectrometer Triple Quad) which can screen 37 terpenes using Method SOP.T.40.090 Terpenoid Analysis Via GC-MS/MS.

Total (%)

1.0004



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Sam@getfluent.com

Sample : DA20405008-011

Harvest/Lot ID: SA-COM-033022-A051

Batch# : 9751 0628 5059
 1843

Sampled : 04/04/22

Odered : 04/04/22

Sample Size Received : 9 units

Total Weight/Volume : 881 units

Completed : 04/07/22 **Expires:** 04/07/23

Sample Method : SOP.T.20.010

Page 3 of 4



Pesticides

PASSED

Pesticides	LOD	Units	Action Level	Pass/Fail	Result	Pesticides	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRETHRINS	0.05	ppm	0.5	PASS	<0.25
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.02	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND	THIAMETHOXAM	0.05	ppm	0.5	PASS	ND
CARBARYL	0.05	ppm	0.5	PASS	ND	TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TOTAL DIMETHOMORPH	0.02	PPM	0.2	PASS	ND
CHLORANTRANILIPROLE	0.1	ppm	1	PASS	ND	TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.1	ppm	1	PASS	ND	TOTAL SPINETORAM	0.02	PPM	0.2	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND
CLOFENTEZINE	0.02	ppm	0.2	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.025	PPM	0.7	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DIMETHOATE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.01	PPM	0.5	PASS	ND
ETOFENPROX	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.01	PPM	0.5	PASS	ND
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.04	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.02	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.025	ppm	0.25	PASS	ND						
OXAMYL	0.05	ppm	0.5	PASS	ND						
PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND						
PHOSMET	0.01	ppm	0.1	PASS	ND						
PIPERONYL BUTOXIDE	0.3	ppm	3	PASS	ND						
PRALLETHRIN	0.01	ppm	0.1	PASS	ND						
PROPICONAZOLE	0.01	ppm	0.1	PASS	ND						



Pesticides

PASSED

Analyzed by 1440 , 1440	Weight 1.1943g , 1.1943g	Extraction date 04/05/22 01:04:45 , 2022-04-05 01:04:41	Extracted By 585 , 585
Analysis Method - SOP.T.30.065, SOP.T.40.065, SOP.T.40.066, SOP.T.40.070, SOP.T.30.065, SOP.T.40.070			
Analytical Batch : DA041434PES , DA041437VOL		Reviewed On : 04/06/22 16:42:17 , 04/06/22 13:48:18	
Instrument Used : DA-LCMS-003 (PES) , DA-GCMS-006		Batch Date : 04/05/22 11:09:41 , 04/05/22 11:11:37	
Running On : 04/05/22 18:12:01			
<hr/>			
Dilution : 250			
Reagent : 040422.R15; 032822.R21; 032222.R23; 033022.R05; 092820.S9			
Consumables : 6524407-03			
Pesticide screen is performed using LC-MS and/or GC-MS which can screen down to below single digit ppb concentrations for regulated Pesticides. Currently we analyze for 67 Pesticides. (Method: SOP.T.30.060 Sample Preparation for Pesticides Analysis via LCMSMS and GCMSMS. SOP.T.40.065/SOP.T.40.066/SOP.T.40.070 Procedure for Pesticide Quantification Using LCMS and GCMS). * Volatile Pesticide screening is performed using GC-MS which can screen down to below single digit ppb concentrations for regulated Pesticides. Analytes marked with an asterisk were tested using GC-MS.			



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Sam@getfluent.com

Sample : DA20405008-011
Harvest/Lot ID: SA-COM-033022-A051
Batch# : 9751 0628 5059
Sample Size Received : 9 units
Total Weight/Volume : 881 units
Completed : 04/07/22 **Expires:** 04/07/23
Sample Method : SOP.T.20.010

Page 4 of 4

Microbials					Mycotoxins				
PASSED					PASSED				
Analyte	LOD	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail
ESCHERICHIA COLI SHIGELLA SPP		Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS
SALMONELLA SPECIFIC GENE		Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS
ASPERGILLUS FLAVUS		Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS
ASPERGILLUS FUMIGATUS		Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS
ASPERGILLUS TERREUS		Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS
ASPERGILLUS NIGER		Not Present	PASS						
TOTAL YEAST AND MOLD	10	69000	PASS	100000					
Analysis Method -SOP.T.40.043 / SOP.T.40.044 / SOP.T.40.041 Analytical Batch -DA041421MIC , DA041471TYM Batch Date : 04/05/22 10:13:15, 04/05/22 16:12:14 Instrument Used : PathogenDx Scanner DA-111, Running On : 04/06/22 16:36:34					Analysis Method -SOP.T.30.065, SOP.T.40.065 Analytical Batch -DA041436MYC Reviewed On - 04/06/22 16:42:19 Instrument Used : DA-LCMS-003 (MYC) Running On : 04/05/22 18:12:12 Batch Date : 04/05/22 11:11:16				
Analyzed by	Weight	Extraction date	Extracted By		Analyzed by	Weight	Extraction date	Extracted By	
1440,1440	0.9712g,0.9712g	NA,NA	NA,NA		1440	g	04/05/22 03:04:47	585	

Dilution : 1

Reagent : 121421.32; 040422.R01; 021921.29

Consumables :

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.T.40.043) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing. Pour-plate is used for quantitation and confirmation, Total Yeast and Mold has an action limit of 100,000 CFU.

Heavy Metals

PASSED

Metal	LOD	Unit	Result	Pass / Fail	Action Level
ARSENIC	0.02	PPM	ND	PASS	0.2
CADMIUM	0.02	PPM	ND	PASS	0.2
MERCURY	0.02	PPM	ND	PASS	0.2
LEAD	0.05	PPM	ND	PASS	0.5

Analyzed by 1440 **Weight** 0.255g **Extraction date** 04/05/22 01:04:54 **Extracted By** 1022

Analysis Method -SOP.T.40.050, SOP.T.30.052, SOP.T.30.053, SOP.T.40.051
Analytical Batch -DA041418HEA | Reviewed On - 04/06/22 10:37:18
Instrument Used : DA-ICPMS-003
Running On : 04/06/22 10:09:26 | Batch Date : 04/05/22 09:57:47
Dilution : 100

Reagent : 033022.R44; 032922.R14; 033122.R09; 040422.R05; 040422.R04; 032922.R13; 040422.R03; 032522.R15; 030822.R25

Consumables : 179436; 3146-870-008; 12123-047CC

Heavy Metals screening is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) using Method SOP.T.30.052, SOP.T.30.053 Sample Preparation for Heavy Metals Analysis via ICP-MS and SOP.T.40.050, SOP.T.40.051 Heavy Metals Analysis via ICP-MS.