



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30328004-006
Harvest/Lot ID: 1810 1034 9929 0421
Batch#: 1810 1034 9929 0421
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 1508 3513 5923 6889
Batch Date: 03/09/23
Sample Size Received: 900 gram
Total Amount: 4373 units
Retail Product Size: 62.6299 gram
Ordered: 03/27/23
Sampled: 03/27/23
Completed: 03/30/23
Sampling Method: SOP.T.20.010
Mar 30, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED
Pages 1 of 5
PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
NOT TESTED**
MISC.

Cannabinoid
PASSED

Total THC
0.159%
Total THC/Container: 99.582 mg

Total CBD
0.002%
Total CBD/Container: 1.253 mg

Total Cannabinoids
0.168%
Total Cannabinoids/Container: 105.218 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.159	ND	0.002	ND	ND	0.005	ND	0.002	ND	ND	ND
mg/unit	99.581	ND	1.252	ND	ND	3.131	ND	1.252	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 3379

Weight:
2.9983g

Extraction date:
03/28/23 14:34:57

Extracted by:
3112

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA057964POT

Instrument Used: DA-LC-007

Running on: 03/28/23 14:37:40

Reviewed On: 03/29/23 14:55:11

Batch Date: 03/28/23 10:39:10

Dilution: 40

Reagent: 032323.R05; 071222.01; 032323.R02

Consumables: 250346; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30328004-006
 Harvest/Lot ID: 1810 1034 9929 0421

 Batch# : 1810 1034 9929 Sample Size Received : 900 gram
 0421 Total Amount : 4373 units
 Sampled : 03/27/23 Completed : 03/30/23 Expires: 03/30/24
 Ordered : 03/27/23 Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by: 3379, 585	Weight: 1.0033g	Extraction date: 03/28/23 14:59:13	Extracted by: 450		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057953PES				Reviewed On : 03/29/23 14:44:55	
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 03/28/23 09:43:31	
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Running on : 03/28/23 14:33:00					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	3	PASS	ND	Reagent : 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	2	PASS	ND	Analyzed by: 450, 585, 3379	Weight: 1.0033g	Extraction date: N/A	Extracted by: 450		
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analytical Batch : DA057956VOL				Reviewed On : 03/29/23 11:58:33	
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 03/28/23 09:54:30	
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Running on : 03/28/23 15:02:40					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Dilution : 25					
MALATHION	0.01	ppm	2	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
METALAXYL	0.01	ppm	3	PASS	ND	Consumables : 6697075-02; 14725401					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30328004-006

Harvest/Lot ID: 1810 1034 9929 0421

Batch# : 1810 1034 9929 0421

Sampled : 03/27/23

Ordered : 03/27/23

Sample Size Received : 900 gram

Total Amount : 4373 units

Completed : 03/30/23 **Expires:** 03/30/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 3379

Weight:
 0.0278g

Extraction date:
 03/30/23 12:42:53

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA05797350L

Instrument Used : DA-GCMS-003

Running on : 03/29/23 16:31:59

Reviewed On : 03/30/23 17:57:30

Batch Date : 03/28/23 16:53:24

Dilution : 1

Reagent : 030420.09

Consumables : G201.062; G201.062

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30328004-006

Harvest/Lot ID: 1810 1034 9929 0421

Batch# : 1810 1034 9929 0421

Sampled : 03/27/23

Ordered : 03/27/23

Sample Size Received : 900 gram

Total Amount : 4373 units

Completed : 03/30/23 Expires: 03/30/24

Sample Method : SOP.T.20.010

Page 4 of 5

Microbial						Mycotoxins					
PASSED						PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 3379 Weight: 0.9783g Extraction date: 03/28/23 11:52:15 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057945MIC Reviewed On : 03/30/23 08:43:59 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Running on : 03/28/23 12:13:34 Dilution : N/A Reagent : 031423.R29; 092122.07; 011223.52 Consumables : 7558002051 Pipette : N/A						Analyzed by: 3379, 585 Weight: 1.0033g Extraction date: N/A Extracted by: 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057955MYC Instrument Used : N/A Running on : 03/28/23 14:33:28 Dilution : N/A Reagent : 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3621, 585, 3379 Weight: 0.9783g Extraction date: 03/28/23 11:52:15 Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057971TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 03/28/23 12:17:12 Dilution : 10 Reagent : 011223.52; 032323.R29 Consumables : N/A Pipette : N/A						Analyzed by: 1022, 585, 3379 Weight: 0.2716g Extraction date: 03/28/23 11:01:00 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057946HEA Instrument Used : DA-ICPMS-003 Running on : 03/29/23 08:28:22 Dilution : 50 Reagent : 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals					
PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 3379 Weight: 0.2716g Extraction date: 03/28/23 11:01:00 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057946HEA Instrument Used : DA-ICPMS-003 Running on : 03/29/23 08:28:22 Dilution : 50 Reagent : 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30328004-006

Harvest/Lot ID: 1810 1034 9929 0421

Batch# : 1810 1034 9929 0421

Sampled : 03/27/23

Ordered : 03/27/23

Sample Size Received : 900 gram

Total Amount : 4373 units

Completed : 03/30/23 Expires: 03/30/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 3379	NA	N/A	N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA058017FIL

Instrument Used : Filth/Foreign Material Microscope

Running on : 03/29/23 11:49:45

Reviewed On : 03/29/23 11:56:31

Batch Date : 03/29/23 11:41:11

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.585	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 3379	3.459g	03/28/23 15:09:20	2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA057967WAT

Instrument Used : DA-028 Rotronic HygroPalm

Running on : 03/28/23 15:05:31

Reviewed On : 03/28/23 16:24:01

Batch Date : 03/28/23 10:57:39

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	2.675	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3335, 1665, 585, 3379	5.789g	03/28/23 10:44:25	3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA057943HOM

Instrument Used : DA-LC-006

Running on : 03/28/23 11:58:02

Reviewed On : 03/29/23 14:53:12

Batch Date : 03/28/23 09:13:51

Dilution : 40

Reagent : 030123.01; 070122.11; 032123.R06

Consumables : 947.109; 250346; CE0123; 115C4-1151; 12607-302CC-302; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.