



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30328004-007
Harvest/Lot ID: 9265 1693 2978 3116
Batch#: 9265 1693 2978 3116
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 7085 1758 4664 1047
Batch Date: 02/03/23
Sample Size Received: 15.3 gram
Total Amount: 1860 units
Retail Product Size: .3 gram
Ordered: 03/27/23
Sampled: 03/27/23
Completed: 03/30/23
Sampling Method: SOP.T.20.010

Mar 30, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
87.153%

Total THC/Container : 261.459 mg


Total CBD
0.514%

Total CBD/Container : 1.542 mg


Total Cannabinoids
93.476%

Total Cannabinoids/Container : 280.428 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.122	0.036	0.514	ND	0.462	3.341	ND	0.442	0.591	ND	0.968
mg/unit	261.366	0.108	1.542	ND	1.386	10.023	ND	1.326	1.773	ND	2.904
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 3112, 1665, 3379

Weight:
0.0973g

Extraction date:
03/28/23 12:46:54

Extracted by:
3335,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA057963POT
Instrument Used : DA-LC-007
Running on : 03/28/23 14:28:39

Reviewed On : 03/29/23 23:49:14
Batch Date : 03/28/23 10:38:38

Dilution : 400
Reagent : 032323.R05; 071222.01; 032323.R02
Consumables : 250346; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30328004-007
Harvest/Lot ID: 9265 1693 2978 3116

Batch# : 9265 1693 2978 3116
Sample Size Received : 15.3 gram
Total Amount : 1860 units
Completed : 03/30/23 **Expires:** 03/30/24
Ordered : 03/27/23 **Sample Method :** SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	10.131	3.377		FARNESENE	0.007	0.204	0.068	
TOTAL TERPINEOL	0.007	0.135	0.045		ALPHA-HUMULENE	0.007	0.339	0.113	
ALPHA-BISABOLOL	0.007	0.084	0.028		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.546	0.182		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.06	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.123	0.041	
BETA-PINENE	0.007	0.387	0.129		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.041	0.347		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 585, 3379 Weight: 1.083g Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA057950TER Instrument Used: DA-GCMS-004 Running on: N/A Dilution: 10 Reagent: 121622.34 Consumables: 210414634; MKCN9995; CE0123; R1KB14270 Pipette: N/A Extraction date: 03/28/23 14:02:31 Reviewed On: 03/30/23 08:45:05 Batch Date: 03/28/23 09:31:56 Extracted by: 2076 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.986	0.662						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	0.411	0.137						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	<0.06	<0.02						
LINALOOL	0.007	0.738	0.246						
FENCHYL ALCOHOL	0.007	0.36	0.12						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.12	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.377	0.459						
Total (%)			3.377						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30328004-007
 Harvest/Lot ID: 9265 1693 2978 3116

 Batch# : 9265 1693 2978 3116
 Sample Size Received : 15.3 gram
 Total Amount : 1860 units
 Completed : 03/30/23 Expires: 03/30/24
 Ordered : 03/27/23
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585	0.2502g	03/28/23 15:01:37	3379,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057957PES			Reviewed On : 03/29/23 14:48:22		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/28/23 09:55:22		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on : 03/28/23 14:32:55					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 3379	0.2502g	03/28/23 15:01:37	3379,450		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA057960VOL			Reviewed On : 03/29/23 10:04:33		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 03/28/23 09:58:50		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on : 03/28/23 14:54:30					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032023.R08; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30328004-007

Harvest/Lot ID: 9265 1693 2978 3116

Batch# : 9265 1693 2978 3116

Sampled : 03/27/23

Ordered : 03/27/23

Sample Size Received : 15.3 gram


Total Amount : 1860 units

Completed : 03/30/23 **Expires:** 03/30/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 3379 Weight: 1.082g Extraction date: 03/28/23 11:52:16 Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057945MIC Reviewed On : 03/30/23 08:44:01 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Running on : 03/28/23 12:13:34 Dilution : N/A Reagent : 031423.R29; 092122.07; 011223.52 Consumables : 7558002051 Pipette : N/A						Analyzed by: 3379, 585 Weight: 0.2502g Extraction date: 03/28/23 15:01:37 Extracted by: 3379,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA057959MYC Instrument Used : N/A Running on : 03/28/23 14:33:24 Dilution : 250 Reagent : 032423.R01; 032723.R01; 032023.R08; 032723.R02; 032123.R01; 032223.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3621, 585, 3379 Weight: 1.082g Extraction date: 03/28/23 11:52:16 Extracted by: 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057971TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 03/28/23 12:17:12 Dilution : 10 Reagent : 011223.52; 032323.R29 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 3379 Weight: 0.2311g Extraction date: 03/28/23 12:07:05 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057951HEA Instrument Used : DA-ICPMS-003 Running on : 03/29/23 08:28:11 Dilution : 50 Reagent : 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30328004-007
Harvest/Lot ID: 9265 1693 2978 3116

Batch# : 9265 1693 2978 3116
Sample Size Received : 15.3 gram
Total Amount : 1860 units
Completed : 03/30/23 **Expires:** 03/30/24
Ordered : 03/27/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1
Analyzed by: 1879, 3379	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090			Reviewed On : 03/29/23 11:56:21 Batch Date : 03/29/23 11:42:08		
Analytical Batch : DA058018FIL					
Instrument Used : Filth/Foreign Material Microscope					
Running on : 03/29/23 11:49:41					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.462	PASS	0.85
Analyzed by: 2926, 585, 3379	Weight: 0.363g	Extraction date: 03/28/23 15:26:41		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 03/28/23 16:24:03		
Analytical Batch : DA057969WAT					
Instrument Used : DA-028 Rotronic HygroPalm			Batch Date : 03/28/23 11:00:19		
Running on : 03/28/23 15:22:36					
Dilution : N/A					
Reagent : 100522.09					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	12.65	TESTED	
Analyzed by: 2926, 585, 3379	Weight: 0.496g	Extraction date: 03/28/23 15:34:16		Extracted by: 2926	
Analysis Method : SOP.T.40.021			Reviewed On : 03/28/23 16:24:02		
Analytical Batch : DA057970MOI					
Instrument Used : DA-003 Moisture Analyzer			Batch Date : 03/28/23 11:03:18		
Running on : 03/28/23 15:30:45					
Dilution : N/A					
Reagent : 101920.06; 020123.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.