

Certificate of Analysis

COMPLIANCE FOR RETAIL

Mar 31, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Kaycha Labs

Sour Diesel Drops 11.25g Sour Diesel Matrix: Derivative



Sample: DA30329002-005

Harvest/Lot ID: 4916 8893 2366 2813

Batch#: 4916 8893 2366 2813 **Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing**

Distributor Facility:

Source Facility: Tampa Cultivation Seed to Sale# 4648 3628 8472 2840

Batch Date: 02/03/23

Sample Size Received: 78.75 gram

Total Amount: 1538 units Retail Product Size: 11.25 gram

> Ordered: 03/28/23 Sampled: 03/28/23

Completed: 03/31/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS











Microbials

Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity PASSED

THCV

0.018

2.025

0.001



Moisture NOT TESTED



MISC.

PASSED

0.05

5.625

0.001



Cannabinoid

Total THC 3.908%

Total THC/Container: 439.65 mg

0.004

0.45

0.001



CBDA

ND

ND

0.001

Total CBD $\mathbf{0.01}\%$

Total CBD/Container: 1.125 mg

0.109

0.001

%

12.262



CRN

0.022

2.475

0.001

Total Cannabinoids

CBDV

ND

ND

Extracted by: 1665

0.001

Total Cannabinoids/Container: 464.063 mg



	D9-THC	
%	3.905	
	//20 212	

Analyzed by: 1665, 585, 4044 Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA057985POT Weight: 3.1548q Extraction date: 03/29/23 11:59:38

D8-TH

0.007

0.787

0.001

Reviewed On: 03/30/23 09:02:46 Batch Date: 03/29/23 08:32:12

CRGA

ND

ND

0.001

0.001

Instrument Used: DA-LC-007 Running on: 03/29/23 12:01:58

Dilution: 400

LOD

Dilution 1:400
Reagent: 032323.R05; 071222.01; 032323.R02
Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.01

1.125

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/31/23



Kaycha Labs

Sour Diesel Drops 11.25g Sour Diesel Matrix : Derivative

PASSED

Page 2 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30329002-005 Harvest/Lot ID: 4916 8893 2366 2813

Batch#: 4916 8893 2366

Sampled: 03/28/23 Ordered: 03/28/23

Sample Size Received: 78.75 gram Total Amount: 1538 units Completed: 03/31/23 Expires: 03/31/24 Sample Method: SOP.T.20.010

Terpenes

TESTED

Terpenes	LOD mg/unit % Result (%) (%)	Terpenes LOD mg/unit % Result (%) (%)
OTAL TERPENES	0.007 2.25 0.02	FARNESENE ND ND
OTAL TERPINEOL	0.007 ND ND	ALPHA-HUMULENE 0.007 ND ND
ALPHA-BISABOLOL	0.007 ND ND	VALENCENE 0.007 ND ND
ALPHA-PINENE	0.007 ND ND	CIS-NEROLIDOL 0.007 ND ND
CAMPHENE	0.007 ND ND	TRANS-NEROLIDOL 0.007 ND ND
SABINENE	0.007 ND ND	CARYOPHYLLENE OXIDE 0.007 ND ND
BETA-PINENE	0.007 ND ND	GUAIOL 0.007 ND ND
BETA-MYRCENE	0.007 2.25 0.02	CEDROL 0.007 ND ND
ALPHA-PHELLANDRENE	0.007 ND ND	Analyzed by: Weight: Extraction date: Extracted
3-CARENE	0.007 ND ND	2076, 585, 4044 1.048g 03/29/23 12:31:19 2076
ALPHA-TERPINENE	0.007 ND ND	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
LIMONENE	0.007 <2.25 <0.02	Analytical Batch : DA057992TER Reviewed On : 03/31/23 10:54:34
EUCALYPTOL	0.007 ND ND	Instrument Used: DA-GCMS-004 Batch Date: 03/29/23 09:06:35 Running on: 03/30/23 15:10:56
OCIMENE	0.007 ND ND	Dilution: 10
GAMMA-TERPINENE	0.007 ND ND	Reagent : 121622.34
SABINENE HYDRATE	0.007 ND ND	Consumables: 210414634; MKCN9995; CE0123; R1KB14270
TERPINOLENE	0.007 ND ND	Pipette : N/A
ENCHONE	0.007 ND ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight con
INALOOL	0.007 ND ND	
ENCHYL ALCOHOL	0.007 ND ND	
SOPULEGOL	0.007 ND ND	
CAMPHOR	0.013 ND ND	
SOBORNEOL	0.007 ND ND	
BORNEOL	0.013 ND ND	
	0.007 ND ND	
HEXAHYDROTHYMOL		
HEXAHYDROTHYMOL	0.007 ND ND	
HEXAHYDROTHYMOL NEROL	0.007 ND ND 0.007 ND ND	
HEXAHYDROTHYMOL NEROL PULEGONE		
HEXAHYDROTHYMOL NEROL PULEGONE GERANIOL	0.007 ND ND	
	0.007 ND ND 0.007 ND ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/31/23



DAVIE, FL, 33314, US

Kaycha Labs

Sour Diesel Drops 11.25g Sour Diesel

Matrix : Derivative



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Sample : DA30329002-005 Harvest/Lot ID: 4916 8893 2366 2813

Batch#: 4916 8893 2366

Sampled: 03/28/23 Ordered: 03/28/23

Sample Size Received: 78.75 gram Total Amount: 1538 units Completed: 03/31/23 Expires: 03/31/24

Sample Method: SOP.T.20.010

PASSED

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET		0.01	ppm	0.2	PASS	ND
TAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN		0.01	ppm	0.4	PASS	ND
TAL SPINOSAD	0.01	ppm	3	PASS	ND			0.01		1	PASS	ND
SAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPICONAZOLE			ppm	_		
CEPHATE	0.01	ppm	3	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
EQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN		0.01	ppm	3	PASS	ND
ETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN		0.01	ppm	3	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	3	PASS	ND
OXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE		0.01	ppm	1	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
SCALID	0.01	ppm	3	PASS	ND	THIAMETHOXAM		0.01	ppm	1	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	3	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND		NIZENE (DONE) :	0.01	PPM	0.2	PASS	ND
ILORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITROBE	NZENE (PCNB) *					
LORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
LORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	3	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *		0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Evtract	ion date:		Extracted	hv
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.282g		3 14:10:23		450,3379	Dy.
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.				(Davie), SOP		Gainesvi
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
OXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch: DA057				On:03/30/2		
NHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LC			Batch Dat	e:03/29/23	09:41:34	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 03/29/23 14	:33:22					
NPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 250 Reagent: 032723.R01; 0	22022 026, 02202	2 002, 022	722 002. 03	2122 001. 0	22022 001. 0	NE21 11
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075		J.NUJ, UJZ	723.NUZ, U.	2123.RU1, U	32923.NU1, U-	10321.11
ONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094						
UDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural age		ilizing Liquid	Chromatoo	raphy Triple-0	Quadrupole Ma	SS
XYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance			J	()		
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction			Extracted I	oy:
IDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 4044	0.282g	03/29/23			450,3379	
ESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.						
LATHION	0.01	ppm	2	PASS	ND	Analytical Batch: DA057 Instrument Used: DA-G0				1:03/30/23 1 03/29/23 09:		
TALAXYL	0.01	ppm	3	PASS	ND	Running on: 03/29/23 14		Ва	itch pate :	03/29/23 09:	45.55	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250						
THOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 032923.R03; 0	40521.11: 030923	.R23: 03092	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075			\ /			
CLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette: DA-080; DA-146	; DA-218					
ALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural age	ents is performed ut	ilizing Gas C	hromatogra	phy Triple-Qu	adrupole Mass	Spectror

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/31/23



DAVIE, FL, 33314, US

Kaycha Labs

Sour Diesel Drops 11.25g Sour Diesel

Matrix : Derivative



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30329002-005 Harvest/Lot ID: 4916 8893 2366 2813

Batch#: 4916 8893 2366

Sampled: 03/28/23 Ordered: 03/28/23

Sample Size Received: 78.75 gram

Total Amount: 1538 units Completed: 03/31/23 Expires: 03/31/24 Sample Method: SOP.T.20.010

PASSED

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.02g	Extraction date: 03/31/23 15:17:47		//	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA058097SOL Instrument Used : DA-GCMS-002 **Running on :** 03/30/23 12:51:26

Reagent: 030420.09 Consumables: G201.062; G201.062

Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 03/31/23 16:42:40 Batch Date: 03/30/23 12:26:43

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/31/23



Kaycha Labs

Sour Diesel Drops 11.25g

Sour Diesel Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30329002-005 Harvest/Lot ID: 4916 8893 2366 2813

Batch#: 4916 8893 2366

Sampled: 03/28/23 Ordered: 03/28/23

Sample Size Received: 78.75 gram Total Amount: 1538 units Completed: 03/31/23 Expires: 03/31/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 03/30/23 09:00:33

Batch Date: 03/29/23 09:43:53



Microbial



Mycotoxins

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
	Weight: 0.9795g	03/29/23 13		Extracte 3621	ed by:

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA057977MIC **Reviewed On:** 03/30/23 11:14:24

Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems Batch Date: 03/29/23 07:49:46

Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific

Isotemp Heat Block DA-021 Running on: 03/29/23 11:24:11

Reagent: 011223.52; 031423.R29; 092122.07 Consumables: 7558002033

Pipette: N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 4044 Extraction date: 03/29/23 14:10:23 0.282g 450,3379 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA057997MYC

Instrument Used: N/A Running on: 03/29/23 14:34:41

Dilution: 250 Reagent: 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11

Consumables: 6697075-02

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Hg

Heavy Metals

PASSED

3621, 585, 4044	0.9795g	N/A	3390,3621
Analysis Method : SOP.	T.40.208 (Gainesvil	le), SOP.T.40.209.FL	
Analytical Batch: DA05	7988TYM	Reviewed O	n: 03/31/23 12:30:58
Instrument Used : Incu	oator (25-27C) DA-0	96 Batch Date	: 03/29/23 09:03:44
Running on: 03/29/23	11:23:13		

Dilution: 10 Reagent: 011223.52; 032323.R29; 011223.49 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD META	ALS 0.11	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: Weight:	Extraction da			Extracted	by:
1022, 585, 4044 0.2216g	03/29/23 10	:44:33		1022	

03/29/23 10:44:33 0.2216g Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA057986HEA Instrument Used : DA-ICPMS-003 Running on: 03/29/23 12:50:11

Reviewed On: 03/30/23 08:55:18 Batch Date: 03/29/23 08:45:34

Reagent: 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31;

032323.R07; 020123.02 Consumables: 179436; 210508058; 12607-302CC-302

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/31/23



Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample: DA30329002-005

Batch#: 4916 8893 2366

Sampled: 03/28/23 Ordered: 03/28/23

Harvest/Lot ID: 4916 8893 2366 2813

Sample Size Received: 78.75 gram Total Amount: 1538 units Completed: 03/31/23 Expires: 03/31/24

Sample Method: SOP.T.20.010

Page 6 of 6

PASSED

Sour Diesel Matrix : Derivative

Kaycha Labs

Sour Diesel Drops 11.25g

Filth/Foreign **Material**

Reviewed On: 03/31/23 11:17:31

Batch Date: 03/29/23 11:40:58

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1
Analyzed by: 1879, 585, 4044	Weight: NA	Extraction N/A	n date:	Extra N/A	acted by:

Analysis Method: SOP.T.40.090 Analytical Batch: DA058016FIL

Instrument Used: Filth/Foreign Material Microscope
Running on: 03/29/23 11:49:46

Dilution : N/A

Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte Water Activity	_	OD Units .01 aw	Result 0.504	P/F TESTED	Action Level	
Analyzed by: Weight: 2926, 3379, 4044 1.781g		Extractio 03/29/23	n date: 13:58:39	Extracted by: 2926		
Analysis Method : SOP.						
Analytical Batch : DA05	7969WAT		Reviewed C	n: 03/29/23	14:37:23	
Instrument Used : DA-0	28 Rotronic Hyg	ropalm	Batch Date	: 03/28/23 1	1:00:19	

Running on: 03/28/23 15:22:36

Reagent: 100522.09 Consumables: PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



03/31/23