



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30329002-006
Harvest/Lot ID: HYB-CM-020223-C0076
Batch#: 3549 9542 6082 0170
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Distributor Facility:
Source Facility: Tampa Cultivation
Seed to Sale# 9588 0604 0861 3283
Batch Date: 01/17/23
Sample Size Received: 27 gram
Total Amount: 1601 units
Retail Product Size: 1.5 gram
Ordered: 03/28/23
Sampled: 03/28/23
Completed: 03/31/23
Sampling Method: SOP.T.20.010

Mar 31, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

15.894%

Total THC/Container : 238.41 mg



Total CBD

0.034%

Total CBD/Container : 0.51 mg



Total Cannabinoids

18.412%

Total Cannabinoids/Container : 276.18 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.784	17.23	ND	0.039	0.029	0.055	0.251	<0.01	ND	ND	0.024	0.037	17.601	20.389
mg/unit	11.76	258.45	ND	0.585	0.435	0.825	3.765	<0.15	ND	ND	0.36	0.555	264.015	305.835
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 4044, 2023

Weight:
0.1947g

Extraction date:
03/29/23 11:32:21

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA057974POT
 Instrument Used : DA-LC-002
 Running on : 03/29/23 11:35:30

Reviewed On : 03/30/23 09:02:51
 Batch Date : 03/29/23 00:22:08

Dilution : 400
 Reagent : 071222.01; 032923.R57; 032323.R03
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30329002-006

Harvest/Lot ID: HYB-CM-020223-C0076

Batch# : 3549 9542 6082
0170

Sampled : 03/28/23
Ordered : 03/28/23

Sample Size Received : 27 gram

Total Amount : 1601 units

Completed : 03/31/23 Expires: 03/31/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	10.095	0.673		FARNESENE	ND	ND		
TOTAL TERPINEOL	0.007	0.33	0.022		ALPHA-HUMULENE	0.007	0.975	0.065	
ALPHA-BISABOLOL	0.007	0.57	0.038		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	<0.3	<0.02		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	0.36	0.024	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.3	<0.02	
BETA-PINENE	0.007	<0.3	<0.02		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.66	0.044		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	0.945	0.063						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	1.02	0.068						
FENCHYL ALCOHOL	0.007	0.42	0.028						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	2.955	0.197						
Total (%)			0.673						

Analyzed by: 2076, S&S, 4044
 Weight: 0.9931g
 Extraction date: 03/29/23 12:28:54
 Extracted by: 2076
 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
 Analytical Batch: DA058027TER
 Instrument Used: DA-GCMS-004
 Running on: 03/30/23 15:10:38
 Reviewed On: 03/31/23 11:16:56
 Batch Date: 03/29/23 12:08:27
 Dilution: 10
 Reagent: 121622.34
 Consumables: 210414634; MKCN9995; CE0123; R1KB14270
 Pipette: N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30329002-006

Harvest/Lot ID: HYB-CM-020223-C0076

 Batch# : 3549 9542 6082
 0170

 Sampled : 03/28/23
 Ordered : 03/28/23

Sample Size Received : 27 gram

Total Amount : 1601 units

Completed : 03/31/23 Expires: 03/31/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

 Analyzed by:
 3379, 585, 4044, 2023

 Weight:
 0.8358g

 Extraction date:
 03/29/23 14:08:06

 Extracted by:
 450,3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA057999PES

Reviewed On : 03/30/23 13:21:03

Instrument Used : DA-LCMS-003 (PES)

Batch Date : 03/29/23 09:51:53

Running on : 03/29/23 14:33:17

Dilution : 250

Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

 Analyzed by:
 450, 585, 4044, 2023

 Weight:
 0.8358g

 Extraction date:
 03/29/23 14:08:06

 Extracted by:
 450,3379

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA058001VOL

Reviewed On : 03/30/23 11:04:29

Instrument Used : DA-GCMS-006

Batch Date : 03/29/23 09:55:02

Running on : 03/29/23 14:11:49

Dilution : 250

Reagent : 032923.R03; 040521.11; 030923.R23; 030923.R24

Consumables : 6697075-02; 14725401

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30329002-006
Harvest/Lot ID: HYB-CM-020223-C0076

Batch# : 3549 9542 6082 **Sample Size Received :** 27 gram
0170 **Total Amount :** 1601 units
Sampled : 03/28/23 **Completed :** 03/31/23 **Expires:** 03/31/24
Ordered : 03/28/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

<div> Microbial</div> <div>PASSED</div>						<div> Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	1180	PASS	100000	Analyzed by: 3379, 585, 4044, 2023	Weight: 0.8358g	Extraction date: 03/29/23 14:08:06		Extracted by: 450,3379	
Analyzed by: 3621, 3336, 585, 4044 Weight: 1.8143g Extraction date: 03/29/23 11:08:49 Extracted by: 3621						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058000MYC Instrument Used : N/A Running on : 03/29/23 14:34:40 Dilution : 250 Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA057977MIC Reviewed On : 03/30/23 11:14:28						Reviewed On : 03/30/23 13:15:20 Batch Date : 03/29/23 09:54:53					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Running on : 03/29/23 11:24:11						Batch Date : 03/29/23 07:49:46					
Dilution : N/A Reagent : 011223.52; 031423.R29; 092122.07 Consumables : 7558002033 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3621, 585, 4044 Weight: 1.8143g Extraction date: N/A Extracted by: 3390,3621						<div> Heavy Metals</div> <div>PASSED</div>					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA057988TYM Instrument Used : Incubator (25-27C) DA-096 Running on : 03/29/23 11:23:13 Reviewed On : 03/31/23 12:30:59 Batch Date : 03/29/23 09:03:44						Metal LOD Units Result Pass / Fail Action Level					
Dilution : 10 Reagent : 011223.52; 032323.R29; 011223.49 Consumables : N/A Pipette : N/A						TOTAL CONTAMINANT LOAD METALS ARSENIC CADMIUM MERCURY LEAD					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 585, 4044, 2023 Weight: 0.2283g Extraction date: 03/29/23 10:14:15 Extracted by: 3619,1022					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.


Heavy Metals
PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	<0.1	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044, 2023 Weight: 0.2283g Extraction date: 03/29/23 10:14:15 Extracted by: 3619,1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA057994HEA Reviewed On : 03/30/23 09:03:03 Instrument Used : DA-ICPMS-003 Batch Date : 03/29/23 09:28:17 Running on : 03/29/23 14:00:28					
Dilution : 50 Reagent : 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30329002-006

Harvest/Lot ID: HYB-CM-020223-C0076

Batch# : 3549 9542 6082
 0170

Sampled : 03/28/23

Ordered : 03/28/23

Sample Size Received : 27 gram

Total Amount : 1601 units

Completed : 03/31/23 **Expires:** 03/31/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA058015FIL
Instrument Used : Filth/Foreign Material Microscope
Running on : 03/29/23 11:49:47

Reviewed On : 03/29/23 11:57:19
Batch Date : 03/29/23 11:39:55

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.499	PASS	0.65

Analyzed by: 2926, 585, 4044	Weight: 0.826g	Extraction date: 03/29/23 14:08:33	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA057968WAT
Instrument Used : DA-028 Rotronic HygroPalm
Running on : 03/28/23 12:29:01

Reviewed On : 03/29/23 15:16:52
Batch Date : 03/28/23 10:59:14

Dilution : N/A
Reagent : 100522.09
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	9.7	PASS	15

Analyzed by: 2926, 585, 4044	Weight: 0.504g	Extraction date: 03/29/23 14:13:29	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.021
Analytical Batch : DA058028MOI
Instrument Used : DA-003 Moisture Analyzer
Running on : 03/29/23 14:13:19

Reviewed On : 03/29/23 15:16:54
Batch Date : 03/29/23 14:11:16

Dilution : N/A
Reagent : 101920.06; 020123.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.