



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30330007-002
Harvest/Lot ID: HYB-OGK-032423-C0081
Batch#: 7497 3418 9559 5469
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Distributor Facility:
Source Facility: Zolfo Springs Cultivation
Seed to Sale#: 3617 2549 1160 4806
Batch Date: 02/27/23
Sample Size Received: 38.5 gram
Total Amount: 2687 units
Retail Product Size: 3.5 gram
Ordered: 03/29/23
Sampled: 03/29/23
Completed: 04/02/23
Sampling Method: SOP.T.20.010

Apr 02, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

18.818%

Total THC/Container : 658.63 mg



Total CBD

0.05%

Total CBD/Container : 1.75 mg



Total Cannabinoids

22.119%

Total Cannabinoids/Container : 774.165 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.621	20.75	ND	0.058	0.046	0.093	0.489	<0.01	ND	0.019	0.043	0.056	21.342	25.086
mg/unit	6.21	207.5	ND	0.58	0.46	0.93	4.89	<0.1	ND	0.19	0.43	0.56	213.42	250.86
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 4044

Weight:
0.2116g

Extraction date:
03/30/23 12:32:39

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA058081POT

Instrument Used : DA-LC-002

Running on : 03/30/23 12:34:54

Dilution : 400

Reagent : 032923.R57; 032323.R03

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Reviewed On : 03/31/23 09:26:05

Batch Date : 03/30/23 10:44:28

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30330007-002
Harvest/Lot ID: HYB-OGK-032423-C0081

Batch# : 7497 3418 9559 **Sample Size Received :** 38.5 gram
5469 **Total Amount :** 2687 units
Sampled : 03/29/23 **Completed :** 04/02/23 **Expires:** 04/02/24
Ordered : 03/29/23 **Sample Method :** SOP.T.20.010

Page 2 of 5



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30330007-002
Harvest/Lot ID: HYB-OGK-032423-C0081

Batch# : 7497 3418 9559 **Sample Size Received :** 38.5 gram
5469 **Total Amount :** 2687 units
Sampled : 03/29/23 **Completed :** 04/02/23 **Expires:** 04/02/24
Ordered : 03/29/23 **Sample Method :** SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.8115g	03/30/23 15:05:51	450,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA058053PES			Reviewed On :03/31/23 11:12:11		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :03/30/23 09:48:27		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Running on :03/30/23 14:42:44					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.8115g	03/30/23 15:05:51	450,3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA058057VOL			Reviewed On :03/31/23 10:47:48		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-006			Batch Date :03/30/23 09:50:36		
METALAXYL	0.01	ppm	0.1	PASS	ND	Running on :03/30/23 15:20:17					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032923.R03; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30330007-002
Harvest/Lot ID: HYB-OGK-032423-C0081

Batch# : 7497 3418 9559 **Sample Size Received :** 38.5 gram
5469 **Total Amount :** 2687 units
Sampled : 03/29/23 **Completed :** 04/02/23 **Expires:** 04/02/24
Ordered : 03/29/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000						
Analyzed by: 3621, 585, 4044 Weight: 1.0729g Extraction date: 03/30/23 12:10:48 Extracted by: 3390, 3336						Analyzed by: 3379, 585, 4044 Weight: 0.8115g Extraction date: 03/30/23 15:05:51 Extracted by: 450, 3379					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058052MIC Reviewed On : 03/31/23 13:06:26						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058056MYC Reviewed On : 03/31/23 08:53:16 Instrument Used : N/A Batch Date : 03/30/23 09:50:34 Running on : 03/30/23 14:42:38					
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Running on : 03/30/23 12:35:38						Dilution : 250 Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 011223.48; 031423.R29; 092122.07 Consumables : N/A Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2302g Extraction date: 03/30/23 10:46:45 Extracted by: 3619											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058054HEA Reviewed On : 03/31/23 09:17:24 Instrument Used : DA-ICPMS-003 Batch Date : 03/30/23 09:48:48 Running on : 03/30/23 15:55:17											
Dilution : 50 Reagent : 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30330007-002
Harvest/Lot ID: HYB-OGK-032423-C0081

Batch# : 7497 3418 9559 **Sample Size Received :** 38.5 gram
5469 **Total Amount :** 2687 units
Sampled : 03/29/23 **Completed :** 04/02/23 **Expires:** 04/02/24
Ordered : 03/29/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1
Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090					
Analytical Batch : DA058149FIL			Reviewed On : 03/31/23 14:04:54		
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 03/31/23 12:51:55		
Running on : 03/31/23 13:20:20					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.559	PASS	0.65
Analyzed by: 2926, 585, 4044	Weight: 0.746g	Extraction date: 03/30/23 15:38:49		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 03/30/23 18:30:45 Batch Date : 03/30/23 12:15:51		
Analytical Batch : DA058093WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Running on : 03/30/23 15:36:35					
Dilution : N/A					
Reagent : 100522.09					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	11.83	PASS	15
Analyzed by: 2926, 585, 4044	Weight: 0.498g	Extraction date: 03/30/23 15:57:29		Extracted by: 2926	
Analysis Method : SOP.T.40.021					
Analytical Batch : DA058100MOI			Reviewed On : 03/30/23 18:30:44		
Instrument Used : DA-003 Moisture Analyzer			Batch Date : 03/30/23 15:02:01		
Running on : 03/30/23 15:55:27					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.