



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30330009-005  
**Harvest/Lot ID:** 3359 6229 4824 3065  
**Batch#:** 3359 6229 4824 3065  
**Cultivation Facility:**  
**Processing Facility:**  
**Distributor Facility:**  
**Source Facility:** Tampa Cultivation  
**Seed to Sale#** 5904 5719 3505 6464  
**Batch Date:** 02/03/23  
**Sample Size Received:** 900 gram  
**Total Amount:** 4146 gram  
**Retail Product Size:** 65.1365 gram  
**Ordered:** 03/29/23  
**Sampled:** 03/29/23  
**Completed:** 04/01/23  
**Sampling Method:** SOP.T.20.010


**Apr 01, 2023 | FLUENT**  
 82 NE 26th street  
 Miami, FL, 33137, US


**PASSED**

Pages 1 of 5

**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides  
PASSED**

**Heavy Metals  
PASSED**

**Microbials  
PASSED**

**Mycotoxins  
PASSED**

**Residuals Solvents  
PASSED**

**Filtration  
PASSED**

**Water Activity  
PASSED**

**Moisture  
NOT TESTED**

**Terpenes  
NOT TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**0.141%**

Total THC/Container : 91.842 mg


**Total CBD**
**ND**

Total CBD/Container : 0 mg


**Total Cannabinoids**
**0.15%**

Total Cannabinoids/Container : 97.705 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.141	ND	ND	ND	ND	0.007	ND	0.002	ND	ND	ND
mg/g	1.41	ND	ND	ND	ND	0.07	ND	0.02	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 3112, 1665, 585, 4044

Weight:  
 3.0607g

Extraction date:  
 N/A

Extracted by:  
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA058103POT  
 Instrument Used : DA-LC-007  
 Running on : 03/31/23 08:14:16

Reviewed On : 03/31/23 16:02:49  
 Batch Date : 03/30/23 23:53:02

Dilution : 40  
 Reagent : 030123.01; 070122.11; 070621.18  
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB45277  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30330009-005

Harvest/Lot ID: 3359 6229 4824 3065

Batch# : 3359 6229 4824 3065

Sampled : 03/29/23

Ordered : 03/29/23

Sample Size Received : 900 gram

Total Amount : 4146 gram

Completed : 04/01/23 Expires: 04/01/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	1.1944g	03/30/23 15:10:32	450,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA058077PES			Reviewed On : 03/31/23 12:59:11		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/30/23 10:40:51		
FENHEXAMID	0.01	ppm	3	PASS	ND	Running on : 03/30/23 14:42:39					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	1.1944g	03/30/23 15:10:32	450,3379		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA058080VOL			Reviewed On : 03/31/23 10:44:50		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 03/30/23 10:43:13		
METALAXYL	0.01	ppm	3	PASS	ND	Running on : 03/30/23 15:18:31					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032923.R03; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30330009-005

Harvest/Lot ID: 3359 6229 4824 3065

Batch# : 3359 6229 4824 3065

Sampled : 03/29/23

Ordered : 03/29/23

Sample Size Received : 900 gram

Total Amount : 4146 gram

Completed : 04/01/23 Expires: 04/01/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0275g

 Extraction date:  
 03/31/23 16:56:57

 Extracted by:  
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA058099SOL

Instrument Used : DA-GCMS-002

Running on : 04/01/23 13:39:57

Reviewed On : 04/01/23 14:45:53

Batch Date : 03/30/23 12:35:33

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.062

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30330009-005

Harvest/Lot ID: 3359 6229 4824 3065

Batch# : 3359 6229 4824 3065

Sampled : 03/29/23

Ordered : 03/29/23

Sample Size Received : 900 gram

Total Amount : 4146 gram

Completed : 04/01/23 Expires: 04/01/24

Sample Method : SOP.T.20.010

Page 4 of 5

Microbial						Mycotoxins					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 585, 4044 Weight: 1.0026g Extraction date: 03/30/23 12:10:51 Extracted by: 3390, 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058052MIC Reviewed On : 03/31/23 13:06:37 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Running on : 03/30/23 12:35:38 Dilution : N/A Reagent : 011223.48; 031423.R29; 092122.07 Consumables : N/A Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 1.1944g Extraction date: 03/30/23 15:10:32 Extracted by: 450, 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058079MYC Instrument Used : N/A Running on : 03/30/23 14:42:32 Dilution : 250 Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 585, 4044 Weight: 1.0026g Extraction date: N/A Extracted by: 3390, 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA058091TYM Instrument Used : Incubator (25-27C) DA-097 Running on : 03/30/23 12:13:18 Dilution : 10 Reagent : 011223.48; 032323.R29 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						<b>Heavy Metals</b> <b>PASSED</b>					
TOTAL CONTAMINANT LOAD METALS						Metal	LOD	Units	Result	Pass / Fail	Action Level
						ARSENIC	0.11	ppm	ND	PASS	5
						CADMIUM	0.02	ppm	ND	PASS	1.5
						MERCURY	0.02	ppm	ND	PASS	3
						LEAD	0.05	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044 Weight: 0.2052g Extraction date: 03/30/23 11:27:31 Extracted by: 1022, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058061HEA Instrument Used : DA-ICPMS-003 Running on : 03/30/23 16:08:48 Dilution : 50 Reagent : 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30330009-005  
 Harvest/Lot ID: 3359 6229 4824 3065

 Batch# : 3359 6229 4824 3065  
 Sample Size Received : 900 gram  
 Total Amount : 4146 gram  
 Completed : 04/01/23 Expires: 04/01/24  
 Ordered : 03/29/23  
 Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**
**Homogeneity**
**PASSED**

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.1	%	ND	<b>PASS</b>	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 4044	NA	N/A	N/A

 Analysis Method : SOP.T.40.090  
 Analytical Batch : DA058145FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Running on : 03/31/23 13:12:34

 Reviewed On : 03/31/23 13:49:04  
 Batch Date : 03/31/23 12:49:31

 Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.01	aw	0.558	<b>PASS</b>	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 4044	5.93g	03/30/23 15:27:57	2926

 Analysis Method : SOP.T.40.019  
 Analytical Batch : DA058094WAT  
 Instrument Used : DA-028 Rotronic HygroPalm  
 Running on : 03/30/23 15:26:39

 Reviewed On : 03/30/23 18:31:26  
 Batch Date : 03/30/23 12:16:57

 Dilution : N/A  
 Reagent : 100522.09  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
<b>TOTAL THC - HOMOGENEITY (RSD)</b>	0.001	%	<b>PASS</b>	3.596	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3335, 585, 4044	6.33g	03/30/23 11:02:28	3335

 Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL  
 Analytical Batch : DA058064HOM  
 Instrument Used : DA-LC-005  
 Running on : 03/30/23 11:06:36  
 Reviewed On : 03/31/23 09:23:52  
 Batch Date : 03/30/23 10:22:44

 Dilution : 40  
 Reagent : 030123.01; 032523.R02; 071222.46; 032523.R01  
 Consumables : 947.109; 250346; CE0123; 115C4-1151; 12607-302CC-302; 61633-125C6-125E; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.