




Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30331004-003
Harvest/Lot ID: ID-GMO-13123-A095
Batch#: 3855 3738 9667 1326
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 7085 8287 9607 5873
Batch Date: 01/26/23
Sample Size Received: 26 gram
Total Amount: 733 units
Retail Product Size: 1 gram
Ordered : 03/30/23
Sampled : 03/30/23
Completed: 04/03/23
Sampling Method: SOP.T.20.010
Apr 03, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED
Pages 1 of 5
PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
24.962%
Total THC/Container : 249.62 mg

Total CBD
0.067%
Total CBD/Container : 0.67 mg

Total Cannabinoids
29.698%
Total Cannabinoids/Container : 296.98 mg


| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC | TOTAL CBD (DRY) | TOTAL THC (DRY) | TOTAL CANNABINOIDS (DRY) |
|---------|--------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-----------------|-----------------|--------------------------|
| % | 0.508 | 27.884 | ND | 0.077 | 0.067 | 0.089 | 0.997 | 0.013 | ND | ND | 0.063 | 0.076 | 28.586 | 34.01 |
| mg/unit | 5.08 | 278.84 | ND | 0.77 | 0.67 | 0.89 | 9.97 | 0.13 | ND | ND | 0.63 | 0.76 | 285.86 | 340.1 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3112, 1665, 585, 4044

Weight:
0.21g

Extraction date:
03/31/23 12:12:57

Extracted by:
3605,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA058131POT
Instrument Used : DA-LC-002
Running on : 03/31/23 13:01:09

Reviewed On : 04/03/23 09:35:11
Batch Date : 03/31/23 10:36:55

Dilution : 400
Reagent : 032923.R57; 071222.01; 033123.R01
Consumables : 250350; CE0123; 12607-302CC-302; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30331004-003
Harvest/Lot ID: ID-GMO-13123-A095

Batch# : 3855 3738 9667
Sample Size Received : 26 gram
Total Amount : 733 units
Completed : 04/03/23 Expires: 04/03/24
Ordered : 03/30/23
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|--------------------|---------|---------|-------|------------|---|---------|---------|-------|------------|
| TOTAL TERPENES | 0.007 | 18.33 | 1.833 | | FARNESENE | 0.007 | <2 | <0.02 | |
| TOTAL TERPINEOL | 0.007 | 0.38 | 0.038 | | ALPHA-HUMULENE | 0.007 | 1.68 | 0.168 | |
| ALPHA-BISABOLOL | 0.007 | 1.15 | 0.115 | | VALENCENE | 0.007 | ND | ND | |
| ALPHA-PINENE | 0.007 | 0.29 | 0.029 | | CIS-NEROLIDOL | 0.007 | ND | ND | |
| CAMPHENE | 0.007 | ND | ND | | TRANS-NEROLIDOL | 0.007 | 0.26 | 0.026 | |
| SABINENE | 0.007 | ND | ND | | CARYOPHYLLENE OXIDE | 0.007 | <2 | <0.02 | |
| BETA-PINENE | 0.007 | 0.44 | 0.044 | | GUAIOL | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 1.51 | 0.151 | | CEDROL | 0.007 | ND | ND | |
| ALPHA-PHELLANDRENE | 0.007 | ND | ND | | <div>Analysis by: 2076, S&S, 4044Weight: 1.1178gExtraction date: 03/31/23 15:11:19Extracted by: 2076</div> | | | | |
| 3-CARENE | 0.007 | ND | ND | | <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> | | | | |
| ALPHA-TERPINENE | 0.007 | ND | ND | | <div>Analytical Batch : DA058136TER</div> | | | | |
| LIMONENE | 0.007 | 3.09 | 0.309 | | <div>Instrument Used : DA-GCMS-008</div> | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | <div>Running on : 04/03/23 08:45:33</div> | | | | |
| OCIMENE | 0.007 | ND | ND | | <div>Dilution : 10</div> | | | | |
| GAMMA-TERPINENE | 0.007 | ND | ND | | <div>Reagent : 121622.34</div> | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> | | | | |
| TERPINOLENE | 0.007 | ND | ND | | <div>Pipette : N/A</div> | | | | |
| FENCHONE | 0.007 | ND | ND | | <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div> | | | | |
| LINALOOL | 0.007 | 0.46 | 0.046 | | | | | | |
| FENCHYL ALCOHOL | 0.007 | 0.52 | 0.052 | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| CAMPHOR | 0.013 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| BORNEOL | 0.013 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| ALPHA-CEDRENE | 0.007 | ND | ND | | | | | | |
| BETA-CARYOPHYLLENE | 0.007 | 4.2 | 0.42 | | | | | | |
| Total (%) | | | 1.833 | | | | | | |



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30331004-003
 Harvest/Lot ID: ID-GMO-13123-A095

 Batch# : 3855 3738 9667 Sample Size Received : 26 gram
 1326 Total Amount : 733 units
 Sampled : 03/30/23 Completed : 04/03/23 Expires: 04/03/24
 Ordered : 03/30/23 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|--------------|-----------|--------|--|---------|---------------------------------|---------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.01 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.01 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.01 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | CAPTAN * | 0.07 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | CHLORDANE * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | 3112, 3379, 585, 4044 | 0.9969g | 03/31/23 15:02:02 | 3379 | | |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), | | | | | |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA058124PES | | Reviewed On : 04/03/23 11:54:41 | | | |
| ETOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | Batch Date : 03/31/23 10:33:12 | | | |
| FENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Running on : 03/31/23 10:44:57 | | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11 | | | | | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02 | | | | | |
| FLONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| HEXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | 450, 585, 4044 | 0.9969g | 03/31/23 15:02:02 | 3379 | | |
| IMIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| KRESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA058130VOL | | Reviewed On : 04/03/23 11:52:47 | | | |
| MALATHION | 0.01 | ppm | 0.2 | PASS | ND | Instrument Used : DA-GCMS-006 | | Batch Date : 03/31/23 10:36:54 | | | |
| METALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Running on : 03/31/23 16:36:37 | | | | | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 032923.R03; 040521.11; 030923.R23; 030923.R24 | | | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 6697075-02; 14725401 | | | | | |
| MYCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| NALED | 0.01 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30331004-003
 Harvest/Lot ID: ID-GMO-13123-A095

 Batch# : 3855 3738 9667 Sample Size Received : 26 gram
 1326 Total Amount : 733 units
 Sampled : 03/30/23 Completed : 04/03/23 Expires: 04/03/24
 Ordered : 03/30/23 Sample Method : SOP.T.20.010

Page 4 of 5

|  Microbial PASSED | | | | | |  Mycotoxins PASSED | | | | | |
|--|------|-------|-------------|-------------|--------------|--|-------|-------|--------|-------------|--------------|
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGELLA | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 620 | PASS | 100000 | | | | | | |
| Analyzed by: 3336, 585, 4044 Weight: 1.9609g Extraction date: 03/31/23 10:35:48 Extracted by: 3621,3390 | | | | | | Analyzed by: 3379, 585, 4044 Weight: 0.9969g Extraction date: 03/31/23 15:02:02 Extracted by: 3379 | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058104MIC Reviewed On : 04/03/23 09:20:40 Batch Date : 03/31/23 07:50:06 | | | | | | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058129MYC Reviewed On : 04/03/23 11:53:27 Instrument Used : N/A Batch Date : 03/31/23 10:36:52 Running on : 03/31/23 15:06:02 | | | | | |
| Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Running on : 03/31/23 12:25:34 | | | | | | Dilution : 250 Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 | | | | | |
| Dilution : N/A Reagent : 011223.48; 031423.R29; 092122.07 Consumables : 7558002037 Pipette : N/A | | | | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
|  Heavy Metals PASSED | | | | | | | | | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | | | | | |
| TOTAL CONTAMINANT LOAD METALS | 0.11 | ppm | ND | PASS | 1.1 | | | | | | |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 | | | | | | |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 | | | | | | |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 | | | | | | |
| LEAD | 0.05 | ppm | ND | PASS | 0.5 | | | | | | |
| Analyzed by: 1022, 585, 4044 Weight: 0.2241g Extraction date: 03/31/23 10:51:40 Extracted by: 1022,3619 | | | | | | | | | | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058115HEA Reviewed On : 04/03/23 09:22:28 Instrument Used : DA-ICPMS-003 Batch Date : 03/31/23 10:07:40 Running on : 03/31/23 14:35:25 | | | | | | | | | | | |
| Dilution : 50 Reagent : 031423.R28; 031423.R18; 032423.R32; 032323.R08; 032423.R30; 032423.R31; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12607-302CC-302 Pipette : DA-061; DA-216 | | | | | | | | | | | |

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30331004-003
Harvest/Lot ID: ID-GMO-13123-A095

Batch# : 3855 3738 9667
Sample Size Received : 26 gram
Total Amount : 733 units
Completed : 04/03/23 **Expires:** 04/03/24
Ordered : 03/30/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


Filth/Foreign Material

PASSED


Moisture

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|-----------------------------------|-----|-------|--------|-------------|--------------|
| Filth and Foreign Material | 0.1 | % | ND | PASS | 1 |

| | | | |
|-----------------------------------|----------------------|--------------------------------|-----------------------------|
| Analyzed by: 1879, 4044 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|-----------------------------------|----------------------|--------------------------------|-----------------------------|

| | |
|---|---|
| Analysis Method : SOP.T.40.090 Analytical Batch : DA058150FIL Instrument Used : Filth/Foreign Material Microscope Running on : 03/31/23 13:20:19 | Reviewed On : 03/31/23 14:05:08 Batch Date : 03/31/23 12:52:44 |
|---|---|

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|-----------------------|------|-------|--------|-------------|--------------|
| Water Activity | 0.01 | aw | 0.495 | PASS | 0.65 |

| | | | |
|--|--------------------------|--|------------------------------|
| Analyzed by: 2926, 585, 4044 | Weight: 0.587g | Extraction date: 03/31/23 15:06:37 | Extracted by: 2926 |
|--|--------------------------|--|------------------------------|

| | |
|---|---|
| Analysis Method : SOP.T.40.019 Analytical Batch : DA058095WAT Instrument Used : DA-028 Rotronic HygroPalm Running on : 03/30/23 15:19:51 | Reviewed On : 03/31/23 16:03:48 Batch Date : 03/30/23 12:18:02 |
|---|---|

Dilution : N/A
Reagent : 111621.21
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Result | P/F | Action Level |
|-------------------------|-----|-------|--------|-------------|--------------|
| Moisture Content | 1 | % | 12.68 | PASS | 15 |

| | | | |
|--|--------------------------|--|------------------------------|
| Analyzed by: 2926, 585, 4044 | Weight: 0.497g | Extraction date: 03/31/23 15:31:48 | Extracted by: 2926 |
|--|--------------------------|--|------------------------------|

| | |
|--|---|
| Analysis Method : SOP.T.40.021 Analytical Batch : DA058100MOI Instrument Used : DA-003 Moisture Analyzer Running on : 03/30/23 15:55:27 | Reviewed On : 03/31/23 16:03:47 Batch Date : 03/30/23 15:02:01 |
|--|---|

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.