



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30401003-001
Harvest/Lot ID: 6875 6894 9576 9401
Batch#: 6875 6894 9576 9401
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 5126 9557 2928 3506
Batch Date: 02/03/23
Sample Size Received: 900 gram
Total Amount: 4375 units
Retail Product Size: 63.8427 gram
Ordered : 03/31/23
Sampled : 03/31/23
Completed: 04/05/23
Sampling Method: SOP.T.20.010

Apr 05, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.144%

Total THC/Container : 91.933 mg



Total CBD

ND

Total CBD/Container : 0 mg



Total Cannabinoids

0.152%

Total Cannabinoids/Container : 97.041 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.144	ND	ND	ND	ND	0.005	ND	0.003	ND	ND	ND
mg/g	1.44	ND	ND	ND	ND	0.05	ND	0.03	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 4044

Weight:
2.9905g

Extraction date:
04/03/23 09:22:52

Extracted by:
1665,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA058205POT
 Instrument Used : DA-LC-007
 Analyzed Date : 04/03/23 09:56:36

Reviewed On : 04/04/23 13:42:25
 Batch Date : 04/02/23 21:54:53

Dilution : 40
 Reagent : 040323.01; 070122.11; 071222.01
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30401003-001

Harvest/Lot ID: 6875 6894 9576 9401

 Batch# : 6875 6894 9576
 9401

Sampled : 03/31/23

Ordered : 03/31/23

Sample Size Received : 900 gram

Total Amount : 4375 units

Completed : 04/05/23 Expires: 04/05/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.9459g	04/03/23 14:25:05	450,3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA058210PES			Reviewed On : 04/04/23 18:37:18		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/03/23 09:34:34		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.9459g	04/03/23 14:25:05	450,3379		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA058212VOL			Reviewed On : 04/05/23 09:22:34		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 04/03/23 09:38:10		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 04/03/23 14:27:53					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 032923.R03; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30401003-001

Harvest/Lot ID: 6875 6894 9576 9401

Batch# : 6875 6894 9576 9401

Sampled : 03/31/23

Ordered : 03/31/23

Sample Size Received : 900 gram

Total Amount : 4375 units

Completed : 04/05/23 **Expires:** 04/05/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 4044

Weight:
 0.0254g

Extraction date:
 04/05/23 06:06:10

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA058237SOL

Instrument Used : DA-GCMS-003

Analyzed Date : 04/05/23 06:16:54

Reviewed On : 04/05/23 10:07:10

Batch Date : 04/03/23 16:59:31

Dilution : 1

Reagent : 030420.09

Consumables : G201.062; G201.062

Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30401003-001

Harvest/Lot ID: 6875 6894 9576 9401

Batch# : 6875 6894 9576
 9401

Sampled : 03/31/23
Ordered : 03/31/23




Sample Size Received : 900 gram

Total Amount : 4375 units

Completed : 04/05/23 **Expires:** 04/05/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3336, 3390, 585, 4044 Weight: 1.1553g Extraction date: 04/01/23 12:39:43 Extracted by: 3621,3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058173MIC Reviewed On : 04/04/23 15:09:06 Batch Date : 04/01/23 09:50:43 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 04/01/23 15:52:27 Dilution : N/A Reagent : 011223.28; 031423.R29; 092122.07 Consumables : 7559002047 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 0.9459g Extraction date: 04/03/23 14:25:05 Extracted by: 450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058211MYC Instrument Used : N/A Analyzed Date : N/A Dilution : 250 Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2448g Extraction date: 04/03/23 08:59:18 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058196HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/03/23 13:51:37 Dilution : 50 Reagent : 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30401003-001
 Harvest/Lot ID: 6875 6894 9576 9401

 Batch# : 6875 6894 9576 9401
 Sample Size Received : 900 gram
 Total Amount : 4375 units
 Completed : 04/05/23 Expires: 04/05/24
 Ordered : 03/31/23
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 4044	NA	N/A	N/A

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA058199FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 04/02/23 17:38:40

 Reviewed On : 04/02/23 17:42:55
 Batch Date : 04/02/23 17:35:15

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.565	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 4044	12.098g	04/01/23 16:18:54	2926

 Analysis Method : SOP.T.40.019
 Analytical Batch : DA058185WAT
 Instrument Used : DA-028 Rotronic HygroPalm
 Analyzed Date : 04/01/23 16:12:23

 Reviewed On : 04/01/23 16:28:56
 Batch Date : 04/01/23 12:10:47

 Dilution : N/A
 Reagent : 100522.09
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	1.44	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3605, 3335, 585, 4044	6.442g	04/01/23 13:18:16	3605

 Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
 Analytical Batch : DA058181HOM
 Instrument Used : DA-LC-001 (Homo)
 Analyzed Date : 04/01/23 13:18:51
 Reviewed On : 04/04/23 13:40:47
 Batch Date : 04/01/23 10:21:59

 Dilution : 40
 Reagent : 030123.01; 032923.R28; 070122.11; 032923.R27
 Consumables : CE123; 12608-302CD-302C; 61633-125C6-125E; R1KB45277
 Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.