



# Certificate of Analysis


## COMPLIANCE FOR RETAIL

**Sample: DA30402002-004**
**Harvest/Lot ID: 0395 5038 5075 8864**
**Batch#: 0395 5038 5075 8864**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 1804 3908 6032 7769**
**Batch Date: 02/06/23**
**Sample Size Received: 16 gram**
**Total Amount: 1468 units**
**Retail Product Size: 1 gram**
**Ordered : 04/01/23**
**Sampled : 04/01/23**
**Completed: 04/05/23**
**Sampling Method: SOP.T.20.010**
**Apr 05, 2023 | FLUENT**

82 NE 26th street  
Miami, FL, 33137, US

**PASSED**
**Pages 1 of 6**
**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides  
PASSED**

**Heavy Metals  
PASSED**

**Microbials  
PASSED**

**Mycotoxins  
PASSED**

**Residuals Solvents  
PASSED**

**Filtration  
PASSED**

**Water Activity  
PASSED**

**Moisture  
NOT TESTED**

**Terpenes  
TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**92.213%**
**Total THC/Container : 922.13 mg**

**Total CBD**
**0.244%**
**Total CBD/Container : 2.44 mg**

**Total Cannabinoids**
**96.869%**
**Total Cannabinoids/Container : 968.69 mg**

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.159	0.062	0.244	ND	0.219	1.879	ND	0.826	0.576	ND	0.904
mg/g	921.59	0.62	2.44	ND	2.19	18.79	ND	8.26	5.76	ND	9.04
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

**Analyzed by:**  
3112, 1665, 585, 1879

**Weight:**  
0.1075g

**Extraction date:**  
04/03/23 09:28:29

**Extracted by:**  
1665,3112

**Analysis Method :** SOP.T.40.031, SOP.T.30.031

**Analytical Batch :** DA058202POT

**Instrument Used :** DA-LC-007

**Analyzed Date :** 04/03/23 09:52:04

**Reviewed On :** 04/04/23 15:13:48  
**Batch Date :** 04/02/23 21:52:18

**Dilution :** 400

**Reagent :** 071222.01; 040323.R03; 040323.R02

**Consumables :** 280670723; CE0123; 61633-125C6-125E; R1KB14270

**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30402002-004  
Harvest/Lot ID: 0395 5038 5075 8864

Batch# : 0395 5038 5075 8864  
Sample Size Received : 16 gram  
Total Amount : 1468 units  
Sampled : 04/01/23  
Completed : 04/05/23 Expires: 04/05/24  
Ordered : 04/01/23  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES	0.007	8.8	0.88		FARNESENE		0.38	0.038				
TOTAL TERPINEOL	0.007	<0.2	<0.02		ALPHA-HUMULENE	0.007	<2	<0.02				
ALPHA-BISABOLOL	0.007	0.28	0.028		VALENCENE	0.007	0.31	0.031				
ALPHA-PINENE	0.007	0.38	0.038		CIS-NEROLIDOL	0.007	ND	ND				
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND				
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<2	<0.02				
BETA-PINENE	0.007	0.45	0.045		GUAIOL	0.007	ND	ND				
BETA-MYRCENE	0.007	0.83	0.083		CEDROL	0.007	ND	ND				
ALPHA-PHELLANDRENE	0.007	0.28	0.028									
3-CARENE	0.007	<0.2	<0.02		Analyzed by:	1879, 2076, 585	Weight:	1.0833g	Extraction date:	04/02/23 11:42:59	Extracted by:	1879,2076
ALPHA-TERPINENE	0.007	<0.2	<0.02		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL						
LIMONENE	0.007	0.87	0.087		Analytical Batch :	DA058191TER					Reviewed On :	04/04/23 15:13:48
EUCALYPTOL	0.007	ND	ND		Instrument Used :	DA-GCMS-005					Batch Date :	04/02/23 08:35:46
OCIMENE	0.007	0.73	0.073		Analyzed Date :	04/02/23 17:20:41						
GAMMA-TERPINENE	0.007	<0.2	<0.02		Dilution :	10						
SABINENE HYDRATE	0.007	ND	ND		Reagent :	121622.34						
TERPINOLENE	0.007	2.73	0.273		Consumables :	210414634; MKCN9995; CE0123; R1KB14270						
FENCHONE	0.007	ND	ND		Pipette :	N/A						
LINALOOL	0.007	<0.2	<0.02		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
FENCHYL ALCOHOL	0.007	0.23	0.023									
ISOPULEGOL	0.007	ND	ND									
CAMPHOR	0.007	ND	ND									
ISOBORNEOL	0.007	ND	ND									
BORNEOL	0.013	<0.4	<0.04									
HEXAHYDROTHYMOL	0.007	<0.2	<0.02									
NEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
GERANIOL	0.007	<0.2	<0.02									
GERANYL ACETATE	0.007	ND	ND									
ALPHA-CEDRENE	0.007	ND	ND									
BETA-CARYOPHYLLENE	0.007	1.33	0.133									
Total (%)				0.88								



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30402002-004

**Harvest/Lot ID:** 0395 5038 5075 8864

**Batch# :** 0395 5038 5075 8864

**Sampled :** 04/01/23

**Ordered :** 04/01/23


**Sample Size Received :** 16 gram

**Total Amount :** 1468 units

**Completed :** 04/05/23 **Expires:** 04/05/24

**Sample Method :** SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1879      Weight: 0.2762g      Extraction date: 04/03/23 14:22:09      Extracted by: 450,3379					
DIAZINON	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA058207PES      Reviewed On :04/04/23 13:08:32					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)      Batch Date :04/03/23 09:28:01					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analyzed Date :N/A					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1879      Weight: 0.2762g      Extraction date: 04/03/23 14:22:09      Extracted by: 450,3379					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA058209VOL      Reviewed On :04/04/23 13:01:38					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001      Batch Date :04/03/23 09:33:28					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed Date :04/03/23 14:28:12					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Dilution : 250					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Reagent : 032923.R03; 040521.11; 030923.R23; 030923.R24					
MALATHION	0.01	ppm	0.2	PASS	ND	Consumables : 6697075-02; 14725401					
METALAXYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30402002-004

**Harvest/Lot ID:** 0395 5038 5075 8864

**Batch# :** 0395 5038 5075  
 8864

**Sampled :** 04/01/23

**Ordered :** 04/01/23

**Sample Size Received :** 16 gram

**Total Amount :** 1468 units

**Completed :** 04/05/23 **Expires:** 04/05/24

**Sample Method :** SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

**Analyzed by:**  
 850, 585, 1879

**Weight:**  
 0.0271g

**Extraction date:**  
 04/05/23 10:05:44

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL

**Analytical Batch :** DA058281SOL

**Instrument Used :** DA-GCMS-002

**Analyzed Date :** 04/05/23 10:10:48

**Reviewed On :** 04/05/23 13:06:55

**Batch Date :** 04/04/23 16:46:24

**Dilution :** 1

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30402002-004

**Harvest/Lot ID:** 0395 5038 5075 8864

**Batch# :** 0395 5038 5075 8864

**Sampled :** 04/01/23

**Ordered :** 04/01/23




**Sample Size Received :** 16 gram

**Total Amount :** 1468 units

**Completed :** 04/05/23 **Expires:** 04/05/24

**Sample Method :** SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
<b>Analyzed by:</b> 3336, 3390, 585, 1879 <b>Weight:</b> 1.107g <b>Extraction date:</b> N/A <b>Extracted by:</b> 3390 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA058183MIC <b>Reviewed On :</b> 04/04/23 15:12:27 <b>Batch Date :</b> 04/01/23 11:11:11 <b>Instrument Used :</b> PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 <b>Analyzed Date :</b> 04/01/23 15:52:22 <b>Dilution :</b> N/A <b>Reagent :</b> 011223.28; 031423.R29; 072122.23 <b>Consumables :</b> 7558002021 <b>Pipette :</b> N/A						<b>Analyzed by:</b> 3379, 585, 1879 <b>Weight:</b> 0.2762g <b>Extraction date:</b> 04/03/23 14:22:09 <b>Extracted by:</b> 450,3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA058208MYC <b>Instrument Used :</b> N/A <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11 <b>Consumables :</b> 6697075-02 <b>Pipette :</b> DA-093; DA-094; DA-219 <b>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
<b>Analyzed by:</b> 1022, 585, 1879 <b>Weight:</b> 0.2232g <b>Extraction date:</b> 04/03/23 08:13:46 <b>Extracted by:</b> 1022,3619 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA058197HEA <b>Instrument Used :</b> DA-ICPMS-003 <b>Analyzed Date :</b> 04/03/23 13:51:08 <b>Dilution :</b> 50 <b>Reagent :</b> 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25; 020123.02 <b>Consumables :</b> 179436; 210508058; 12608-302CD-302C <b>Pipette :</b> DA-061; DA-216 <b>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>											

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30402002-004

**Harvest/Lot ID:** 0395 5038 5075 8864

**Batch# :** 0395 5038 5075 8864

**Sampled :** 04/01/23

**Ordered :** 04/01/23

**Sample Size Received :** 16 gram

**Total Amount :** 1468 units

**Completed :** 04/05/23 **Expires:** 04/05/24

**Sample Method :** SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.1	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA058200FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Analyzed Date :** 04/02/23 17:36:53

**Reviewed On :** 04/02/23 17:43:12

**Batch Date :** 04/02/23 17:35:24

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.01	aw	0.521	<b>PASS</b>	0.85

<b>Analyzed by:</b> 2926, 585, 1879	<b>Weight:</b> 0.524g	<b>Extraction date:</b> 04/04/23 08:35:17	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA058186WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Analyzed Date :** 04/01/23 15:25:38

**Reviewed On :** 04/04/23 15:14:50

**Batch Date :** 04/01/23 12:19:22

**Dilution :** N/A

**Reagent :** 100522.09

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.