

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes



Matrix: Derivative

Sample: DA30402002-005 Harvest/Lot ID: 5979 1615 8725 0272

Batch#: 5979 1615 8725 0272 **Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Cultivation**

Batch Date: 02/10/23

Sample Size Received: 15.5 gram

Seed to Sale# 5880 5899 9151 6527

Total Amount: 2862 units Retail Product Size: 0.5 gram

Ordered: 04/01/23 Sampled: 04/01/23 Completed: 04/05/23

Sampling Method: SOP.T.20.010

PASSED

Apr 05, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS







Certificate of Analysis

Heavy Metals PASSED



Microbials Mycotoxins





Residuals Solvents PASSED





Water Activity

THCV

0.562

5.62

0.001



Moisture



MISC.

PASSED

CBC 0.781

7.81

0.001



mg/g

LOD

Cannabinoid

Total THC



ND

0.001

Total THC/Container : 457.895 mg



CBDA

ND

ND

%

Weight:

0.0936a

0.001

D8-THC

0.224

2.24

0.001

Total CBD 0.251% Total CBD/Container: 1.255 mg

CRG

2.174

21.74

0.001

Extraction date:

04/03/23 09:28:33



CBN

0.761

7.61

0.001

Total Cannabinoids 96.332%

Total Cannabinoids/Container: 481.66

CBDV

ND

ND

Extracted by:

1665.3112

0.001

THCA 91.579 ND

915.79

0.001

Analyzed by: 3112, 1665, 585, 1879	
Analysis Method : SOP.T.40.031, Analytical Batch : DA058202POT	

Instrument Used : DA-LC-007

Dilution: 400

Pipette: DA-079; DA-108; DA-078

Analyzed Date: 04/03/23 09:52:04

Dilution: 400
Reagent: 071222.01; 040323.R03; 040323.R02
Consumables: 280670723; CE0123; 61633-125C6-125E; R1KB14270

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

CBD

0.251

2.51

%

0.001

Reviewed On: 04/04/23 15:13:56 Batch Date: 04/02/23 21:52:18

CBGA

ND

ND

0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



04/05/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix : Derivative



Certificate of Analysis

Sample : DA30402002-005 Harvest/Lot ID: 5979 1615 8725 0272

Batch#: 5979 1615 8725

Sampled: 04/01/23 Ordered: 04/01/23

Sample Size Received: 15.5 gram Total Amount: 2862 units Completed: 04/05/23 Expires: 04/05/24

Sample Method: SOP.T.20.010

PASSED

Page 2 of 6



82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266

Terpenes

TESTED

Terpenes	LOD (%)	mg/uni	it % Result (%))	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	8.76	0.876		FARNESENE			ND	ND		
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE		0.007	0.2	0.02		
ALPHA-BISABOLOL	0.007	< 0.2	< 0.02		VALENCENE		0.007	ND	ND		
ALPHA-PINENE	0.007	0.23	0.023		CIS-NEROLIDOL		0.007	ND	ND		
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	<2	< 0.02		
ABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE		0.007	<2	< 0.02		
BETA-PINENE	0.007	0.25	0.025		GUAIOL		0.007	ND	ND		
BETA-MYRCENE	0.007	1.13	0.113		CEDROL		0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	0.55	0.055		Analyzed by:	Weight:		Extraction date	2:		Extracted by:
3-CARENE	0.007	< 0.2	< 0.02		1879, 2076, 585	1.0093g		04/02/23 11:45	5:36		1879,2076
LPHA-TERPINENE	0.007	< 0.2	<0.02		Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.F					
IMONENE	0.007	0.61	0.061		Analytical Batch : DA058191TER Instrument Used : DA-GCMS-005					04/04/23 15:13:57 /02/23 08:35:46	
UCALYPTOL	0.007	ND	ND		Analyzed Date: 04/02/23 17:20:41			Batch	Date: 04/	102/23 08:35:46	
CIMENE	0.007	0.94	0.094		Dilution: 10						
AMMA-TERPINENE	0.007	< 0.2	<0.02		Reagent: 121622.34						
ABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN999	95; CE0123; R1KB	14270				
ERPINOLENE	0.007	4.3	0.43		Pipette : N/A						
ENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing G	as Chromatography	Mass Spe	ctrometry. For all I	Flower samp	ples, the Total Terpene	s % is dry-weight correc
NALOOL	0.007	< 0.2	<0.02								
ENCHYL ALCOHOL	0.007	< 0.2	<0.02								
OPULEGOL	0.007	ND	ND								
AMPHOR	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
ORNEOL	0.013	ND	ND								
IEXAHYDROTHYMOL	0.007	< 0.2	<0.02								
EROL	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
GERANIOL GERANYL ACETATE ALPHA-CEDRENE	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



04/05/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g
Miami Vibes

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor, lones@getfluent.com

DAVIE, FL, 33314, US

Sample : DA30402002-005 Harvest/Lot ID: 5979 1615 8725 0272

Batch#:5979 1615 8725

Sampled: 04/01/23 Ordered: 04/01/23 Sample Size Received: 15.5 gram
Total Amount: 2862 units
Completed: 04/05/23 Expires: 04/05/24
Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

|--|

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	maa	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND			0.01	mag	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PHOSMET			P P			ND
TAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN		0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1	PASS	ND
ЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
ETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
OXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
SCALID	0.01	ppm	0.1	PASS	ND			0.01		0.1	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM			ppm			
RBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
ILORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		0.01	PPM	0.15	PASS	ND
ILORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
LORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND		Minterlate			0.5		
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1879	Weight: 0.2393g		ion date: 3 14:22:09		Extracted 450,3379	by:
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.7						Gainesvil
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	.50.101.12 (Gaines)	/IIIC), 301 .1	.50.102.1 L	(Bavie), Soi		ounicsvii
OXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA05	3207PES		Reviewed	d On: 04/04/2	3 13:08:36	
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LO	CMS-003 (PES)		Batch Da	te :04/03/23	09:28:01	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A						
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250			722 002 0	22122 801 0	22022 001 0	10521 11
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 032723.R01; Consumables: 6697075		3.RU3; U32	/23.RU2; U.	32123.RU1; U	32923.R01; 04	10521.11
ONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093: DA-09						
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural ag		lizina Liauia	Chromator	granhy Trinle-I	Quadrunole Ma	SS
XYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordan				5p.i.jpic .	a ar apore ma	
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted	by:
IDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1879	0.2393g		3 14:22:09		450,3379	
ESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.7						
LATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA05				n:04/04/23 1		
TALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-G Analyzed Date : 04/03/2		В	atch Date	:04/03/23 09:	:55:28	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250	J 17.20.12					
THOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 032923.R03;	040521.11: 030923	R23: 0309:	23.R24			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 6697075		5, 55051				
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette: DA-080; DA-14						
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural ag		lizing Gas C	hromatogra	aphy Triple-Qu	adrupole Mass	Spectron

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



04/05/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix : Derivative



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30402002-005 Harvest/Lot ID: 5979 1615 8725 0272

Sampled: 04/01/23 Ordered: 04/01/23

Sample Size Received: 15.5 gram Total Amount: 2862 units Completed: 04/05/23 Expires: 04/05/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1879	Weight: 0.0265g	Extraction date: 04/05/23 10:05:		//	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA058281SOL Instrument Used : DA-GCMS-002

Analyzed Date : 04/05/23 10:10:48

Reviewed On: 04/05/23 13:06:57 Batch Date: 04/04/23 16:46:24

Dilution: 1 Reagent : N/A Consumables : N/A Pipette: N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



04/05/23



Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266

DAVIE, FL, 33314, US

Sample: DA30402002-005 Harvest/Lot ID: 5979 1615 8725 0272

Batch#: 5979 1615 8725

Sampled: 04/01/23 Ordered: 04/01/23

Sample Size Received: 15.5 gram Total Amount: 2862 units Completed: 04/05/23 Expires: 04/05/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotovine

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3336, 3390, 585, 1879			on date:	Extracted	by:

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA058183MIC

Reviewed On: 04/04/23 Batch Date: 04/01/23

Instrument Used: PathogenDx Scanner DA-111,Applied

Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 Analyzed Date: 04/01/23 15:52:22

Reagent: 011223.28; 031423.R29; 072122.23 Consumables: 7558002021

Pipette: N/A

Analyzed by: 3621, 3336, 585, 1879	Weight: 1g	Extraction date: N/A	Extracted by: 3336
Analysis Method : SOP.T.40.20			
Analytical Batch: DA058193T	YM	Reviewed On : 0)4/04/23 15:12:55

Instrument Used : Incubator (25-27C) DA-096 Batch Date: 04/02/23 09:18:03 Analyzed Date : 04/04/23 13:07:04

Reagent: 011223.28; 032323.R29 Consumables: N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Mycocoxiiis				FAS	JLD
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN	B2	0.002	ppm	ND	PASS	0.02
FLATOXIN	B1	0.002	ppm	ND	PASS	0.02
CHRATOVII	N A	0.002	nnm	ND	DACC	0.02

Allalyte			LOD	Offics	Result	Fail	Level
AFLATOXI	N B2		0.002	ppm	ND	PASS	0.02
AFLATOXI	N B1		0.002	ppm	ND	PASS	0.02
OCHRATO	XIN A		0.002	ppm	ND	PASS	0.02
AFLATOXI	N G1		0.002	ppm	ND	PASS	0.02
AFLATOXI	N G2		0.002	ppm	ND	PASS	0.02
Analyzed by 3379, 585, 1		Weight: 0.2393g	Extraction dat 04/03/23 14:2			Extracted 450,3379	by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA058208MYC Reviewed On: 04/04/23 12:57:17 Instrument Used : N/ABatch Date: 04/03/23 09:33:26

Analyzed Date: N/A

Dilution: 250 Reagent: 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11

Consumables: 6697075-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1879 04/03/23 08:16:47 0.2523q

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA058197HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 04/03/23 13:51:08 Reviewed On: 04/04/23 10:30:25 Batch Date: 04/02/23 11:31:49

Reagent: 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25;

Consumables: 179436: 210508058: 12608-302CD-302C

Pipette: DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Testing 97164



04/05/23



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix : Derivative



PASSED

Page 6 of 6

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Sample : DA30402002-005 Harvest/Lot ID: 5979 1615 8725 0272

Sampled: 04/01/23 Ordered: 04/01/23

Total Amount: 2862 units Completed: 04/05/23 Expires: 04/05/24 Sample Method: SOP.T.20.010

Sample Size Received: 15.5 gram

Material

Analyte Units Result **Action Level** Filth and Foreign Material PASS 0.1 % ND Analyzed by: Weight: **Extraction date:** Extracted by:

Analysis Method: SOP.T.40.090 Analytical Batch: DA058200FIL

Instrument Used: Filth/Foreign Material Microscope

Analyzed Date: 04/02/23 17:36:53

Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 04/02/23 17:43:11

Batch Date: 04/02/23 17:35:24

Reviewed On: 04/04/23 15:14:51

Batch Date: 04/01/23 12:19:22

Analyte		LOD	Units	Result	P/F	Action Leve
Water Activity		0.01	aw	0.553	PASS	0.85
Analyzed by: 2926, 585, 1879	Weight: 0.477a		Extraction date: 04/04/23 08:35:17			tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch : DA058186WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 04/01/23 15:25:38

Reagent: 100522.09 Consumables: PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



04/05/23