



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30402002-006  
**Harvest/Lot ID:** HYB-OOGK-021623-CO078  
**Batch#:** 8131 9407 5859 0408  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 0400 4101 2668 0853  
**Batch Date:** 01/24/23  
**Sample Size Received:** 26 gram  
**Total Amount:** 879 units  
**Retail Product Size:** 1 gram  
**Ordered :** 04/01/23  
**Sampled :** 04/01/23  
**Completed:** 04/04/23  
**Sampling Method:** SOP.T.20.010

Apr 04, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



#### Total THC

**12.203%**

Total THC/Container : 122.03 mg



#### Total CBD

**0.037%**

Total CBD/Container : 0.37 mg



#### Total Cannabinoids

**14.28%**

Total Cannabinoids/Container : 142.8 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.568	13.267	ND	0.043	0.052	0.043	0.264	<0.01	<0.01	ND	0.043	0.042	13.973	16.351
mg/unit	5.68	132.67	ND	0.43	0.52	0.43	2.64	<0.1	<0.1	ND	0.43	0.42	139.73	163.51
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1879

Weight:  
0.192g

Extraction date:  
04/03/23 09:18:10

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA058201POT

Instrument Used : DA-LC-002

Analyzed Date : 04/03/23 10:50:30

Reviewed On : 04/04/23 15:15:08

Batch Date : 04/02/23 21:51:41

Dilution : 400

Reagent : 070121.27

Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**


FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30402002-006  
Harvest/Lot ID: HYB-OOGK-021623-CO078

Batch# : 8131 9407 5859 Sample Size Received : 26 gram  
0408 Total Amount : 879 units  
Sampled : 04/01/23 Completed : 04/04/23 Expires: 04/04/24  
Ordered : 04/01/23 Sample Method : SOP.T.20.010

Page 2 of 5



# Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.95	0.595		FARNESENE	0.16	0.016		
TOTAL TERPINEOL	0.007	0.25	0.025		ALPHA-HUMULENE	0.007	0.37	0.037	
ALPHA-BISABOLOL	0.007	0.2	0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	<0.2	<0.02		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<2	<0.02	
BETA-PINENE	0.007	0.24	0.024		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.55	0.055		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, 585, 1879Weight: 0.8547gExtraction date: 04/03/23 12:12:48Extracted by: 2076</div>				
3-CARENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA058216TERReviewed On : 04/04/23 15:15:19 Instrument Used : DA-GCMS-004Batch Date : 04/03/23 09:57:54</div>				
ALPHA-TERPINENE	0.007	ND	ND		<div>Dilution : 10 Reagent : 121622.34</div>				
LIMONENE	0.007	0.82	0.082		<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
EUCALYPTOL	0.007	ND	ND		<div>Pipette : N/A</div>				
OCIMENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.6	0.06						
FENCHYL ALCOHOL	0.007	0.29	0.029						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.06	0.106						
Total (%)			0.595						




# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30402002-006  
**Harvest/Lot ID:** HYB-OOGK-021623-CO078  
**Batch# :** 8131 9407 5859  
**Sample Size Received :** 26 gram  
**Total Amount :** 879 units  
**Completed :** 04/04/23 **Expires:** 04/04/24  
**Ordered :** 04/01/23 **Sample Method :** SOP.T.20.010

Page 3 of 5

<div>  <b>Pesticides</b> </div>						<b>PASSED</b>					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1879      Weight: 0.8886g      Extraction date: 04/03/23 14:27:02      Extracted by: 450,3379 Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch :DA058213PES      Reviewed On :04/04/23 18:38:52 Instrument Used :DA-LCMS-003 (PES)      Batch Date :04/03/23 09:39:31 Analyzed Date :N/A					
DIAZINON	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 795, 585, 1879      Weight: 0.8886g      Extraction date: 04/03/23 14:27:02      Extracted by: 450,3379 Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch :DA058215VOL      Reviewed On :04/04/23 19:21:57 Instrument Used :DA-GCMS-001      Batch Date :04/03/23 09:44:06 Analyzed Date :04/03/23 14:27:45					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 032923.R03; 040521.11; 030923.R23; 030923.R24 Consumables : 6697075-02; 14725401 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						






# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30402002-006  
 Harvest/Lot ID: HYB-OOGK-021623-CO078  
 Batch# : 8131 9407 5859  
 Sample Size Received : 26 gram  
 Total Amount : 879 units  
 Completed : 04/04/23 Expires: 04/04/24  
 Ordered : 04/01/23  
 Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	100	PASS	100000						
Analyzed by: 3336, 3390, 585, 1879 Weight: 1.097g Extraction date: N/A Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058183MIC Reviewed On : 04/04/23 15:12:29 Batch Date : 04/01/23 11:11:11 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 04/01/23 15:52:22 Dilution : N/A Reagent : 011223.28; 031423.R29; 072122.23 Consumables : 7558002021 Pipette : N/A						Analyzed by: 3379, 585, 1879 Weight: 0.8886g Extraction date: 04/03/23 14:27:02 Extracted by: 450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058214MYC Instrument Used : N/A Analyzed Date : N/A Dilution : 250 Reagent : 032723.R01; 032923.R26; 032923.R03; 032723.R02; 032123.R01; 032923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1879 Weight: 0.2359g Extraction date: 04/03/23 07:43:25 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058194HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/03/23 13:21:39 Dilution : 50 Reagent : 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25; 032323.R07; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30402002-006  
**Harvest/Lot ID:** HYB-OOGK-021623-CO078  
**Batch# :** 8131 9407 5859  
**Sample Size Received :** 26 gram  
**Total Amount :** 879 units  
**Completed :** 04/04/23 **Expires:** 04/04/24  
**Ordered :** 04/01/23 **Sample Method :** SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**

**PASSED**


**Moisture**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1
Analyzed by: 1879	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090			Reviewed On : 04/02/23 17:42:41 Batch Date : 04/02/23 17:34:57		
Analytical Batch : DA058198FIL					
Instrument Used : Filth/Foreign Material Microscope					
Analyzed Date : 04/02/23 17:38:43					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**

**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.537	PASS	0.65
Analyzed by: 2926, 585, 1879	Weight: 0.669g	Extraction date: 04/04/23 08:33:50		Extracted by: 2926	
Analysis Method : SOP.T.40.019			Reviewed On : 04/04/23 15:14:53 Batch Date : 03/31/23 12:00:31		
Analytical Batch : DA058144WAT					
Instrument Used : DA-028 Rotronic HygroPalm					
Analyzed Date : 03/31/23 15:01:13					
Dilution : N/A					
Reagent : 100522.09					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	12.67	PASS	15
Analyzed by: 2926, 585, 1879	Weight: 0.505g	Extraction date: 04/04/23 14:50:31		Extracted by: 2926	
Analysis Method : SOP.T.40.021					
Analytical Batch : DA058187MOI			Reviewed On : 04/04/23 15:14:54		
Instrument Used : DA-003 Moisture Analyzer			Batch Date : 04/01/23 12:26:51		
Analyzed Date : 04/01/23 16:04:06					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.