



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30404009-005

Harvest/Lot ID: ID-PRI-031423-A101

Batch#: 8889 1228 8323 1424

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Processing

Seed to Sale# 8400 5560 1333 0624

Batch Date: 03/09/23

Sample Size Received: 63 gram

Total Amount: 4826 units

Retail Product Size: 3.5 gram

Ordered : 04/03/23

Sampled : 04/03/23

Completed: 04/06/23

Sampling Method: SOP.T.20.010

PASSED

Apr 06, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

25.232%

Total THC/Container : 883.12 mg



Total CBD

0.064%

Total CBD/Container : 2.24 mg



Total Cannabinoids

29.581%

Total Cannabinoids/Container : 1035.335 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.208	28.534	ND	0.073	0.055	0.016	0.56	ND	ND	ND	0.135	0.069	27.292	31.996
mg/unit	7.28	998.69	ND	2.555	1.925	0.56	19.6	ND	ND	ND	4.725	2.415	955.22	1119.86
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 3379

Weight:
0.2038g

Extraction date:
04/04/23 11:44:05

Extracted by:
3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA058254POT
 Instrument Used : DA-LC-002
 Analyzed Date : 04/04/23 11:50:32

Reviewed On : 04/05/23 11:55:21
 Batch Date : 04/04/23 09:46:26

Dilution : 400
 Reagent : 032923.R57; 071222.01; 033123.R01
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30404009-005
 Harvest/Lot ID: ID-PRI-031423-A101

 Batch# : 8889 1228 8323 Sample Size Received : 63 gram
 1424 Total Amount : 4826 units
 Sampled : 04/03/23 Completed : 04/06/23 Expires: 04/06/24
 Ordered : 04/03/23 Sample Method : SOP.T.20.010

Page 2 of 5



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30404009-005
Harvest/Lot ID: ID-PRI-031423-A101

Batch# : 8889 1228 8323 **Sample Size Received :** 63 gram
Total Amount : 4826 units
Completed : 04/06/23 **Expires:** 04/06/24
Ordered : 04/03/23 **Sample Method :** SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Analyzed by: 3379, 585 **Weight:** 0.8682g **Extraction date:** 04/04/23 15:39:51 **Extracted by:** 3379,450,585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA058266PES

Instrument Used : DA-LCMS-003 (PES)

Analyzed Date : 04/04/23 15:18:13

Reviewed On : 04/05/23 11:22:00

Batch Date : 04/04/23 10:35:26

Dilution : 250

Reagent : 032923.R26; 040323.R22; 040323.R23; 032723.R02; 032123.R01; 032923.R01; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 3379 **Weight:** 0.8682g **Extraction date:** 04/04/23 15:39:51 **Extracted by:** 3379,450,585

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA058268VOL

Instrument Used : DA-GCMS-001

Analyzed Date : 04/05/23 09:18:50

Reviewed On : 04/06/23 09:29:55

Batch Date : 04/04/23 10:37:41

Dilution : 250

Reagent : 040323.R23; 040521.11; 030923.R23; 030923.R24

Consumables : 6697075-02; 14725401

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30404009-005
Harvest/Lot ID: ID-PRI-031423-A101

Batch# : 8889 1228 8323 **Sample Size Received :** 63 gram
 1424 **Total Amount :** 4826 units
Sampled : 04/03/23 **Completed :** 04/06/23 **Expires:** 04/06/24
Ordered : 04/03/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000						
Analyzed by: 3336, 3621, 585, 3379 Weight: 0.8238g Extraction date: 04/04/23 11:40:30 Extracted by: 3336,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058245MIC Instrument Used : DA-265 Gene-UP RTPCR Analyzed Date : 04/04/23 12:07:05 Reviewed On : 04/06/23 09:28:29 Batch Date : 04/04/23 08:48:30 Dilution : N/A Reagent : 033123.R30; 040423.R40 Consumables : 2112100 Pipette : N/A						Analyzed by: 3379, 585 Weight: 0.8682g Extraction date: 04/04/23 15:39:51 Extracted by: 3379,450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058267MYC Instrument Used : N/A Analyzed Date : 04/04/23 15:19:02 Reviewed On : 04/05/23 11:20:38 Batch Date : 04/04/23 10:37:36 Dilution : 250 Reagent : 032923.R26; 040323.R22; 040323.R23; 032723.R02; 032123.R01; 032923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3621, 585, 3379 Weight: 0.9570g Extraction date: 04/04/23 11:48:28 Extracted by: 3336,3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA058278TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 04/04/23 13:04:37 Reviewed On : 04/06/23 13:46:36 Batch Date : 04/04/23 11:45:27 Dilution : 10 Reagent : 011223.28 Consumables : 007109 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 3379 Weight: 0.2835g Extraction date: 04/04/23 10:28:40 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058251HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/04/23 13:06:40 Reviewed On : 04/05/23 10:12:17 Batch Date : 04/04/23 09:43:58 Dilution : 50 Reagent : 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25; 032323.R07; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30404009-005

Harvest/Lot ID: ID-PRI-031423-A101

Batch# : 8889 1228 8323
 1424

Sampled : 04/03/23

Ordered : 04/03/23

Sample Size Received : 63 gram

Total Amount : 4826 units

Completed : 04/06/23 **Expires:** 04/06/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 3379	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA058335FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/05/23 14:27:46

Reviewed On : 04/05/23 14:33:06

Batch Date : 04/05/23 12:17:07

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.522	PASS	0.65

Analyzed by: 2926, 585, 3379	Weight: 0.945g	Extraction date: 04/04/23 13:53:38	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA058273WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/04/23 13:51:47

Reviewed On : 04/04/23 18:44:46

Batch Date : 04/04/23 10:51:29

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.