



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30405005-006
Harvest/Lot ID: 2773 9558 6227 7708
Batch#: 2773 9558 6227 7708
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 3165 4325 4010 2778
Batch Date: 02/16/23
Sample Size Received: 16 gram
Total Amount: 1470 units
Retail Product Size: 1 gram
Ordered : 04/04/23
Sampled : 04/04/23
Completed: 04/07/23
Sampling Method: SOP.T.20.010

Apr 07, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

92.895%

Total THC/Container : 928.95 mg



Total CBD

0.254%

Total CBD/Container : 2.54 mg



Total Cannabinoids

97.615%

Total Cannabinoids/Container : 976.15 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.814	0.093	0.254	ND	0.183	2.156	ND	0.49	0.724	ND	0.901
mg/unit	928.14	0.93	2.54	ND	1.83	21.56	ND	4.9	7.24	ND	9.01
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
 3112, 1665, 585, 4044, 2023

Weight:
 0.1078g

Extraction date:
 04/05/23 11:54:36

Extracted by:
 3112

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA058297POT
 Instrument Used : DA-LC-007
 Analyzed Date : 04/05/23 12:15:53

Reviewed On : 04/06/23 10:52:26
 Batch Date : 04/05/23 08:46:54

Dilution : 400
 Reagent : 040323.R03; 071222.01; 040323.R02
 Consumables : 250346; CE0123; 12608-302CD-302C; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30405005-006
Harvest/Lot ID: 2773 9558 6227 7708

Batch# : 2773 9558 6227 7708
Sample Size Received : 16 gram
Total Amount : 1470 units
Sampled : 04/04/23
Completed : 04/07/23 Expires: 04/07/24
Ordered : 04/04/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	21.41	2.141		FARNESENE	0.1	0.01		
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.23	0.023	
ALPHA-BISABOLOL	0.007	<0.2	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	3.19	0.319		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.86	0.086		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	10.8	1.08		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.67	0.167						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	2.77	0.277						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.75	0.075						
FENCHYL ALCOHOL	0.007	<0.2	<0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.04	0.104						
Total (%)			2.141						

Analyzed by: 2076, S&S, 4044
 Weight: 0.9188g
 Extraction date: 04/05/23 13:01:19
 Extracted by: 2076
 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL
 Analytical Batch: DA058305TER
 Instrument Used: DA-GCMS-004
 Analyzed Date: 04/06/23 09:21:54
 Reviewed On: 04/07/23 09:56:44
 Batch Date: 04/05/23 09:49:57
 Dilution: 10
 Reagent: 121622.33
 Consumables: 210414634; MKCN9995; CE0123; R1KB14270
 Pipette: N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30405005-006
 Harvest/Lot ID: 2773 9558 6227 7708

 Batch# : 2773 9558 6227 7708
 Sample Size Received : 16 gram
 Total Amount : 1470 units
 Completed : 04/07/23 Expires: 04/07/24
 Ordered : 04/04/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						

Analyzed by:	Weight:	Extraction date:	Extracted by:
3379, 585, 4044, 2023	0.2695g	04/05/23 15:11:54	3379, 450
Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			
Analytical Batch :DA058309PES		Reviewed On :04/06/23 12:21:13	
Instrument Used :DA-LCMS-003 (PES)		Batch Date :04/05/23 10:06:00	
Analyzed Date :04/05/23 14:47:03			
Dilution : 250			
Reagent : 040323.R22; 040423.R26; 040323.R23; 032723.R02; 032123.R01; 040523.R01; 040521.11			
Consumables : 6697075-02			
Pipette : DA-093; DA-094; DA-219			
Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			
Analyzed by:	Weight:	Extraction date:	Extracted by:
450, 585, 4044, 2023	0.2695g	04/05/23 15:11:54	3379, 450
Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)			
Analytical Batch :DA058310VOL		Reviewed On :04/07/23 10:52:59	
Instrument Used :DA-GCMS-001		Batch Date :04/05/23 10:07:51	
Analyzed Date :04/05/23 15:14:21			
Dilution : 250			
Reagent : 040323.R23; 040521.11; 030923.R23; 030923.R24			
Consumables : 6697075-02; 14725401			
Pipette : DA-080; DA-146; DA-218			
Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30405005-006

Harvest/Lot ID: 2773 9558 6227 7708

Batch# : 2773 9558 6227 7708

Sampled : 04/04/23

Ordered : 04/04/23

Sample Size Received : 16 gram

Total Amount : 1470 units

Completed : 04/07/23 Expires: 04/07/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 4044, 2023

 Weight:
 0.0297g

 Extraction date:
 04/06/23 15:56:45

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA058350SOL

Instrument Used : DA-GCMS-002

Analyzed Date : 04/07/23 14:24:36

Reviewed On : 04/07/23 14:37:43

Batch Date : 04/05/23 15:21:10

Dilution : 1

Reagent : N/A

Consumables : N/A

Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30405005-006

Harvest/Lot ID: 2773 9558 6227 7708

Batch# : 2773 9558 6227 7708

Sampled : 04/04/23

Ordered : 04/04/23




Sample Size Received : 16 gram

Total Amount : 1470 units

Completed : 04/07/23 Expires: 04/07/24

Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3390, 3621, 585, 4044 Weight: 1.051g Extraction date: 04/05/23 11:38:57 Extracted by: 3390						Analyzed by: 3379, 585, 4044, 2023 Weight: 0.2695g Extraction date: 04/05/23 15:11:54 Extracted by: 3379,450					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058293MIC Instrument Used : DA-265 Gene-UP RTPCR Analyzed Date : 04/05/23 11:54:14 Reviewed On : 04/07/23 09:35:12 Batch Date : 04/05/23 08:16:38						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058345MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 04/05/23 14:47:58 Reviewed On : 04/06/23 12:17:02 Batch Date : 04/05/23 13:24:21					
Dilution : N/A Reagent : 033123.R30; 040423.R38 Consumables : 2125220 Pipette : N/A						Dilution : 250 Reagent : 040323.R22; 040423.R26; 040323.R23; 032723.R02; 032123.R01; 040523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 585, 4044 Weight: 0.853g Extraction date: 04/05/23 11:44:31 Extracted by: 3390,3336						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA058334TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 04/05/23 12:39:12 Reviewed On : 04/07/23 11:28:39 Batch Date : 04/05/23 11:41:18						 Heavy Metals PASSED					
						Metal	LOD	Units	Result	Pass / Fail	Action Level
						TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
						ARSENIC	0.02	ppm	ND	PASS	0.2
						CADMIUM	0.02	ppm	ND	PASS	0.2
						MERCURY	0.02	ppm	ND	PASS	0.2
						LEAD	0.05	ppm	ND	PASS	0.5
						Analyzed by: 1022, 585, 4044, 2023 Weight: 0.2667g Extraction date: 04/05/23 11:23:53 Extracted by: 3619					
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058298HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/05/23 13:27:48 Reviewed On : 04/06/23 10:10:50 Batch Date : 04/05/23 08:50:53					
						Dilution : 50 Reagent : 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25; 032323.R07; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-216					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.05	ppm	ND	PASS	0.5

 Analyzed by: 1022, 585, 4044, 2023
 Weight: 0.2667g
 Extraction date: 04/05/23 11:23:53
 Extracted by: 3619

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA058298HEA
 Instrument Used : DA-ICPMS-003
 Analyzed Date : 04/05/23 13:27:48
 Reviewed On : 04/06/23 10:10:50
 Batch Date : 04/05/23 08:50:53

 Dilution : 50
 Reagent : 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25; 032323.R07; 040323.R21; 020123.02
 Consumables : 179436; 210508058; 12608-302CD-302C
 Pipette : DA-061; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30405005-006

Harvest/Lot ID: 2773 9558 6227 7708

Batch# : 2773 9558 6227 7708

Sampled : 04/04/23

Ordered : 04/04/23

Sample Size Received : 16 gram

Total Amount : 1470 units

Completed : 04/07/23 **Expires:** 04/07/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA058338FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/05/23 14:27:38

Reviewed On : 04/05/23 14:35:02

Batch Date : 04/05/23 12:19:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.531	PASS	0.85

Analyzed by: 2926, 585, 4044	Weight: 0.255g	Extraction date: 04/05/23 14:30:57	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA058324WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/05/23 13:44:32

Reviewed On : 04/05/23 15:39:36

Batch Date : 04/05/23 11:27:46

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.