



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30405005-007  
**Harvest/Lot ID:** 4202 6981 4672 4912  
**Batch#:** 4202 6981 4672 4912  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 0690 6396 0651 7274  
**Batch Date:** 02/07/23  
**Sample Size Received:** 78.75 gram  
**Total Amount:** 1475 units  
**Retail Product Size:** 11.25 gram  
**Ordered :** 04/04/23  
**Sampled :** 04/04/23  
**Completed:** 04/07/23  
**Sampling Method:** SOP.T.20.010

Apr 07, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



# PASSED

Pages 1 of 6


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**3.916%**

Total THC/Container : 440.55 mg



**Total CBD**  
**0.038%**

Total CBD/Container : 4.275 mg



**Total Cannabinoids**  
**4.206%**

Total Cannabinoids/Container : 473.175 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	3.914	0.003	0.038	ND	0.01	0.116	0.002	0.026	0.028	ND	0.069
mg/unit	440.325	0.337	4.275	ND	1.125	13.05	0.225	2.925	3.15	ND	7.762
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:  
3112, 1665, 585, 4044, 2023

Weight:  
2.9964g

Extraction date:  
04/05/23 11:54:36

Extracted by:  
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA058297POT

Instrument Used : DA-LC-007

Analyzed Date : 04/05/23 12:15:53

Reviewed On : 04/06/23 10:28:46

Batch Date : 04/05/23 08:46:54

Dilution : 400

Reagent : 040323.R03; 071222.01; 040323.R02

Consumables : 250346; CE0123; 12608-302CD-302C; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**FLUENT**

82 NE 26th street  
Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30405005-007  
**Harvest/Lot ID:** 4202 6981 4672 4912

**Batch# :** 4202 6981 4672  
**Sample Size Received :** 78.75 gram  
**Total Amount :** 1475 units  
**Completed :** 04/07/23 **Expires:** 04/07/24  
**Ordered :** 04/04/23 **Sample Method :** SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	70.425	0.626		FARNESENE		ND	ND	
TOTAL TERPINEOL	0.007	<2.25	<0.02		ALPHA-HUMULENE	0.007	<2.25	<0.02	
ALPHA-BISABOLOL	0.007	9.225	0.082		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	<2.25	<0.02		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	2.925	0.026		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	4.275	0.038		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analyzed by: 2076, S&amp;S, 4044Weight: 1.017gExtraction date: 04/05/23 13:01:19Extracted by: 2076</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 04/07/23 09:56:48</div> <div>Analytical Batch : DA058305TERBatch Date : 04/05/23 09:49:57</div> <div>Instrument Used : DA-GCMS-004</div> <div>Analyzed Date : 04/06/23 09:21:54</div> <div>Dilution : 10</div> <div>Reagent : 121622.33</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> <div>Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	16.2	0.144						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	5.962	0.053						
FENCHYL ALCOHOL	0.007	2.7	0.024						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	29.137	0.259						
Total (%)			0.626						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30405005-007

Harvest/Lot ID: 4202 6981 4672 4912

Batch# : 4202 6981 4672 4912

Sampled : 04/04/23

Ordered : 04/04/23

Sample Size Received : 78.75 gram

Total Amount : 1475 units

Completed : 04/07/23 Expires: 04/07/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

Analyzed by: 3379, 585, 4044, 2023	Weight: 0.2711g	Extraction date: 04/05/23 15:11:55	Extracted by: 3379, 450
Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			
Analytical Batch :DA058309PES		Reviewed On :04/06/23 12:21:16	
Instrument Used :DA-LCMS-003 (PES)		Batch Date :04/05/23 10:06:00	
Analyzed Date :04/05/23 14:47:03			
Dilution : 250			
Reagent : 040323.R22; 040423.R26; 040323.R23; 032723.R02; 032123.R01; 040523.R01; 040521.11			
Consumables : 6697075-02			
Pipette : DA-093; DA-094; DA-219			
Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			
Analyzed by: 450, 585, 4044, 2023	Weight: 0.2711g	Extraction date: 04/05/23 15:11:55	Extracted by: 3379, 450
Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			
Analytical Batch :DA058310VOL		Reviewed On :04/07/23 10:53:00	
Instrument Used :DA-GCMS-001		Batch Date :04/05/23 10:07:51	
Analyzed Date :04/05/23 15:14:21			
Dilution : 250			
Reagent : 040323.R23; 040521.11; 030923.R23; 030923.R24			
Consumables : 6697075-02; 14725401			
Pipette : DA-080; DA-146; DA-218			
Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30405005-007

Harvest/Lot ID: 4202 6981 4672 4912

Batch# : 4202 6981 4672 4912

Sampled : 04/04/23

Ordered : 04/04/23

Sample Size Received : 78.75 gram

Total Amount : 1475 units

Completed : 04/07/23 Expires: 04/07/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044, 2023

 Weight:  
 0.0224g

 Extraction date:  
 04/06/23 15:56:46

 Extracted by:  
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA058350SOL

Instrument Used : DA-GCMS-002

Analyzed Date : 04/07/23 14:24:36

Reviewed On : 04/07/23 14:37:44

Batch Date : 04/05/23 15:21:10

Dilution : 1

Reagent : N/A

Consumables : N/A

Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30405005-007

Harvest/Lot ID: 4202 6981 4672 4912

Batch# : 4202 6981 4672 4912

Sampled : 04/04/23

Ordered : 04/04/23




Sample Size Received : 78.75 gram

Total Amount : 1475 units

Completed : 04/07/23 Expires: 04/07/24

Sample Method : SOP.T.20.010

Page 5 of 6

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044, 2023	Weight: 0.2711g	Extraction date: 04/05/23 15:11:55		Extracted by: 3379,450	
Analyzed by: 3336, 3390, 3621, 585, 4044						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA058345MYC					
Analytical Batch : DA058293MIC						Reviewed On : 04/06/23 12:17:03					
Instrument Used : DA-265 Gene-UP RTPCR						Batch Date : 04/05/23 13:24:21					
Analyzed Date : 04/05/23 11:54:14						Analyzed Date : 04/05/23 14:47:58					
Dilution : N/A						Dilution : 250					
Reagent : 033123.R30; 040423.R38						Reagent : 040323.R22; 040423.R26; 040323.R23; 032723.R02; 032123.R01; 040523.R01; 040521.11					
Consumables : 2125220						Consumables : 6697075-02					
Pipette : N/A						Pipette : DA-093; DA-094; DA-219					
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 585, 4044						<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Weight: 0.9657g											
Extraction date: 04/05/23 11:44:31											
Extracted by: 3390,3336											
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA058334TYM											
Instrument Used : Incubator (25-27C) DA-097											
Analyzed Date : 04/05/23 12:39:12											
Dilution : 10											
Reagent : 011223.53; 032323.R29											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											
						Metal					
						TOTAL CONTAMINANT LOAD METALS					
						ARSENIC					
						CADMIUM					
						MERCURY					
						LEAD					
						Analyzed by: 1022, 585, 4044, 2023					
						Weight: 0.2208g					
						Extraction date: 04/05/23 10:16:44					
						Extracted by: 3619					
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
						Analytical Batch : DA058298HEA					
						Reviewed On : 04/06/23 10:10:40					
						Instrument Used : DA-ICPMS-003					
						Batch Date : 04/05/23 08:50:53					
						Analyzed Date : 04/05/23 13:27:48					
						Dilution : 50					
						Reagent : 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25; 032323.R07; 040323.R21; 020123.02					
						Consumables : 179436; 210508058; 12608-302CD-302C					
						Pipette : DA-061; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30405005-007

**Harvest/Lot ID:** 4202 6981 4672 4912

**Batch# :** 4202 6981 4672 4912

**Sampled :** 04/04/23

**Ordered :** 04/04/23

**Sample Size Received :** 78.75 gram

**Total Amount :** 1475 units

**Completed :** 04/07/23 **Expires:** 04/07/24

**Sample Method :** SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.1	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879, 4044	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA058338FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Analyzed Date :** 04/05/23 14:27:38

**Reviewed On :** 04/05/23 14:35:01

**Batch Date :** 04/05/23 12:19:45

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.01	aw	0.519	<b>TESTED</b>	

<b>Analyzed by:</b> 2926, 585, 4044	<b>Weight:</b> 1.439g	<b>Extraction date:</b> 04/05/23 14:30:57	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA058324WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Analyzed Date :** 04/05/23 13:44:32

**Reviewed On :** 04/05/23 15:39:37

**Batch Date :** 04/05/23 11:27:46

**Dilution :** N/A

**Reagent :** 100522.09

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.