



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30406010-007
Harvest/Lot ID: 3881 2430 5066 2549
Batch#: 4990 3718 3327 8874
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 3881 2430 5066 2549
Batch Date: 03/31/22
Sample Size Received: 120 gram
Total Amount: 573 units
Retail Product Size: 30 gram
Ordered : 04/05/23
Sampled : 04/05/23
Completed: 04/08/23
Sampling Method: SOP.T.20.010

Apr 08, 2023 | FLUENT

82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.111%

Total THC/Container : 33.3 mg



Total CBD

1.921%

Total CBD/Container : 576.3 mg



Total Cannabinoids

2.159%

Total Cannabinoids/Container : 647.7 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.111	ND	1.9	0.025	ND	0.045	ND	0.007	ND	ND	0.071
mg/unit	33.3	ND	570	7.5	ND	13.5	ND	2.1	ND	ND	21.3
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 4044

Weight:
3.0136g

Extraction date:
04/06/23 11:38:03

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA058370POT
 Instrument Used : DA-LC-007
 Analyzed Date : 04/06/23 12:00:30

Reviewed On : 04/07/23 11:20:36
 Batch Date : 04/06/23 09:46:32

Dilution : 400
 Reagent : 040323.R03; 071222.01; 040323.R02
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30406010-007
Harvest/Lot ID: 3881 2430 5066 2549

Batch# : 4990 3718 3327
Sample Size Received : 120 gram
Total Amount : 573 units
Completed : 04/08/23 **Expires:** 04/08/24
Ordered : 04/05/23
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	ND	ND		FARNESENE		ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	<6	<0.02	
ALPHA-BISABOLOL	0.007	<6	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	ND	ND		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	ND	ND		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, S85, 4044Weight: 0.984gExtraction date: 04/06/23 12:57:00Extracted by: 2076				
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 04/08/23 15:53:21				
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA058373TERBatch Date : 04/06/23 09:58:51				
LIMONENE	0.007	ND	ND		Instrument Used : DA-GCMS-004				
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 04/06/23 15:27:05				
OCIMENE	0.007	ND	ND		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : 121622.33				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	ND	ND		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	<6	<0.02						
Total (%)			ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30406010-007

Harvest/Lot ID: 3881 2430 5066 2549

 Batch# : 4990 3718 3327
 8874

Sampled : 04/05/23

Ordered : 04/05/23

Sample Size Received : 120 gram

Total Amount : 573 units

Completed : 04/08/23 Expires: 04/08/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.2647g	04/06/23 14:48:53	3379,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA058372PES			Reviewed On :04/07/23 10:46:17		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :04/06/23 09:57:27		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date :04/06/23 14:11:58					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 040323.R22; 040423.R26; 040323.R23; 032723.R02; 032123.R01; 040523.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.2647g	04/06/23 14:48:53	3379,450		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch :DA058375VOL			Reviewed On :04/07/23 10:43:48		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used :DA-GCMS-001			Batch Date :04/06/23 10:00:49		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date :04/06/23 14:54:20					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 040323.R23; 040521.11; 030923.R23; 030923.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30406010-007

Harvest/Lot ID: 3881 2430 5066 2549

 Batch# : 4990 3718 3327
 8874

Sampled : 04/05/23

Ordered : 04/05/23

Sample Size Received : 120 gram

Total Amount : 573 units

Completed : 04/08/23 Expires: 04/08/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0216g

 Extraction date:
 04/06/23 15:59:01

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA05841350L

Instrument Used : DA-GCMS-003

Analyzed Date : 04/07/23 12:46:38

Reviewed On : 04/07/23 13:49:37

Batch Date : 04/06/23 15:43:13

Dilution : 1

Reagent : 030420.09

Consumables : G201.062; KF140

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30406010-007
Harvest/Lot ID: 3881 2430 5066 2549

Batch# : 4990 3718 3327 **Sample Size Received :** 120 gram
 8874 **Total Amount :** 573 units
Sampled : 04/05/23 **Completed :** 04/08/23 **Expires:** 04/08/24
Ordered : 04/05/23 **Sample Method :** SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 4044 Weight: 0.9685g Extraction date: 04/06/23 11:37:23 Extracted by: 3336, 3390, 3621						Analyzed by: 3379, 585, 4044 Weight: 0.2647g Extraction date: 04/06/23 14:48:53 Extracted by: 3379, 450					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058364MIC Reviewed On : 04/08/23 13:10:34 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 04/06/23 08:47:14 Analyzed Date : 04/06/23 11:56:07						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058374MYC Reviewed On : 04/07/23 10:25:13 Instrument Used : N/A Batch Date : 04/06/23 10:00:47 Analyzed Date : 04/06/23 14:12:43					
Dilution : N/A Reagent : 033123.R30; 040423.R38 Consumables : 2125220 Pipette : N/A						Dilution : 250 Reagent : 040323.R22; 040423.R26; 040323.R23; 032723.R02; 032123.R01; 040523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3621, 3336, 585, 4044 Weight: 0.9927g Extraction date: 04/06/23 11:39:28 Extracted by: 3336, 3390, 3621						Analyzed by: 1022, 585, 4044 Weight: 0.2198g Extraction date: 04/06/23 10:59:28 Extracted by: 1022, 3619					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA058398TYM Reviewed On : 04/08/23 13:15:47 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 04/06/23 11:37:32 Analyzed Date : 04/06/23 13:01:04						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058368HEA Reviewed On : 04/07/23 10:04:32 Instrument Used : DA-ICPMS-003 Batch Date : 04/06/23 09:37:31 Analyzed Date : 04/06/23 13:45:28					
Dilution : 10 Reagent : 011223.27; 032323.R29 Consumables : N/A Pipette : N/A						Dilution : 50 Reagent : 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25; 032323.R07; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-191; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.11	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.05	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2198g Extraction date: 04/06/23 10:59:28 Extracted by: 1022, 3619											
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058368HEA Reviewed On : 04/07/23 10:04:32 Instrument Used : DA-ICPMS-003 Batch Date : 04/06/23 09:37:31 Analyzed Date : 04/06/23 13:45:28											
Dilution : 50 Reagent : 031423.R28; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 033123.R25; 032323.R07; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-191; DA-216											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30406010-007

Harvest/Lot ID: 3881 2430 5066 2549

Batch# : 4990 3718 3327 8874

Sampled : 04/05/23

Ordered : 04/05/23

Sample Size Received : 120 gram

Total Amount : 573 units

Completed : 04/08/23 **Expires:** 04/08/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 585, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA058498FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/08/23 12:55:46

Reviewed On : 04/08/23 12:57:09

Batch Date : 04/08/23 12:54:59

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.436	TESTED	

Analyzed by: 2926, 585, 4044	Weight: 2.704g	Extraction date: 04/06/23 14:51:47	Extracted by: 2926
----------------------------------------	--------------------------	----------------------------------------------	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA058395WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/06/23 14:50:30

Reviewed On : 04/06/23 15:22:40

Batch Date : 04/06/23 11:34:28

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.