



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30407004-009

Harvest/Lot ID: 0936 1999 7429 5433

Batch#: 0936 1999 7429 5433

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 1231 1594 1936 3337

Batch Date: 02/16/23

Sample Size Received: 16 gram

Total Amount: 1463 units

Retail Product Size: 1 gram

Ordered : 04/06/23

Sampled : 04/06/23

Completed: 04/10/23

Sampling Method: SOP.T.20.010

Apr 10, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

91.31%

Total THC/Container : 913.1 mg



Total CBD

0.202%

Total CBD/Container : 2.02 mg



Total Cannabinoids

95.206%

Total Cannabinoids/Container : 952.06 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	91.166	0.165	0.202	ND	0.266	1.872	ND	0.367	0.552	ND	0.616
mg/unit	911.66	1.65	2.02	ND	2.66	18.72	ND	3.67	5.52	ND	6.16
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 1440

Weight:
0.0969g

Extraction date:
04/07/23 11:53:08

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA058435POT

Instrument Used : DA-LC-007

Analyzed Date : 04/07/23 11:55:16

Reviewed On : 04/10/23 12:13:10

Batch Date : 04/07/23 08:42:15

Dilution : 400

Reagent : 071222.01; 040723.R06; 040723.R03

Consumables : 250350; CE0123; 12608-302CD-302C; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30407004-009
Harvest/Lot ID: 0936 1999 7429 5433

Batch# : 0936 1999 7429 5433
Sample Size Received : 16 gram
Total Amount : 1463 units
Completed : 04/10/23 Expires: 04/10/24
Ordered : 04/06/23
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	19.9	1.99		FARNESENE	ND	ND		
TOTAL TERPINEOL	0.007	0.52	0.052		ALPHA-HUMULENE	0.007	<0.2	<0.02	
ALPHA-BISABOLOL	0.007	2.52	0.252		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.54	0.054		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.2	<0.02	
BETA-PINENE	0.007	0.8	0.08		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.99	0.099		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	<0.2	<0.02		<p>Analysis by: 2076, 585, 1440 Weight: 0.8127g Extraction date: 04/07/23 15:58:45 Extracted by: 2076</p> <p>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA058443TER Instrument Used : DA-GCMS-004 Analyzed Date : N/A</p> <p>Dilution : 10 Reagent : 121622.33 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A</p> <p>Reviewed On : 04/10/23 12:13:43 Batch Date : 04/07/23 09:59:34</p> <p>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</p>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	4.03	0.403						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	<0.02						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	1.64	0.164						
FENCHYL ALCOHOL	0.007	0.72	0.072						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	<0.2	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	8.14	0.814						
Total (%)			1.99						



Certificate of Analysis


PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30407004-009
Harvest/Lot ID: 0936 1999 7429 5433

Batch# : 0936 1999 7429 **Sample Size Received :** 16 gram
5433 **Total Amount :** 1463 units
Sampled : 04/06/23 **Completed :** 04/10/23 **Expires:** 04/10/24
Ordered : 04/06/23 **Sample Method :** SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 1440Weight: 0.2654gExtraction date: 04/07/23 15:41:09Extracted by: 3379,450</div> <div>Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch :DA058440PESReviewed On :04/10/23 10:29:26</div> <div>Instrument Used :DA-LCMS-003 (PES)Batch Date :04/07/23 09:37:15</div> <div>Analyzed Date :04/07/23 14:29:10</div> <div>Dilution : 250</div> <div>Reagent : 040323.R22; 040423.R26; 040623.R21; 040423.R25; 032123.R01; 040523.R01; 040521.11</div> <div>Consumables : 6697075-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> <div>Analyzed by: 450, 585, 1440Weight: 0.2654gExtraction date: 04/07/23 15:41:09Extracted by: 3379,450</div> <div>Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL</div> <div>Analytical Batch :DA058442VOLReviewed On :04/10/23 10:27:45</div> <div>Instrument Used :DA-GCMS-001Batch Date :04/07/23 09:56:25</div> <div>Analyzed Date :04/07/23 17:06:22</div> <div>Dilution : 250</div> <div>Reagent : 040623.R21; 040521.11; 030923.R23; 030923.R24</div> <div>Consumables : 6697075-02; 14725401</div> <div>Pipette : DA-080; DA-146; DA-218</div> <div>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30407004-009
Harvest/Lot ID: 0936 1999 7429 5433

Batch# : 0936 1999 7429 5433

Sampled : 04/06/23
Ordered : 04/06/23

Sample Size Received : 16 gram
Total Amount : 1463 units
Completed : 04/10/23 **Expires:** 04/10/24
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
 850, 585, 1440

Weight:
 0.0243g

Extraction date:
 04/10/23 16:10:43

Extracted by:
 850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA05847250L
Instrument Used : DA-GCMS-003
Analyzed Date : 04/10/23 16:13:59

Reviewed On : 04/10/23 16:36:29
Batch Date : 04/07/23 14:42:39

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; KF140
Pipette : DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis



PASSED
FLUENT


 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30407004-009
Harvest/Lot ID: 0936 1999 7429 5433

Batch# : 0936 1999 7429 **Sample Size Received :** 16 gram
5433 **Total Amount :** 1463 units
Sampled : 04/06/23 **Completed :** 04/10/23 **Expires:** 04/10/24
Ordered : 04/06/23 **Sample Method :** SOP.T.20.010

Page 5 of 6

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 585, 1440	Weight: 0.801g	Extraction date: 04/07/23 10:46:25	Extracted by: 3390,3336			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 04/10/23 14:04:13			Reviewed On : 04/10/23 10:26:16			Batch Date : 04/07/23 09:56:23		
Analytical Batch : DA058422MIC			Batch Date : 04/07/23 07:43:18			Analytical Batch : DA058441MYC			Batch Date : 04/07/23 09:56:23		
Instrument Used : DA-265 Gene-UP RTPCR						Instrument Used : N/A					
Analyzed Date : 04/07/23 12:11:41						Analyzed Date : 04/07/23 14:33:14					
Dilution : N/A						Dilution : 250					
Reagent : 033123.R30; 040423.R38						Reagent : 040323.R22; 040423.R26; 040623.R21; 040423.R25; 032123.R01; 040523.R01; 040521.11					
Consumables : 2125220						Consumables : 6697075-02					
Pipette : N/A						Pipette : DA-093; DA-094; DA-219					
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 585, 1440						Weight: 0.8220g					
Extraction date: 04/07/23 11:06:02						Extracted by: 3390					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA058464TYM						Reviewed On : 04/10/23 12:12:27					
Instrument Used : Incubator (25-27C) DA-097						Batch Date : 04/07/23 11:04:02					
Analyzed Date : 04/07/23 12:20:50											
Dilution : 10											
Reagent : 011223.27; 032323.R29											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2412g	Extraction date: 04/07/23 11:08:45	Extracted by: 3619,3807		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA058439HEA			Reviewed On : 04/10/23 10:10:52		
Instrument Used : DA-ICPMS-003			Batch Date : 04/07/23 08:59:32		
Analyzed Date : 04/07/23 13:28:09					
Dilution : 50					
Reagent : 040623.R23; 031423.R18; 033123.R26; 033123.R23; 033123.R24; 050322.74; 032323.R07; 040323.R21; 020123.02					
Consumables : 179436; 210508058; 12608-302CD-302C					
Pipette : DA-061; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30407004-009

Harvest/Lot ID: 0936 1999 7429 5433

Batch# : 0936 1999 7429 5433

Sampled : 04/06/23

Ordered : 04/06/23

Sample Size Received : 16 gram

Total Amount : 1463 units

Completed : 04/10/23 **Expires:** 04/10/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA058518FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/09/23 19:21:05

Reviewed On : 04/09/23 19:36:12

Batch Date : 04/09/23 10:00:42

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.5	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.293g	Extraction date: 04/07/23 13:32:22	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA058451WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/07/23 13:31:30

Reviewed On : 04/07/23 15:23:36

Batch Date : 04/07/23 10:11:49

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.