



Certificate of Analysis


COMPLIANCE FOR RETAIL

Sample: DA30408005-002
Harvest/Lot ID: 1312 3760 5923 1923
Batch#: 8321 3502 0228 2132
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 1312 3760 5923 1923
Batch Date: 03/31/23
Sample Size Received: 15.5 gram
Total Amount: 940 units
Retail Product Size: 0.5 gram
Ordered : 04/07/23
Sampled : 04/07/23
Completed: 04/11/23
Sampling Method: SOP.T.20.010
Apr 11, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED
Pages 1 of 6
PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filth
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
68.189%
Total THC/Container : 340.945 mg

Total CBD
22.791%
Total CBD/Container : 113.955 mg

Total Cannabinoids
96.393%
Total Cannabinoids/Container : 481.965 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	68.189	ND	22.791	ND	0.31	2.346	ND	0.525	0.445	ND	1.787
mg/unit	340.945	ND	113.955	ND	1.55	11.73	ND	2.625	2.225	ND	8.935
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 4044

Weight:
0.1034g

Extraction date:
04/10/23 10:44:12

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA058509POT

Instrument Used : DA-LC-007

Analyzed Date : 04/10/23 10:46:35

Reviewed On : 04/11/23 11:49:29

Batch Date : 04/09/23 07:26:16

Dilution : 400

Reagent : 040723.R06; 071222.01; 040723.R03

Consumables : 250350; CE0123; 12608-302CD-302C; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30408005-002
Harvest/Lot ID: 1312 3760 5923 1923

Batch# : 8321 3502 0228
Sample Size Received : 15.5 gram
Total Amount : 940 units
Completed : 04/11/23 Expires: 04/11/24
Ordered : 04/07/23
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	8.78	1.756		FARNESENE		0.05	0.01	
TOTAL TERPINEOL	0.007	<0.1	<0.02		ALPHA-HUMULENE	0.007	0.235	0.047	
ALPHA-BISABOLOL	0.007	<0.1	<0.02		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.425	0.085		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.1	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.375	0.075		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	3.015	0.603		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 585, 4044Weight: 1.0432gExtraction date: 04/09/23 12:32:48Extracted by: 1879, 2076				
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 04/11/23 11:48:41				
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA058514TERInstrument Used : DA-GCMS-004Batch Date : 04/09/23 09:52:43				
LIMONENE	0.007	2.285	0.457		Analyzed Date : 04/11/23 10:55:58Dilution : 10				
EUCALYPTOL	0.007	ND	ND		Reagent : 121622.33				
OCIMENE	0.007	0.505	0.101		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
GAMMA-TERPINENE	0.007	ND	ND		Pipette : N/A				
SABINENE HYDRATE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
TERPINOLENE	0.007	<0.1	<0.02						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.68	0.136						
FENCHYL ALCOHOL	0.007	0.23	0.046						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.98	0.196						
Total (%)				1.756					



Certificate of Analysis

PASSED


FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30408005-002
 Harvest/Lot ID: 1312 3760 5923 1923

 Batch# : 8321 3502 0228 Sample Size Received : 15.5 gram
 2132 Total Amount : 940 units
 Sampled : 04/07/23 Completed : 04/11/23 Expires: 04/11/24
 Ordered : 04/07/23 Sample Method : SOP.T.20.010

Page 3 of 6

<div>  Pesticides </div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044 Weight: 0.252g Extraction date: 04/10/23 14:55:48 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA058537PES Reviewed On : 04/11/23 11:14:19 Instrument Used : DA-LCMS-003 (PES) Batch Date : 04/10/23 08:16:53 Analyzed Date : N/A					
DIAZINON	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 041023.R01; 041023.R02; 040623.R21; 040423.R25; 032123.R01; 040523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044 Weight: 0.252g Extraction date: 04/10/23 14:55:48 Extracted by: 450,585 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA058539VOL Reviewed On : 04/11/23 11:12:44 Instrument Used : DA-GCMS-001 Batch Date : 04/10/23 08:21:16 Analyzed Date : 04/10/23 15:12:14					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Dilution : 250 Reagent : 040623.R21; 040521.11; 040723.R43; 040723.R44 Consumables : 6697075-02; 14725401 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30408005-002
 Harvest/Lot ID: 1312 3760 5923 1923

 Batch# : 8321 3502 0228
 Sampled : 04/07/23
 Ordered : 04/07/23
 Sample Size Received : 15.5 gram
 Total Amount : 940 units
 Completed : 04/11/23 Expires: 04/11/24
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0293g

 Extraction date:
 04/11/23 18:46:22

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA058564SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 04/11/23 20:22:06

 Reviewed On : 04/11/23 20:31:32
 Batch Date : 04/10/23 16:40:00

 Dilution : 1
 Reagent : 030420.09
 Consumables : G201.062; G201.062
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30408005-002
 Harvest/Lot ID: 1312 3760 5923 1923

 Batch# : 8321 3502 0228 Sample Size Received : 15.5 gram
 2132 Total Amount : 940 units
 Sampled : 04/07/23 Completed : 04/11/23 Expires: 04/11/24
 Ordered : 04/07/23 Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044 Weight: 0.252g Extraction date: 04/10/23 14:55:48 Extracted by: 450,585					
Analyzed by: 3336, 3390, 3621, 585, 4044 Weight: 0.802g Extraction date: 04/08/23 16:35:39 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058497MIC Instrument Used : DA-265 Gene-UP RTPCR Analyzed Date : 04/08/23 17:56:56 Dilution : N/A Reagent : 033123.R30; 040423.R38 Consumables : 2125220 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058538MYC Instrument Used : N/A Analyzed Date : N/A Dilution : 250 Reagent : 041023.R01; 041023.R02; 040623.R21; 040423.R25; 032123.R01; 040523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 3390, 585, 4044 Weight: 0.802g Extraction date: 04/08/23 16:35:39 Extracted by: 3336,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA058503TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 04/08/23 17:58:46 Dilution : 10 Reagent : 011223.26 Consumables : 007109 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2262g Extraction date: 04/10/23 08:28:31 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058523HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/10/23 13:34:38 Dilution : 50 Reagent : 040623.R23; 031423.R18; 040723.R27; 033123.R23; 040723.R25; 040723.R26; 032323.R07; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30408005-002
Harvest/Lot ID: 1312 3760 5923 1923

Batch# : 8321 3502 0228
Sample Size Received : 15.5 gram
Total Amount : 940 units
Completed : 04/11/23 **Expires:** 04/11/24
Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA058520FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/09/23 19:20:01

Reviewed On : 04/09/23 19:37:23

Batch Date : 04/09/23 10:03:08

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.503	PASS	0.85

Analyzed by: 2926, 585, 4044	Weight: 0.433g	Extraction date: 04/10/23 13:04:30	Extracted by: 2926
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA058531WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/10/23 13:01:17

Reviewed On : 04/10/23 13:19:50

Batch Date : 04/10/23 07:50:27

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.