



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30408011-005  
**Harvest/Lot ID:** 6803 4425 9748 9930  
**Batch#:** 6803 4425 9748 9930  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 2910 6487 4150 6929  
**Batch Date:** 02/23/23  
**Sample Size Received:** 900 gram  
**Total Amount:** 4531 units  
**Retail Product Size:** 62.5320 gram  
**Ordered :** 04/08/23  
**Sampled :** 04/08/23  
**Completed:** 04/11/23  
**Sampling Method:** SOP.T.20.010

Apr 11, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



# PASSED

Pages 1 of 5


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



### Cannabinoid

# PASSED



Total THC

**0.148%**

Total THC/Container : 92.547 mg



Total CBD

**ND**

Total CBD/Container : 0 mg



Total Cannabinoids

**0.156%**

Total Cannabinoids/Container : 97.55 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.148	ND	ND	ND	ND	0.006	ND	ND	ND	ND	0.002
mg/unit	92.547	ND	ND	ND	ND	3.751	ND	ND	ND	ND	1.25
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 3112, 585, 4044

Weight:  
2.8867g

Extraction date:  
04/10/23 09:55:59

Extracted by:  
1665

**Analysis Method :** SOP.T.40.031, SOP.T.30.031  
**Analytical Batch :** DA058510POT  
**Instrument Used :** DA-LC-007  
**Analyzed Date :** 04/10/23 09:58:29

**Reviewed On :** 04/11/23 12:00:56  
**Batch Date :** 04/09/23 07:26:51

**Dilution :** 40  
**Reagent :** 040323.01; 040723.R06; 071222.46; 121321.34; 040723.R03  
**Consumables :** 280670723; CE0123; 61633-125C6-125E; R1KB14270  
**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30408011-005

Harvest/Lot ID: 6803 4425 9748 9930

Batch# : 6803 4425 9748 9930

Sampled : 04/08/23

Ordered : 04/08/23

Sample Size Received : 900 gram

Total Amount : 4531 units

Completed : 04/11/23 Expires: 04/11/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 795, 4044, 585	0.9789g	04/10/23 14:59:54	450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA058544PES				Reviewed On : 04/11/23 15:56:02	
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 04/10/23 08:28:42	
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 041023.R01; 041023.R02; 040623.R21; 040423.R25; 032123.R01; 040523.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.9789g	04/10/23 14:59:54	450,585		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA058546VOL				Reviewed On : 04/11/23 11:03:24	
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-006				Batch Date : 04/10/23 08:32:02	
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 04/10/23 15:09:57					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 040623.R21; 040521.11; 040723.R43; 040723.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30408011-005

**Harvest/Lot ID:** 6803 4425 9748 9930

**Batch# :** 6803 4425 9748 9930

**Sampled :** 04/08/23

**Ordered :** 04/08/23

**Sample Size Received :** 900 gram

**Total Amount :** 4531 units

**Completed :** 04/11/23 **Expires:** 04/11/24

**Sample Method :** SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

**Analyzed by:**  
 850, 585, 4044

**Weight:**  
 0.0284g

**Extraction date:**  
 04/11/23 18:46:23

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL

**Analytical Batch :** DA058564SOL

**Instrument Used :** DA-GCMS-003

**Analyzed Date :** 04/11/23 20:22:06

**Reviewed On :** 04/11/23 20:33:12

**Batch Date :** 04/10/23 16:40:00

**Dilution :** 1

**Reagent :** 030420.09

**Consumables :** G201.062; G201.062

**Pipette :** DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30408011-005

Harvest/Lot ID: 6803 4425 9748 9930

Batch# : 6803 4425 9748 9930

Sampled : 04/08/23

Ordered : 04/08/23




Sample Size Received : 900 gram

Total Amount : 4531 units

Completed : 04/11/23 Expires: 04/11/24

Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3336, 3390, 3621, 585, 4044 Weight: 1.0896g Extraction date: N/A Extracted by: 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058497MIC Instrument Used : DA-265 Gene-UP RTPCR Analyzed Date : 04/08/23 17:56:56 Dilution : N/A Reagent : 033123.R30; 040423.R38 Consumables : 2125220 Pipette : N/A						Analyzed by: 3379, 795, 4044, 585 Weight: 0.9789g Extraction date: 04/10/23 14:59:54 Extracted by: 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058545MYC Instrument Used : N/A Analyzed Date : N/A Dilution : 250 Reagent : 041023.R01; 041023.R02; 040623.R21; 040423.R25; 032123.R01; 040523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 3390, 585, 4044 Weight: 1.0896g Extraction date: N/A Extracted by: 3336,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA058512TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 04/10/23 09:42:30 Dilution : 10 Reagent : 033123.R30; 040423.R38; 011223.30; 032323.R29 Consumables : 2125220 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 <b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2321g Extraction date: 04/10/23 10:08:14 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058525HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/10/23 13:18:35 Dilution : 50 Reagent : 040623.R23; 031423.R18; 040723.R27; 033123.R23; 040723.R25; 040723.R26; 032323.R07; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30408011-005

**Harvest/Lot ID:** 6803 4425 9748 9930

**Batch# :** 6803 4425 9748 9930

**Sampled :** 04/08/23

**Ordered :** 04/08/23

**Sample Size Received :** 900 gram

**Total Amount :** 4531 units

**Completed :** 04/11/23 **Expires:** 04/11/24

**Sample Method :** SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**
**Homogeneity**
**PASSED**

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.1	%	ND	<b>PASS</b>	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 4044	NA	N/A	N/A

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA058521FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Analyzed Date :** 04/09/23 19:23:01

**Reviewed On :** 04/09/23 19:37:33

**Batch Date :** 04/09/23 10:05:12

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.01	aw	0.531	<b>PASS</b>	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
2926, 585, 4044	3.051g	04/10/23 11:09:34	2926

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA058529WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Analyzed Date :** 04/10/23 11:07:37

**Reviewed On :** 04/10/23 13:20:57

**Batch Date :** 04/10/23 07:47:08

**Dilution :** N/A

**Reagent :** 100522.09

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
<b>TOTAL THC - HOMOGENEITY (RSD)</b>	0.001	%	<b>PASS</b>	7.649	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3335, 585, 4044	6.375g	04/10/23 09:00:27	3335

**Analysis Method :** SOP.T.30.111.FL, SOP.T.40.111.FL

**Analytical Batch :** DA058543HOM

**Instrument Used :** DA-LC-005

**Analyzed Date :** 04/10/23 09:04:19

**Reviewed On :** 04/11/23 11:59:07

**Batch Date :** 04/10/23 08:28:41

**Dilution :** 40

**Reagent :** 040323.01; 040823.R02; 071222.35; 040823.R01

**Consumables :** 947.109; 250350; CE0123; 115C4-1151; 12608-302CD-302C;

**Pipette :** DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.