



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30411005-002  
**Harvest/Lot ID:** 0134 3457 3695 6778  
**Batch#:** 0134 3457 3695 6778  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 3450 2626 7684 6331  
**Batch Date:** 02/06/23  
**Sample Size Received:** 16 gram  
**Total Amount:** 1473 units  
**Retail Product Size:** 1 gram  
**Ordered :** 04/10/23  
**Sampled :** 04/10/23  
**Completed:** 04/14/23  
**Sampling Method:** SOP.T.20.010

Apr 14, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



# PASSED

Pages 1 of 6


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



Total THC

**87.307%**

Total THC/Container : 873.07 mg



Total CBD

**0.247%**

Total CBD/Container : 2.47 mg



Total Cannabinoids

**91.853%**

Total Cannabinoids/Container : 918.53 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.155	0.174	0.247	ND	0.447	1.835	ND	0.648	0.633	ND	0.714
mg/unit	871.55	1.74	2.47	ND	4.47	18.35	ND	6.48	6.33	ND	7.14
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 3112, 1665, 585, 1440

Weight:  
 0.10033g

Extraction date:  
 04/12/23 07:48:08

Extracted by:  
 3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA058604POT  
 Instrument Used : DA-LC-003  
 Analyzed Date : 04/11/23 12:29:40

Reviewed On : 04/12/23 10:19:06  
 Batch Date : 04/11/23 10:30:20

Dilution : 400  
 Reagent : 040723.R05; 071222.01; 041123.R02  
 Consumables : 250350; CE0123; 12608-302CD-302C; 61633-125C6-125E; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30411005-002  
Harvest/Lot ID: 0134 3457 3695 6778

Batch# : 0134 3457 3695 6778  
Sample Size Received : 16 gram  
Total Amount : 1473 units  
Completed : 04/14/23 Expires: 04/14/24  
Ordered : 04/10/23  
Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	19.18	1.918		FARNESENE	0.007	0.36	0.036	
TOTAL TERPENEOL	0.007	0.2	0.02		ALPHA-HUMULENE	0.007	0.63	0.063	
ALPHA-BISABOLOL	0.007	ND	ND		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.18	0.118		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.2	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.78	0.078		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	4.46	0.446		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	4.46	0.446						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	3.27	0.327						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.95	0.095						
FENCHYL ALCOHOL	0.007	0.49	0.049						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	2.4	0.24						
<b>Total (%)</b>			<b>1.918</b>						

Analyzed by: 2076, 585, 1440  
 Weight: 1.1089g  
 Extraction date: 04/11/23 12:35:37  
 Extracted by: 2076  
 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL  
 Analytical Batch: DA058603TER  
 Instrument Used: DA-GCMS-004  
 Analyzed Date: 04/11/23 16:49:52  
 Reviewed On: 04/13/23 09:35:28  
 Batch Date: 04/11/23 10:29:52  
 Dilution: 10  
 Reagent: 121622.33  
 Consumables: 210414634; MKCN9995; CE0123; R1KB14270  
 Pipette: N/A  
 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA30411005-002  
 Harvest/Lot ID: 0134 3457 3695 6778

 Batch# : 0134 3457 3695 6778  
 Sample Size Received : 16 gram  
 Total Amount : 1473 units  
 Completed : 04/14/23 Expires: 04/14/24  
 Ordered : 04/10/23  
 Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.262g	04/11/23 14:45:45	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA058592PES			Reviewed On : 04/14/23 09:25:09		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/11/23 10:17:51		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/11/23 15:13:11					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 041023.R01; 041023.R02; 040623.R21; 040423.R25; 032123.R01; 040523.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.262g	04/11/23 14:45:45	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA058594VOL			Reviewed On : 04/12/23 10:08:32		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 04/11/23 10:21:51		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 040623.R21; 040521.11; 040723.R43; 040723.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30411005-002

**Harvest/Lot ID:** 0134 3457 3695 6778

**Batch# :** 0134 3457 3695 6778

**Sampled :** 04/10/23

**Ordered :** 04/10/23

**Sample Size Received :** 16 gram

**Total Amount :** 1473 units

**Completed :** 04/14/23 **Expires:** 04/14/24

**Sample Method :** SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

**Analyzed by:**  
 850, 585, 1440

**Weight:**  
 0.0284g

**Extraction date:**  
 04/13/23 09:44:41

**Extracted by:**  
 850

**Analysis Method :** SOP.T.40.041.FL

**Analytical Batch :** DA05861850L

**Instrument Used :** DA-GCMS-003

**Analyzed Date :** 04/13/23 09:49:24

**Reviewed On :** 04/13/23 10:23:57

**Batch Date :** 04/11/23 16:12:48

**Dilution :** 1

**Reagent :** 030420.09

**Consumables :** R2017.120; G201.120

**Pipette :** DA-309 25uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30411005-002

Harvest/Lot ID: 0134 3457 3695 6778

Batch#: 0134 3457 3695 6778

Sampled : 04/10/23

Ordered : 04/10/23




Sample Size Received : 16 gram

Total Amount : 1473 units

Completed : 04/14/23 Expires: 04/14/24

Sample Method : SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.8g Extraction date: 04/11/23 11:23:38 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058581MIC Instrument Used : DA-265 Gene-UP RTPCR Analyzed Date : 04/11/23 11:39:46 Reviewed On : 04/14/23 12:19:35 Batch Date : 04/11/23 08:56:31 Dilution : N/A Reagent : 033123.R30; 041123.R23 Consumables : 2125220 Pipette : N/A						Analyzed by: 585, 3379, 1440 Weight: 0.262g Extraction date: 04/11/23 14:45:45 Extracted by: 450,585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058593MYC Instrument Used : N/A Analyzed Date : 04/12/23 17:00:44 Reviewed On : 04/14/23 09:27:20 Batch Date : 04/11/23 10:21:49 Dilution : 250 Reagent : 041023.R01; 041023.R02; 040623.R21; 040423.R25; 032123.R01; 040523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 585, 1440 Weight: 0.8g Extraction date: N/A Extracted by: 3336,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA058610TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 04/11/23 11:50:21 Reviewed On : 04/14/23 11:37:01 Batch Date : 04/11/23 11:14:39 Dilution : 10 Reagent : 032323.R29; 110822.11 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
						 <b>Heavy Metals</b> <b>PASSED</b>					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2687g Extraction date: 04/11/23 11:34:45 Extracted by: 3619,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058584HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/11/23 17:38:37 Reviewed On : 04/12/23 10:23:03 Batch Date : 04/11/23 09:04:31 Dilution : 50 Reagent : 040623.R23; 031423.R18; 040723.R27; 041023.R08; 040723.R25; 040723.R26; 032323.R07; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample :** DA30411005-002

**Harvest/Lot ID:** 0134 3457 3695 6778

**Batch# :** 0134 3457 3695 6778

**Sampled :** 04/10/23

**Ordered :** 04/10/23

**Sample Size Received :** 16 gram

**Total Amount :** 1473 units

**Completed :** 04/14/23 **Expires:** 04/14/24

**Sample Method :** SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.1	%	ND	<b>PASS</b>	1

<b>Analyzed by:</b> 1879, 1440	<b>Weight:</b> NA	<b>Extraction date:</b> N/A	<b>Extracted by:</b> N/A
-----------------------------------	----------------------	--------------------------------	-----------------------------

**Analysis Method :** SOP.T.40.090

**Analytical Batch :** DA058643FIL

**Instrument Used :** Filth/Foreign Material Microscope

**Analyzed Date :** 04/12/23 09:31:31

**Reviewed On :** 04/12/23 10:42:10

**Batch Date :** 04/12/23 09:27:51

**Dilution :** N/A

**Reagent :** N/A

**Consumables :** N/A

**Pipette :** N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.01	aw	0.561	<b>PASS</b>	0.85

<b>Analyzed by:</b> 2926, 585, 1440	<b>Weight:</b> 0.406g	<b>Extraction date:</b> 04/11/23 14:46:49	<b>Extracted by:</b> 2926
--	--------------------------	--	------------------------------

**Analysis Method :** SOP.T.40.019

**Analytical Batch :** DA058611WAT

**Instrument Used :** DA-028 Rotronic HygroPalm

**Analyzed Date :** 04/11/23 11:59:52

**Reviewed On :** 04/11/23 14:56:55

**Batch Date :** 04/11/23 11:17:50

**Dilution :** N/A

**Reagent :** 100522.09

**Consumables :** PS-14

**Pipette :** N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.