

FTH-Cake Boss Pre-Filled Pipe 0.35g FTH-Cake Boss Matrix: Flower




Certificate of Analysis COMPLIANCE FOR RETAIL

Sample:DA30411005-003 Harvest/Lot ID: HYB-CB-013123-C0076 Batch#: 1141 7198 2085 5236 **Cultivation Facility: Zolfo Springs Cultivation Processing Facility : Tampa Processing** Source Facility : Zolfo Springs Cultivation Seed to Sale# 3665 0641 9632 0246 Batch Date: 01/17/23 Sample Size Received: 25.55 gram Total Amount: 1426 units Retail Product Size: .35 gram Ordered : 04/10/23 Sampled : 04/10/23 Completed: 04/14/23 Sampling Method: SOP.T.20.010

Apr 14, 2023 | FLUENT

82 NE 26th street

PASSED



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Jorge Segredo Lab Director

04/14/23

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Signature Testing 97164



FTH-Cake Boss Pre-Filled Pipe 0.35g FTH-Cake Boss Matrix : Flower



Certificate of Analysis

PASSED

TESTED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30411005-003 Harvest/Lot ID: HYB-CB-013123-C0076

Batch# : 1141 7198 2085 5236 Sampled : 04/10/23 Ordered : 04/10/23 23-C0076 Sample Size Received : 25.55 gram Total Amount : 1426 units Completed : 04/14/23 Expires: 04/14/24 Sample Method : SOP.T.20.010

Page 2 of 5

Ô

	n		n	OC
ler	U	C		C 3
	-	_		

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	5.722	1.635		FARNESENE	0.007	0.126	0.036	
TOTAL TERPINEOL	0.007	0.133	0.038		ALPHA-HUMULENE	0.007	0.518	0.148	
ALPHA-BISABOLOL	0.007	0.168	0.048		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.147	0.042		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	< 0.07	< 0.02		TRANS-NEROLIDOL	0.007	0.119	0.034	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	< 0.07	< 0.02	
BETA-PINENE	0.007	0.208	0.059		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.163	0.046		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by:	Weight:	Extrac	tion date:	Extracted by
B-CARENE	0.007	ND	ND		2076, 3379, 585, 1440	1.1193g		23 12:38:2	
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, S	OP.T.40.061A.FL			
LIMONENE	0.007	1.208	0.345		Analytical Batch : DA058601TER				4/12/23 10:19:11
EUCALYPTOL	0.007	ND	ND		Instrument Used : DA-GCMS-008 Analyzed Date : 04/11/23 18:20:21		Batch	Date : 04/	11/23 10:28:39
DCIMENE	0.007	ND	ND		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : N/A				
ABINENE HYDRATE	0.007	ND	ND		Consumables : N/A				
	0.007	ND ND	ND ND		Pipette : N/A				
ERPINOLENE					Pipette : N/A	s Chromatography Mass Spect	ometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
ERPINOLENE	0.007	ND	ND		Pipette : N/A	s Chromatography Mass Spectr	rometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
ERPINOLENE ENCHONE INALOOL	0.007	ND ND	ND ND		Pipette : N/A	s Chromatography Mass Spect	ometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
ERPINOLENE VENCHONE INALOOL VENCHYL ALCOHOL	0.007 0.007 0.007	ND ND 0.556	ND ND 0.158		Pipette : N/A	s Chromatography Mass Spect	ometry. For all	Flower samp	ies, the Total Terpenes % is dry-weight correcte
TERPINOLENE TENCHONE LINALOOL TENCHYL ALCOHOL SOPULEGOL	0.007 0.007 0.007 0.007	ND ND 0.556 0.228	ND ND 0.158 0.065		Pipette : N/A	s Chromatography Mass Spect	rometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
rerpinolene renchone linalool renchyl alcohol sopulegol camphor	0.007 0.007 0.007 0.007 0.007	ND ND 0.556 0.228 <0.07	ND ND 0.158 0.065 <0.02		Pipette : N/A	s Chromatography Mass Spectr	ometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
FERPINOLENE FENCHONE INALOOL SOPULEGOL SOPULEGOL CAMPHOR SOBORNEOL	0.007 0.007 0.007 0.007 0.007 0.013	ND ND 0.556 0.228 <0.07 ND	ND ND 0.158 0.065 <0.02 ND		Pipette : N/A	s Chromatography Mass Spect	rometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
TERPINOLENE FENCHONE LINALOOL ISOPULEGOL CAMPHOR ISOBORNEOL BORNEOL	0.007 0.007 0.007 0.007 0.007 0.013 0.007	ND ND 0.556 0.228 <0.07 ND ND	ND ND 0.158 0.065 <0.02 ND ND		Pipette : N/A	s Chromatography Mass Spect	ometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
TERPINOLENE FENCHONE LINALOOL SSOPULEGOL CAMPHOR SISOBORNEOL BORNEOL BORNEOL	0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.013	ND ND 0.556 0.228 <0.07 ND ND <0.14	ND ND 0.158 0.065 <0.02 ND ND <0.04		Pipette : N/A	s Chromatography Mass Spect	ometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
FERPINOLENE FENCHONE INALOOL SOPULEGOL CAMPHOR SOBORIEOL JORNEOL HEXAHYDROTHYMOL VEROL	0.007 0.007 0.007 0.007 0.013 0.007 0.013 0.007 0.013 0.007	ND ND 0.556 0.228 <0.07 ND ND <0.14 ND	ND ND 0.158 0.065 <0.02 ND ND <0.04 ND		Pipette : N/A	S Chromatography Mass Spectr	ometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
FERPINOLENE FENCHONE INALOOL SOPULEGOL SAMPHOR SOBORNEOL SOBORNEOL HEXAHYDROTHYMOL VEROL VEROL	0.007 0.007 0.007 0.007 0.013 0.007 0.013 0.007 0.003	ND ND 0.556 0.228 <0.07 ND ND <0.14 ND ND	ND ND 0.158 0.065 <0.02 ND ND <0.04 ND ND		Pipette : N/A	s Chromatography Mass Spectr	ometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
FERPINOLENE FENCHONE INALOOL SOPULEGOL SOPULEGOL SOBORNEOL BORNEOL BORNEOL VEROL VEROL VEROL SERANIOL	0.007 0.007 0.007 0.007 0.013 0.007 0.013 0.007 0.013 0.007 0.007	ND ND 0.556 0.228 <0.07 ND <0.14 ND ND ND	ND ND 0.158 0.065 <0.02 ND ND <0.04 ND ND ND ND ND		Pipette : N/A	s. Chromatography Mass Spectr	rometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte
SABINENE HYDRATE TERPINOLENE FENCHONE LINALOOL FENCHYL ALCOHOL ISOBOREOL BORNEOL BORNEOL BORNEOL MEXAHYDROTHYMOL NEROL PULEGONE GERANIOL GERANIOL ALPHA-CEDRENE	0.007 0.007 0.007 0.007 0.013 0.007 0.013 0.007 0.007 0.007	ND ND 0.556 0.228 <0.07 ND <0.14 ND ND ND ND	ND ND 0.158 0.065 <0.02 ND ND <0.04 ND ND ND ND ND ND ND		Pipette : N/A	s Chromatography Mass Spect	ometry. For all	Flower samp	les, the Total Terpenes % is dry-weight correcte

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

#

Signature

04/14/23



DAVIE, FL, 33314, US

Kaycha Labs

FTH-Cake Boss Pre-Filled Pipe 0.35g FTH-Cake Boss Matrix : Flower



PASSED

PASSED

Page 3 of 5

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com R O

FLUENT

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND		
АСЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	
BOSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	
CARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PENTACHLORONITROBEN	ZENE
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND		ZENE
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	
DIAZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by:	V
DIMETHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.3	0.101
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	
ETOXAZOLE	0.01	ppm	0.1	PASS PASS	ND	Analytical Batch : DA0586 Instrument Used : DA-LCM	
ENHEXAMID	0.01	ppm	0.1		ND	Analyzed Date :04/11/23 1	
FENOXYCARB	0.01	ppm	0.1	PASS	ND ND	Dilution : 250	13.13
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 041023.R01: 04	1023.
FIPRONIL	0.01	ppm	÷·			Consumables : 6697075-0	
FLONICAMID	0.01 0.01	ppm	0.1	PASS	ND ND	Pipette : DA-093; DA-094;	
FLUDIOXONIL		ppm		PASS		Testing for agricultural agen	
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND ND	Spectrometry in accordance	
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	W 0.8
MIDACLOPRID		ppm	0.4	PASS	ND	Analysis Method : SOP.T.3	
KRESOXIM-METHYL	0.01 0.01	ppm	0.1	PASS	ND	Analytical Batch : DA0586	
MALATHION		ppm				Instrument Used : DA-GCM	
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/12/23 1	10:10
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250	
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 040623.R21; 04	
	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-0	
MEVINPHOS			0.1				
MEVINPHOS MYCLOBUTANIL NALED	0.01	ppm ppm	0.1 0.25	PASS	ND ND	Pipette : DA-080; DA-146; Testing for agricultural agen	

Certificate of Analysis

5236 Sampled : 04/10/23

Sample : DA30411005-003 Harvest/Lot ID: HYB-CB-013123-C0076

Sample Size Received : 25.55 gram

Sample Method : SOP.T.20.010

Total Amount : 1426 units Completed : 04/14/23 Expires: 04/14/24

Batch# : 1141 7198 2085

Ordered : 04/10/23

Pesticide		LOD	Units	Action Level	Pass/Fail	Result		
OXAMYL		0.01	ppm	0.5	PASS	ND		
PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND		
PHOSMET		0.01	ppm	0.1	PASS	ND		
PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND		
PRALLETHRIN		0.01	ppm	0.1	PASS	ND		
PROPICONAZOLE		0.01	ppm	0.1	PASS	ND		
PROPOXUR		0.01	ppm	0.1	PASS	ND		
PYRIDABEN		0.01	ppm	0.2	PASS	ND		
SPIROMESIFEN		0.01	ppm	0.1	PASS	ND		
SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND		
SPIROXAMINE		0.01	ppm	0.1	PASS	ND		
TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND		
THIACLOPRID		0.01	ppm	0.1	PASS	ND		
THIAMETHOXAM		0.01	ppm	0.5	PASS	ND		
TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND		
PENTACHLORONITROBEN	ZENE (PCNB) *	0.01	PPM	0.15	PASS	ND		
PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND		
CAPTAN *		0.07	PPM	0.7	PASS	ND		
CHLORDANE *		0.01	PPM	0.1	PASS	ND		
CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND		
CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND		
CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND		
Analyzed by: 3379, 585, 1440	Weight: 0.8532g		tion date: 23 14:49:15	5	Extracted 450.585	by:		
SOP.T.40.102.FL (Davie) Analytical Batch :DA0586 Instrument Used :DA-LCM Analyzed Date :04/11/23	Se600PES Reviewed On :04/14/23 09:22:20 -LCMS-003 (PES) Batch Date :04/11/23 10:28:12							
Dilution : 250 Reagent : 041023.R01; 04 Consumables : 6697075-0 Pipette : DA-093; DA-094;	DA-219							
Testing for agricultural ager Spectrometry in accordance	with F.S. Rule 64E	R20-39.		graphy Triple-				
Analyzed by: 450, 585, 1440	Weight: 0.8532g		on date: 3 14:49:15		Extracted 450,585	by:		
Analysis Method :SOP.T.3 Analytical Batch :DA0586 Instrument Used :DA-GCN Analyzed Date :04/12/23	06VOL 45-006	R	eviewed O	L (Davie), SO n :04/12/23 1 :04/11/23 10:	.0:25:51			
Dilution : 250 Reagent : 040623.R21; 04 Consumables : 6697075-0 Pipette : DA-080; DA-146;	2; 14725401	.R43; 04072	23.R44					

performed utilizing Gas Chromatography Triple-Ouadrupole Mass Spectrometry R20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

04/14/23



FTH-Cake Boss Pre-Filled Pipe 0.35g FTH-Cake Boss Matrix : Flower



PASSED

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 Email: Taylor. Jones@getfluent.com Sample : DA30411005-003 Harvest/Lot ID: HYB-CB-013123-C0076

Batch# : 1141 7198 2085 5236 Sampled : 04/10/23 Ordered : 04/10/23

Sample Size Received : 25.55 gram Total Amount : 1426 units Completed : 04/14/23 Expires: 04/14/24 Sample Method : SOP.T.20.010

Page 4 of 5

i of	Microb	oial			PAS	SED	သို့	Мусо	toxins	5			PAS	SEC
Analyte		LOD	Units	Result	Pass /	Action	Analyte		ž	LOD	Units	Result		Action
ECOLI SHIGE				Not Present	Fail	Level	AFLATOXIN B	2		0.002	ppm	ND	Fail PASS	Level 0.02
	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN B			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		OCHRATOXIN	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		AFLATOXIN G	1		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN G	2		0.002	ppm	ND	PASS	0.02
ASPERGILLU: FOTAL YEAS	S NIGER T AND MOLD	10	CFU/g	Not Present 2000	PASS	100000	Analyzed by: 585, 3379, 1440			raction da 11/23 14:			xtracted	by:
nalyzed by:		Weight:	Extraction	date:	Extracte		Analysis Method	: SOP.T.30.10	1.FL (Gainesvill	e), SOP.T				
	od : SOP.T.40.056C	0.8619g , SOP.T.40.0		.40.209.FL	3336	\rightarrow	SOP.T.30.102.F	: DA058605M		Revie		04/14/23 0		
	h : DA058581MIC ed : DA-265 Gene-l	JP RTPCR		wed On : 04/14/		7	Instrument Use Analyzed Date :		0:40	ватсп	Date: 04	/11/23 10:	50:21	
Analyzed Date	: 04/11/23 11:39:4	16					Dilution : 250	22.001.04102			122 D25 /		1 040505	0.001
Dilution : N/A							Reagent: 04102 040521.11	23.R01; 04102.	3.R02; 040623.	R21; 0404	423.R25; ()32123.R0	1; 040523	3.R01;
Reagent : 0331 Consumables :	L23.R30; 041123.R 2125220	23					Consumables : 6	5697075-02						
Pipette : N/A	2125220						Pipette : DA-09	3; DA-094; DA-	219		$\overline{\ }$	\sim		
Analyzed by:	Weigh		raction date:		Extracted b	y:	Mycotoxins testir accordance with			with Triple	e-Quadrupc	le Mass Spe	ectrometry	in
3336, 585, 144	0.990	1g 04/	11/23 11:30:	42 .	3336,3390		-			$\frown X$				
Analytical Batc	d : SOP.T.40.208 (h : DA058610TYM ed : Incubator (25-2 : 04/11/23 11:50:2	27C) DA-096	Rev	09.FL riewed On : 04/14 ch Date : 04/11/2			[нд]	Heavy	y Meta	als	$\langle \rangle$	\land	PAS	SEC
Dilution: 1000 Reagent: 0323) 323.R29; 110822.1	1					Metal			LOD	Units	Result	Pass / Fail	Action Level
consumables :	N/A						TOTAL CONTA	MINANT LOA	D METALS	0.08	ppm	ND	PASS	1.1
Pipette : N/A							ARSENIC			0.02	ppm	ND	PASS	0.2
	mold testing is perfor F.S. Rule 64ER20-39		MPN and tradi	tional culture base	d techniques	s in	CADMIUM			0.02	ppm	ND	PASS	0.2
							MERCURY			0.02	ppm	ND	PASS	0.2
							LEAD	- <u> </u>		0.02	ppm	<0.1		0.5
							Analyzed by: 1022, 585, 1440			raction d 11/23 11			Extracted 3619	by:
							Analysis Method Analytical Batch Instrument Used Analyzed Date :	d:DA058586HB	EA 03	Review		/12/23 10: 1/23 09:10		
							Dilution : 50 Reagent : 04063 032323.R07; 04 Consumables : 3 Pipette : DA-063	40323.R21; 020 179436; 21050)123.02 8058; 12608-30)40723.R2	5; 040723	3.R26;
														ordance
							Heavy Metals an with F.S. Rule 64	alysis is performe ER20-39.	ed using Inductive	ly Coupled	l Plasma Ma	iss Spectror	netry in acc	lordunee
							Heavy Metals an. with F.S. Rule 64	alysis is performe ER20-39.	ed using Inductive	ly Coupled	I Plasma Ma	iss Spectror	netry in acc	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

04/14/23

ka	aycha [°]
4131 SW 47th AVE	
DAVUE EL DODIA	110

FTH-Cake Boss Pre-Filled Pipe 0.35g FTH-Cake Boss Matrix : Flower



FLUENT 82 NE 26th street Miami, FL, 33137 Telephone: (305	US	ate	Sample : DA Harvest/Lot	A30411005- t ID: HYB-CE 141 7198 208	003 8-013123-C0076 35 Sample Siz Total Amor Completed	e Received : 25.55 unt : 1426 units : 04/14/23 Expires thod : SOP.T.20.01	gram : 04/14/24	Pa	age 5 of	M	SSED
	Filth/Fo Materia			ΡΑ	SSED		Moistur	e		PAS	SSED
Analyte Filth and Forei	n Material	LOD Units 0.1 %	Result ND	P/F PASS	Action Level	Analyte Moisture Cont	ent	LOD Units 1 %	Result 9.69	P/F PASS	Action Level
Analyzed by: 1879, 1440	Weight: NA	Extraction	date:	Extra N/A	cted by:	Analyzed by: 2926, 585, 1440	Weight: 0.489g	Extraction 0 04/11/23 1		Ext 292	racted by: 26
		rial Microscope			2/23 10:41:28 23 09:26:17	Analyzed Date : Dilution : N/A			Reviewed On Batch Date :		
Consumables : N/ Pipette : N/A	A					Consumables : N Pipette : DA-066	/A				
	aterial inspection is pe ordance with F.S. Rule		spection utilizi	ing naked ey	e and microscope		analysis utilizing loss-o	n-drying technology	in accordance	with F.S. Rule	e 64ER20-39.
(\bigcirc)	Water A	ctivity	_	PA	SSED						
Analyte Water Activity		LOD Units 0.01 aw	Result 0.545	P/F PASS	Action Level 0.65						
nalyzed by: 926, 585, 1440	Weight: 0.593g	Extraction d 04/11/23 13			tracted by: 26						
		lygropalm	Reviewed O Batch Date								
Dilution : N/A Reagent : 100522 Consumables : PS Pipette : N/A					_						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 64ER20-39 and F.S. Rule 64ER20-39 and F.S. Rule 64ER20-39 and F.S. Rule 65K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO//EC 17025:2017 Accreditation PJLA-Testing 97164

Æ

Signature

04/14/23