



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30411006-002
Harvest/Lot ID: HYB-GP-040323-C0085
Batch#: 8055 0379 4784 2801
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 7896 8247 7710 5473
Batch Date: 03/07/23
Sample Size Received: 56 gram
Total Amount: 4003 units
Retail Product Size: 3.5 gram
Ordered: 04/10/23
Sampled: 04/10/23
Completed: 04/14/23
Sampling Method: SOP.T.20.010

Apr 14, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

24.711%

Total THC/Container : 864.885 mg



Total CBD

0.048%

Total CBD/Container : 1.68 mg



Total Cannabinoids

28.72%

Total Cannabinoids/Container : 1005.2 mg



	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.431	27.686	ND	0.055	0.037	0.063	0.333	ND	ND	0.022	0.093	0.055	28.564	33.198
mg/unit	15.085	969.01	ND	1.925	1.295	2.205	11.655	ND	ND	0.77	3.255	1.925	999.74	1161.93
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 1440

Weight:
0.2091g

Extraction date:
04/11/23 12:17:34

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA058602POT

Instrument Used : DA-LC-002 (Flower)

Analyzed Date : 04/11/23 12:19:50

Reviewed On : 04/12/23 11:40:46

Batch Date : 04/11/23 10:28:53

Dilution : 400

Reagent : 041123.R04; 071222.01; 040823.R01

Consumables : 250350; CE0123; 12608-302CD-302C; 61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30411006-002
Harvest/Lot ID: HYB-GP-040323-C0085

Batch# : 8055 0379 4784
Sample Size Received : 56 gram
Total Amount : 4003 units
Completed : 04/14/23 **Expires:** 04/14/24
Ordered : 04/10/23 **Sample Method :** SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	88.935	2.541		FARNESENE	0.007	<0.7	<0.02	
TOTAL TERPINEOL	0.007	1.085	0.031		ALPHA-HUMULENE	0.007	5.95	0.17	
ALPHA-BISABOLOL	0.007	6.359	0.181		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	1.015	0.029		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	1.19	0.034	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	1.015	0.029	
BETA-PINENE	0.007	1.662	0.047		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	7.752	0.221		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 3379, 585, 1440 Weight: 1.0637g Extraction date: 04/11/23 12:38:23 Extracted by: 2076 Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA058601TER Instrument Used: DA-GCMS-Q08 Analyzed Date: 04/11/23 18:20:21 Dilution: 10 Reagent: N/A Consumables: N/A Pipette: N/A <small>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</small>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	11.266	0.321						
EUCALYPTOL	0.007	ND	ND		Reviewed On: 04/12/23 11:40:46 Batch Date: 04/11/23 10:28:39				
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND		Total (%) 2.541				
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	7.847	0.224						
FENCHYL ALCOHOL	0.007	1.494	0.042						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	20.065	0.573						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30411006-002
Harvest/Lot ID: HYB-GP-040323-C0085

Batch# : 8055 0379 4784 **Sample Size Received :** 56 gram
 2801 **Total Amount :** 4003 units
Sampled : 04/10/23 **Completed :** 04/14/23 **Expires:** 04/14/24
Ordered : 04/10/23 **Sample Method :** SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	1.1943g	04/11/23 14:49:16	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA058600PES			Reviewed On :04/14/23 09:22:30		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date :04/11/23 10:28:12		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date :04/11/23 15:13:16					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 041023.R01; 041023.R02; 040623.R21; 040423.R25; 032123.R01; 040523.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	1.1943g	04/11/23 14:49:16	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA058606VOL			Reviewed On :04/12/23 10:25:54		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used :DA-GCMS-006			Batch Date :04/11/23 10:30:39		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date :04/12/23 10:10:25					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 040623.R21; 040521.11; 040723.R43; 040723.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis




PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30411006-002
Harvest/Lot ID: HYB-GP-040323-C0085

Batch# : 8055 0379 4784 **Sample Size Received :** 56 gram
 2801 **Total Amount :** 4003 units
Sampled : 04/10/23 **Completed :** 04/14/23 **Expires:** 04/14/24
Ordered : 04/10/23 **Sample Method :** SOP.T.20.010

Page 4 of 5

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000	Analyzed by: 585, 3379, 1440	Weight: 1.1943g	Extraction date: 04/11/23 14:49:16	Extracted by: 450,585		
Analyzed by: 3390, 3336, 585, 1440 Weight: 0.8253g Extraction date: 04/11/23 11:23:40 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058581MIC Instrument Used : DA-265 Gene-UP RTPCR Analyzed Date : 04/11/23 11:39:46 Reviewed On : 04/14/23 12:19:39 Batch Date : 04/11/23 08:56:31 Dilution : N/A Reagent : 033123.R30; 041123.R23 Consumables : 2125220 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058605MYC Instrument Used : N/A Analyzed Date : 04/12/23 17:00:40 Reviewed On : 04/14/23 09:26:19 Batch Date : 04/11/23 10:30:21 Dilution : 250 Reagent : 041023.R01; 041023.R02; 040623.R21; 040423.R25; 032123.R01; 040523.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 585, 1440 Weight: 1.0177g Extraction date: 04/11/23 11:30:43 Extracted by: 3336,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA058610TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 04/11/23 11:50:21 Reviewed On : 04/14/23 11:38:08 Batch Date : 04/11/23 11:14:39 Dilution : 10 Reagent : 032323.R29; 110822.11 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
<div></div> <div>Heavy Metals</div> <div>PASSED</div>											
Metal						LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS						0.08	ppm	ND	PASS	1.1	
ARSENIC						0.02	ppm	ND	PASS	0.2	
CADMIUM						0.02	ppm	ND	PASS	0.2	
MERCURY						0.02	ppm	ND	PASS	0.2	
LEAD						0.02	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440						Weight: 0.2096g	Extraction date: 04/11/23 12:22:10	Extracted by: 3619			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058586HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/11/23 17:38:11 Reviewed On : 04/12/23 10:25:14 Batch Date : 04/11/23 09:16:00 Dilution : 50 Reagent : 040623.R23; 031423.R18; 040723.R27; 041023.R08; 040723.R25; 040723.R26; 032323.R07; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12608-302CD-302C Pipette : DA-061; DA-191; DA-216						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30411006-002
Harvest/Lot ID: HYB-GP-040323-C0085

Batch# : 8055 0379 4784
Sample Size Received : 56 gram
2801
Total Amount : 4003 units
Sampled : 04/10/23
Completed : 04/14/23
Expires: 04/14/24
Ordered : 04/10/23
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090					
Analytical Batch : DA058641FIL			Reviewed On : 04/12/23 10:41:29		
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 04/12/23 09:26:17		
Analyzed Date : 04/12/23 09:32:11					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.605	PASS	0.65
Analyzed by: 2926, 585, 1440	Weight: 0.77g	Extraction date: 04/11/23 13:44:34		Extracted by: 2926	
Analysis Method : SOP.T.40.019					
Analytical Batch : DA058613WAT			Reviewed On : 04/11/23 14:53:40		
Instrument Used : DA-028 Rotronic Hygropalm			Batch Date : 04/11/23 11:20:22		
Analyzed Date : 04/11/23 11:59:43					
Dilution : N/A					
Reagent : 100522.09					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1	%	13.49	PASS	15
Analyzed by: 2926, 585, 1440	Weight: 0.507g	Extraction date: 04/11/23 13:54:58		Extracted by: 2926	
Analysis Method : SOP.T.40.021					
Analytical Batch : DA058532MOI			Reviewed On : 04/11/23 14:53:41		
Instrument Used : DA-003 Moisture Analyzer			Batch Date : 04/10/23 07:55:20		
Analyzed Date : 04/10/23 11:35:41					
Dilution : N/A					
Reagent : 101920.06; 020123.02					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.