



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30415002-002
Harvest/Lot ID: 1366 7971 5137 1011
Batch#: 2686 2020 3220 6753
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale#: 1366 7971 5137 1011
Batch Date: 02/06/23
Sample Size Received: 15.3 units
Total Amount: 1363 units
Retail Product Size: 0.3 gram
Ordered : 04/14/23
Sampled : 04/14/23
Completed: 04/18/23
Sampling Method: SOP.T.20.010

Apr 18, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
90.62%

Total THC/Container : 271.86 mg



Total CBD
0.247%

Total CBD/Container : 0.741 mg



Total Cannabinoids
95.562%

Total Cannabinoids/Container : 286.686 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 90.62 | ND | 0.247 | ND | 0.245 | 2.359 | ND | 0.841 | 0.591 | ND | 0.659 |
| mg/unit | 271.86 | ND | 0.741 | ND | 0.735 | 7.077 | ND | 2.523 | 1.773 | ND | 1.977 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3112, 1665, 585, 4044

Weight:
0.0965g

Extraction date:
04/17/23 09:11:50

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA058855POT
Instrument Used : DA-LC-007
Analyzed Date : 04/17/23 10:06:10

Reviewed On : 04/18/23 10:05:02
Batch Date : 04/16/23 12:46:56

Dilution : 400
Reagent : 041223.R06; 071222.01; 041223.R03
Consumables : 947.109; 250346; CE0123; 115C4-1151; 12617-306CD-306C; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/18/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30415002-002

Harvest/Lot ID: 1366 7971 5137 1011

Batch# : 2686 2020 3220
6753

Sampled : 04/14/23
Ordered : 04/14/23

Sample Size Received : 15.3 units

Total Amount : 1363 units

Completed : 04/18/23 Expires: 04/18/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|--------------------|---------|---------|--------------|------------|---------------------|---------|---------|-------|------------|
| TOTAL TERPENES | 0.007 | 6.546 | 2.182 | | FARNESENE | 0.007 | ND | ND | |
| TOTAL TERPINEOL | 0.007 | ND | ND | | ALPHA-HUMULENE | 0.007 | 0.108 | 0.036 | |
| ALPHA-BISABOLOL | 0.007 | 0.081 | 0.027 | | VALENCENE | 0.007 | <0.06 | <0.02 | |
| ALPHA-PINENE | 0.007 | 0.144 | 0.048 | | CIS-NEROLIDOL | 0.007 | ND | ND | |
| CAMPHERE | 0.007 | ND | ND | | TRANS-NEROLIDOL | 0.007 | ND | ND | |
| SABINENE | 0.007 | ND | ND | | CARYOPHYLLENE OXIDE | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 0.18 | 0.06 | | GUAIOL | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 0.888 | 0.296 | | CEDROL | 0.007 | ND | ND | |
| ALPHA-PHELLANDRENE | 0.007 | 0.375 | 0.125 | | | | | | |
| 3-CARENE | 0.007 | 0.072 | 0.024 | | | | | | |
| ALPHA-TERPINENE | 0.007 | 0.081 | 0.027 | | | | | | |
| LIMONENE | 0.007 | 0.378 | 0.126 | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| OCIMENE | 0.007 | 0.681 | 0.227 | | | | | | |
| GAMMA-TERPINENE | 0.007 | <0.06 | <0.02 | | | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | | | | | |
| TERPINOLENE | 0.007 | 3.129 | 1.043 | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| LINALOOL | 0.007 | 0.066 | 0.022 | | | | | | |
| FENCHYL ALCOHOL | 0.007 | <0.06 | <0.02 | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| CAMPHOR | 0.013 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| BORNEOL | 0.013 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | <0.06 | <0.02 | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| ALPHA-CEDRENE | 0.007 | ND | ND | | | | | | |
| BETA-CARYOPHYLLENE | 0.007 | 0.363 | 0.121 | | | | | | |
| Total (%) | | | 2.182 | | | | | | |

Analyzed by:

2076, 585, 4044

Weight:

0.9889g

Extraction date:

04/16/23 13:45:17

Extracted by:

1879,2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA058B46TER

Instrument Used : DA-GCMS-008

Analyzed Date : 04/17/23 09:43:09

Reviewed On : 04/18/23 11:49:23

Batch Date : 04/15/23 22:28:04

Dilution : 10

Reagent : 121622.33

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30415002-002

Harvest/Lot ID: 1366 7971 5137 1011

 Batch# : 2686 2020 3220
 6753

Sampled : 04/14/23

Ordered : 04/14/23


Sample Size Received : 15.3 units

Total Amount : 1363 units

Completed : 04/18/23 Expires: 04/18/24

Sample Method : SOP.T.20.010

Page 3 of 6

| <div><div></div><div>Pesticides</div></div> | | | | | | PASSED | | | | | |
|--|------|-------|--------------|-----------|--------|--|------|-------|--------------|-----------|--------|
| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.01 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.01 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.01 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | CAPTAN * | 0.07 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | CHLORDANE * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | <div>Analyzed by: 3379, 585, 4044Weight: 0.2136gExtraction date: 04/17/23 14:57:43Extracted by: 3379,450</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA058865PESReviewed On : 04/18/23 09:57:23</div> <div>Instrument Used : DA-LCMS-003 (PES)Batch Date : 04/16/23 19:00:50</div> <div>Analyzed Date : 04/17/23 13:10:51</div> <div>Dilution : 250</div> <div>Reagent : 041723.R01; 040623.R21; 041423.R01; 041123.R05; 041223.R08; 040521.11; 041723.R02</div> <div>Consumables : 6697075-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> | | | | | |
| DIAZINON | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| FENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| IMIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| MALATHION | 0.01 | ppm | 0.2 | PASS | ND | | | | | | |
| METALAXYL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.01 | ppm | 0.25 | PASS | ND | | | | | | |





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30415002-002

Harvest/Lot ID: 1366 7971 5137 1011

 Batch# : 2686 2020 3220
 6753

Sampled : 04/14/23

Ordered : 04/14/23

Sample Size Received : 15.3 units

Total Amount : 1363 units

Completed : 04/18/23 Expires: 04/18/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0244g

 Extraction date:
 04/18/23 10:48:23

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA058881SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 04/18/23 13:05:04

 Reviewed On : 04/18/23 13:19:41
 Batch Date : 04/17/23 10:47:36

 Dilution : 1
 Reagent : 030420.09
 Consumables : G201.062; G201.062
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30415002-002

Harvest/Lot ID: 1366 7971 5137 1011

 Batch# : 2686 2020 3220
 6753

Sampled : 04/14/23

Ordered : 04/14/23




Sample Size Received : 15.3 units

Total Amount : 1363 units

Completed : 04/18/23 Expires: 04/18/24

Sample Method : SOP.T.20.010

Page 5 of 6

|  Microbial PASSED | | | | | |  Mycotoxins PASSED | | | | | |
|---|------|-------|-------------|-------------|--------------|---|-------|-------|--------|-------------|--------------|
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ECOLI SHIGELLA | | | Not Present | PASS | | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | | | | | |
| Analyzed by: 3621, 585, 4044 Weight: 1.196g Extraction date: 04/15/23 15:12:48 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058829MIC Instrument Used : DA-265 Gene-UP RTPCR Analyzed Date : 04/15/23 15:35:46 Dilution : N/A Reagent : 033123.R30; 041123.R39 Consumables : 2125220 Pipette : N/A | | | | | | Analyzed by: 3379, 585, 4044 Weight: 0.2136g Extraction date: 04/17/23 14:57:43 Extracted by: 3379,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058866MYC Instrument Used : N/A Analyzed Date : 04/17/23 13:11:20 Dilution : 250 Reagent : 041723.R01; 040623.R21; 041423.R01; 041123.R05; 041223.R08; 040521.11; 041723.R02 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| Analyzed by: 3621, 3390, 585, 4044 Weight: 1.1739g Extraction date: 04/15/23 15:19:40 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA058844TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 04/15/23 16:34:23 Dilution : 10 Reagent : 011223.25 Consumables : 007109 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |  Heavy Metals PASSED | | | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | | | | | |
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm | ND | PASS | 1.1 | | | | | | |
| ARSENIC | 0.02 | ppm | ND | PASS | 0.2 | | | | | | |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.2 | | | | | | |
| MERCURY | 0.02 | ppm | ND | PASS | 0.2 | | | | | | |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 | | | | | | |
| Analyzed by: 1022, 585, 4044 Weight: 0.2638g Extraction date: 04/17/23 09:01:18 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058862HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 04/17/23 13:58:38 Dilution : 50 Reagent : 040623.R23; 031423.R18; 041423.R38; 041023.R08; 041423.R36; 041423.R37; 041123.R28; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12620-307CD-307D Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | |



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30415002-002

Harvest/Lot ID: 1366 7971 5137 1011

 Batch# : 2686 2020 3220
 6753

Sampled : 04/14/23

Ordered : 04/14/23

Sample Size Received : 15.3 units

Total Amount : 1363 units

Completed : 04/18/23 Expires: 04/18/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-----|-------|--------|------|--------------|
| Filth and Foreign Material | 0.1 | % | ND | PASS | 1 |

| | | | |
|----------------------------|---------------|-------------------------|----------------------|
| Analyzed by: 1879, 4044 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|----------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA058879FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/16/23 20:34:56

Reviewed On : 04/16/23 20:39:48

Batch Date : 04/16/23 20:28:53

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|------|-------|--------|------|--------------|
| Water Activity | 0.01 | aw | 0.52 | PASS | 0.85 |

| | | | |
|---------------------------------------|-------------------|---------------------------------------|-----------------------|
| Analyzed by: 1879, 3807, 585, 4044 | Weight: 0.599g | Extraction date: 04/17/23 12:42:09 | Extracted by: 3807 |
|---------------------------------------|-------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA058839WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 04/15/23 21:52:41

Reviewed On : 04/17/23 13:04:21

Batch Date : 04/15/23 13:47:40

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.