



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample: DA30415011-004**  
**Harvest/Lot ID: 2616 4381 9397 7640**  
**Batch#: 2616 4381 9397 7640**  
**Cultivation Facility: Tampa Cultivation**  
**Processing Facility : Tampa Processing**  
**Source Facility : Tampa Cultivation**  
**Seed to Sale# 7210 2759 5019 6265**  
**Batch Date: 02/16/23**  
**Sample Size Received: 78.75 gram**  
**Total Amount: 1582 units**  
**Retail Product Size: 11.25 gram**  
**Ordered : 04/15/23**  
**Sampled : 04/15/23**  
**Completed: 04/18/23**  
**Sampling Method: SOP.T.20.010**

Apr 18, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 6

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**4.071%**

Total THC/Container : 457.987 mg



**Total CBD**  
**0.012%**

Total CBD/Container : 1.35 mg



**Total Cannabinoids**  
**4.287%**

Total Cannabinoids/Container : 482.287 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.071	ND	0.012	ND	0.008	0.115	ND	0.02	0.025	ND	0.036
mg/unit	457.987	ND	1.35	ND	0.9	12.937	ND	2.25	2.812	ND	4.05
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3112, 1665, 585, 1440

Weight:  
2.8817g

Extraction date:  
04/17/23 09:11:52

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA058855POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 04/17/23 10:06:10

Reviewed On : 04/18/23 11:24:04  
 Batch Date : 04/16/23 12:46:56

Dilution : 400  
 Reagent : 041223.R06; 071222.01; 041223.R03  
 Consumables : 947.109; 250346; CE0123; 115C4-1151; 12617-306CD-306C; 61633-125C6-125E; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
04/18/23



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30415011-004

Harvest/Lot ID: 2616 4381 9397 7640

Batch# : 2616 4381 9397  
7640

Sampled : 04/15/23

Ordered : 04/15/23

Sample Size Received : 78.75 gram

Total Amount : 1582 units

Completed : 04/18/23 Expires: 04/18/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	84.712	0.753		FARNESENE	0.007	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	<2.25	<0.02	
ALPHA-BISABOLOL	0.007	<2.25	<0.02		VALENCENE	0.007	4.162	0.037	
ALPHA-PINENE	0.007	6.862	0.061		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<2.25	<0.02	
BETA-PINENE	0.007	<2.25	<0.02		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	22.5	0.2		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	<2.25	<0.02		<p>Analyzed by: 2076, 585, 1440 Weight: 1.0014g Extraction date: 04/16/23 14:09:47 Extracted by: 1879, 2076</p> <p>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</p> <p>Analytical Batch : DA058B46TER</p> <p>Instrument Used : DA-GCMS-008</p> <p>Analyzed Date : 04/17/23 09:43:09</p> <p>Dilution : 10</p> <p>Reagent : 121622.33</p> <p>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</p> <p>Pipette : N/A</p> <p>Reviewed On : 04/18/23 11:24:09</p> <p>Batch Date : 04/15/23 22:28:04</p> <p>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</p>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	37.012	0.329						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	2.362	0.021						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	2.812	0.025						
FENCHYL ALCOHOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	9	0.08						
<b>Total (%)</b>			<b>0.753</b>						



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30415011-004

Harvest/Lot ID: 2616 4381 9397 7640

 Batch# : 2616 4381 9397  
 7640

Sampled : 04/15/23

Ordered : 04/15/23


Sample Size Received : 78.75 gram

Total Amount : 1582 units

Completed : 04/18/23 Expires: 04/18/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2221g	04/17/23 14:50:01	3379,450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch :DA058874PES			Reviewed On : 04/18/23 15:15:55		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used :DA-LCMS-003 (PES)			Batch Date : 04/16/23 19:16:04		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : 04/17/23 13:10:54					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 041723.R01; 040623.R21; 041423.R01; 041123.R05; 041223.R08; 040521.11; 041723.R02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2221g	04/17/23 14:50:01	3379,450,585		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch :DA058876VOL			Reviewed On : 04/18/23 11:25:37		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used :DA-GCMS-001			Batch Date : 04/16/23 19:19:41		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 04/17/23 15:07:30					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 040623.R21; 040521.11; 040723.R43; 040723.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30415011-004

Harvest/Lot ID: 2616 4381 9397 7640

 Batch# : 2616 4381 9397  
 7640

Sampled : 04/15/23

Ordered : 04/15/23

Sample Size Received : 78.75 gram

Total Amount : 1582 units

Completed : 04/18/23 Expires: 04/18/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0249g

 Extraction date:  
 04/18/23 13:25:08


 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA058887SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 04/18/23 14:29:11

 Reviewed On : 04/18/23 15:13:32  
 Batch Date : 04/17/23 11:36:57

 Dilution : 1  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Midnight Cruiser Drops 11.25g  
Midnight Cruiser  
Matrix : Derivative  
psules, tinctures, and similar  
usable products)



# PASSED

82 NE 26th street  
Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

Sample : DA30415011-004  
Harvest/Lot ID: 2616 4381 9397 7640

Batch# : 2616 4381 9397 7640	Sample Size Received : 78.75 gram
	Total Amount : 1582 units
Sampled : 04/15/23	Completed : 04/18/23 Expires: 04/18/24
Ordered : 04/15/23	Sample Method : SOP T.20.010

Page 5 of 6

Microbial

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 3390, 585, 1440	Weight: 1.0667g	Extraction date: 04/16/23 15:22:17	Extracted by: 3621		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA058847MIC Reviewed On : 04/18/23 11:34:39 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 04/16/23 09:32:55 Analyzed Date : 04/16/23 15:22:58					
Dilution : N/A Reagent : 033123.R30; 041223.R01 Consumables : 2125220 Pipette : N/A					
Analyzed by: 3336, 585, 1440	Weight: 1.0307g	Extraction date: 04/16/23 15:30:52	Extracted by: 3621,3390,3336		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA058848TYM Reviewed On : 04/18/23 15:16:38 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 04/16/23 09:52:07 Analyzed Date : 04/16/23 15:57:40					
Dilution : 10 Reagent : 033123.R30; 041223.R01; 032323.R29; 011323.22 Consumables : 2125220; 007109 Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.2221g	Extraction date: 04/17/23 14:50:01	Extracted by: 3379,450,585		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA058875MYC Reviewed On : 04/18/23 15:14:19 Instrument Used : N/A Batch Date : 04/16/23 19:17:35 Analyzed Date : 04/17/23 13:11:12					
Dilution : 250 Reagent : 041723.R01; 040623.R21; 041423.R01; 041123.R05; 041223.R08; 040521.11; 041723.R02 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Hg

Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2447g	Extraction date: 04/17/23 08:55:09	Extracted by: 1022,3619		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA058862HEA Reviewed On : 04/18/23 10:02:53 Instrument Used : DA-ICPMS-003 Batch Date : 04/16/23 15:49:29 Analyzed Date : 04/17/23 13:58:38					
Dilution : 50 Reagent : 040623.R23; 031423.R18; 041423.R38; 041023.R08; 041423.R36; 041423.R37; 041123.R28; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12620-307CD-307D Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/18/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30415011-004

Harvest/Lot ID: 2616 4381 9397 7640

 Batch# : 2616 4381 9397  
 7640

Sampled : 04/15/23

Ordered : 04/15/23

Sample Size Received : 78.75 gram

Total Amount : 1582 units

Completed : 04/18/23 Expires: 04/18/24

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign Material**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA058879FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/16/23 20:34:56

Reviewed On : 04/16/23 20:39:38

Batch Date : 04/16/23 20:28:53

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.46	TESTED	

Analyzed by: 3807, 585, 1440	Weight: 1.048g	Extraction date: 04/17/23 12:48:21	Extracted by: 3807
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA058838WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 04/15/23 21:52:44

Reviewed On : 04/17/23 13:05:31

Batch Date : 04/15/23 13:47:31

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.