



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30415011-005  
**Harvest/Lot ID:** 7890 0030 5679 9532  
**Batch#:** 7890 0030 5679 9532  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 3565 5245 2738 9692  
**Batch Date:** 01/26/23  
**Sample Size Received:** 900 gram  
**Total Amount:** 4269 units  
**Retail Product Size:** 61.4000 gram  
**Ordered :** 04/15/23  
**Sampled :** 04/15/23  
**Completed:** 04/19/23  
**Sampling Method:** SOP.T.20.010

Apr 19, 2023 | FLUENT


82 NE 26th street  
Miami, FL, 33137, US



# PASSED

Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



### Cannabinoid

# PASSED



Total THC

**0.142%**

Total THC/Container : 87.188 mg



Total CBD

**0.002%**

Total CBD/Container : 1.228 mg



Total Cannabinoids

**0.151%**

Total Cannabinoids/Container : 92.714 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.142	ND	0.002	ND	ND	0.004	ND	0.003	ND	ND	ND
mg/unit	87.188	ND	1.228	ND	ND	2.456	ND	1.842	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 3112, 1665, 585, 1440

Weight:  
 2.6029g

Extraction date:  
 04/18/23 08:44:15

Extracted by:  
 3112,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA058852POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 04/17/23 10:17:10

Reviewed On : 04/18/23 11:25:06  
 Batch Date : 04/16/23 12:43:52

Dilution : 400  
 Reagent : 040323.01; 041223.R06; 071222.46; 071222.01; 041223.R03  
 Consumables : 250350; CE0123; 12620-308CD-308D; 61633-125C6-125E; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 04/19/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30415011-005

Harvest/Lot ID: 7890 0030 5679 9532

 Batch# : 7890 0030 5679  
 9532

Sampled : 04/15/23

Ordered : 04/15/23

Sample Size Received : 900 gram

Total Amount : 4269 units

Completed : 04/19/23 Expires: 04/19/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9889g	04/17/23 14:52:52	3379,450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA058871PES			Reviewed On : 04/19/23 12:53:31		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/16/23 19:11:34		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : 04/17/23 13:10:54					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 041723.R01; 040623.R21; 041423.R01; 041123.R05; 041223.R08; 040521.11; 041723.R02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.9889g	04/17/23 14:52:52	3379,450,585		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA058873VOL			Reviewed On : 04/18/23 11:26:09		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-006			Batch Date : 04/16/23 19:15:02		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 04/17/23 15:07:41					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 040623.R21; 040521.11; 040723.R43; 040723.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30415011-005

Harvest/Lot ID: 7890 0030 5679 9532

 Batch# : 7890 0030 5679  
 9532

Sampled : 04/15/23

Ordered : 04/15/23

Sample Size Received : 900 gram

Total Amount : 4269 units

Completed : 04/19/23 Expires: 04/19/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0237g

 Extraction date:  
 04/18/23 13:25:08

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA058887SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 04/18/23 14:29:11

 Reviewed On : 04/18/23 15:13:34  
 Batch Date : 04/17/23 11:36:57

 Dilution : 1  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30415011-005

Harvest/Lot ID: 7890 0030 5679 9532

Batch# : 7890 0030 5679 9532

Sampled : 04/15/23

Ordered : 04/15/23


Sample Size Received : 900 gram


Total Amount : 4269 units


Completed : 04/19/23 Expires: 04/19/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 3390, 585, 1440	Weight: 0.9106g	Extraction date: 04/16/23 15:22:17		Extracted by: 3621	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA058847MIC		Reviewed On : 04/18/23 11:34:41			
Instrument Used : DA-265 Gene-UP RTPCR		Batch Date : 04/16/23 09:32:55			
Analyzed Date : 04/16/23 15:22:58					
Dilution : N/A					
Reagent : 033123.R30; 041223.R01					
Consumables : 2125220					
Pipette : N/A					
Analyzed by: 3336, 585, 1440	Weight: 1.0288g	Extraction date: 04/16/23 15:30:52		Extracted by: 3621,3390,3336	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
Analytical Batch : DA058848TYM		Reviewed On : 04/18/23 15:16:39			
Instrument Used : Incubator (25-27C) DA-096		Batch Date : 04/16/23 09:52:07			
Analyzed Date : 04/16/23 15:57:40					
Dilution : 10					
Reagent : 033123.R30; 041223.R01; 032323.R29; 011323.22					
Consumables : 2125220; 007109					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	Mycotoxins	PASSED			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.9889g	Extraction date: 04/17/23 14:52:52		Extracted by: 3379,450,585	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA058872MYC		Reviewed On : 04/19/23 12:52:08			
Instrument Used : N/A		Batch Date : 04/16/23 19:15:00			
Analyzed Date : 04/17/23 13:11:15					
Dilution : 250					
Reagent : 041723.R01; 040623.R21; 041423.R01; 041123.R05; 041223.R08; 040521.11; 041723.R02					
Consumables : 6697075-02					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS					
ARSENIC	0.08	ppm	ND	PASS	5
CADMIUM	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2373g	Extraction date: 04/17/23 10:54:40		Extracted by: 1022,3619	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA058863HEA		Reviewed On : 04/18/23 09:26:41			
Instrument Used : DA-ICPMS-003		Batch Date : 04/16/23 15:58:35			
Analyzed Date : 04/17/23 13:58:25					
Dilution : 50					
Reagent : 040623.R23; 031423.R18; 041423.R38; 041023.R08; 041423.R36; 041423.R37; 041123.R28; 040323.R21					
Consumables : 179436; 210508058; 12620-307CD-307D					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count  
Original Peach  
Matrix : Edible  
Type: Soft Chew



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30415011-005

Harvest/Lot ID: 7890 0030 5679 9532

Batch# : 7890 0030 5679 9532

Sampled : 04/15/23

Ordered : 04/15/23

Sample Size Received : 900 gram

Total Amount : 4269 units

Completed : 04/19/23 Expires: 04/19/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED

Homogeneity

Amount of tests conducted : 28

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA058878FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/16/23 20:34:58

Reviewed On : 04/16/23 20:41:41

Batch Date : 04/16/23 20:28:44

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.541	PASS	0.85

Analyzed by: 3807, 585, 1440	Weight: 9.372g	Extraction date: 04/17/23 12:48:21	Extracted by: 3807
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA058838WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/15/23 21:52:44

Reviewed On : 04/17/23 13:05:33

Batch Date : 04/15/23 13:47:31

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	6.26	25

ANALYZED BY

3335, 3605, 1665, 1440

Average Weight  
6.004g

Extraction date :  
04/16/23 14:53:54

Extracted By :  
3963

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA058849HOM

Reviewed On : 04/18/23 08:28:35

Instrument Used : DA-LC-001 (Homo)

Batch Date : 04/16/23 11:41:51

Analyzed Date : 04/17/23 08:23:21

Dilution : 40

Reagent : 040323.01; 040623.R19; 071222.35; 040623.R20

Consumables : 947.109; 250350; CE0123; 115C4-1151; 12617-306CD-306C;

61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

Signature  
04/19/23