




# Certificate of Analysis

**COMPLIANCE FOR RETAIL**
**Sample: DA30420002-002**
**Harvest/Lot ID: 1279 2964 6282 8438**
**Batch#: 5577 6850 0469 0046**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 1279 2964 6282 8438**
**Batch Date: 03/09/23**
**Sample Size Received: 900 gram**
**Total Amount: 4381 units**
**Retail Product Size: 61.2622 gram**
**Ordered : 04/19/23**
**Sampled : 04/19/23**
**Completed: 04/22/23**
**Sampling Method: SOP.T.20.010**
**Apr 22, 2023 | FLUENT**

82 NE 26th street  
Miami, FL, 33137, US

**PASSED**
**Pages 1 of 5**
**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides  
PASSED**

**Heavy Metals  
PASSED**

**Microbials  
PASSED**

**Mycotoxins  
PASSED**

**Residuals Solvents  
PASSED**

**Filtration  
PASSED**

**Water Activity  
PASSED**

**Moisture  
NOT TESTED**

**Terpenes  
NOT TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**0.147%**
**Total THC/Container : 90.055 mg**

**Total CBD**
**ND**
**Total CBD/Container : 0 mg**

**Total Cannabinoids**
**0.152%**
**Total Cannabinoids/Container : 93.119 mg**

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.147	ND	ND	ND	ND	0.005	ND	ND	ND	ND	ND
mg/unit	90.055	ND	ND	ND	ND	3.063	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

**Analyzed by:**  
3112, 1665, 585, 4044

**Weight:**  
2.8718g

**Extraction date:**  
04/20/23 12:02:06

**Extracted by:**  
1665,3112

**Analysis Method :** SOP.T.40.031, SOP.T.30.031

**Analytical Batch :** DA059023POT

**Instrument Used :** DA-LC-007

**Analyzed Date :** 04/20/23 12:27:31

**Reviewed On :** 04/21/23 10:34:10

**Batch Date :** 04/20/23 09:25:37

**Dilution :** 400

**Reagent :** 040323.01; 041923.R09; 071222.35; 032123.11; 041923.R04

**Consumables :** 250350; CE0123; 12620-308CD-308D; 61633-125C6-125E; R1KB14270

**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



**Signature**  
04/22/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30420002-002

Harvest/Lot ID: 1279 2964 6282 8438

 Batch# : 5577 6850 0469  
 0046

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 900 gram

Total Amount : 4381 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROCONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	1.1011g	04/20/23 15:56:11	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA059046PES			Reviewed On : 04/22/23 20:40:42		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-002			Batch Date : 04/20/23 11:07:02		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : 04/20/23 16:05:37					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	1.1011g	04/20/23 15:56:11	3379		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA059047VOL			Reviewed On : 04/21/23 11:39:19		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 04/20/23 11:09:02		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 04/20/23 16:20:09					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 041823.R35; 040521.11; 040723.R43; 040723.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30420002-002

Harvest/Lot ID: 1279 2964 6282 8438

 Batch# : 5577 6850 0469  
 0046

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 900 gram

Total Amount : 4381 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0248g

 Extraction date:  
 04/21/23 15:18:57

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA05906850L  
 Instrument Used : DA-GCMS-002  
 Analyzed Date : 04/22/23 13:21:34

 Reviewed On : 04/22/23 14:25:55  
 Batch Date : 04/20/23 17:14:55

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : G201.062; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.







# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30420002-002

Harvest/Lot ID: 1279 2964 6282 8438

Batch# : 5577 6850 0469 0046

 Sampled : 04/19/23  
 Ordered : 04/19/23




Sample Size Received : 900 gram

Total Amount : 4381 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial</div> <div>PASSED</div>						<div><div></div> Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:	Weight:	Extraction date:		Extracted by:	
						3379, 585, 4044	1.1011g	04/20/23 15:56:11		3379	
Analyzed by:	Weight:	Extraction date:	Extracted by:			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),					
3336, 3621, 585, 4044	0.8735g	04/20/23 11:48:39	3336			SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA059059MYC					
Analytical Batch : DA059016MIC						Instrument Used : N/A					
Instrument Used : DA-265 Gene-UP RTPCR						Reviewed On : 04/22/23 20:38:50					
Analyzed Date : 04/20/23 13:04:00						Batch Date : 04/20/23 11:48:17					
Dilution : N/A						Dilution : 250					
Reagent : 033123.R30; 041823.R25						Reagent : 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01;					
Consumables : 2125220						040521.11					
Pipette : N/A						Consumables : 6697075-02					
						Pipette : DA-093; DA-094; DA-219					
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
<div> Heavy Metals</div> <div>PASSED</div>											
Metal	LOD	Units	Result	Pass / Fail	Action Level	Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5	ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5	MERCURY	0.02	ppm	ND	PASS	3
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30420002-002

Harvest/Lot ID: 1279 2964 6282 8438

 Batch# : 5577 6850 0469  
 0046

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 900 gram

Total Amount : 4381 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign Material**
**PASSED**
**Homogeneity**
**PASSED**

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by: 1879, 4044  
 Weight: NA  
 Extraction date: N/A  
 Extracted by: N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA059131FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/21/23 15:32:49

Reviewed On : 04/21/23 15:42:22

Batch Date : 04/21/23 14:50:10

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.54	PASS	0.85

 Analyzed by: 2926, 585, 4044  
 Weight: 2.837g  
 Extraction date: 04/21/23 11:55:30  
 Extracted by: 2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA058943WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/18/23 14:44:06

Reviewed On : 04/21/23 12:07:52

Batch Date : 04/18/23 11:49:41

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	4.546	25

 Analyzed by: 3335, 3605, 585, 4044  
 Average Weight: 6.159g  
 Extraction date : 04/20/23 11:14:04  
 Extracted By : 3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA059017HOM

Reviewed On : 04/21/23 10:33:00

Instrument Used : DA-LC-006

Batch Date : 04/20/23 08:56:58

Analyzed Date : 04/20/23 11:14:18

Dilution : 40

Reagent : 040323.01; 041223.R07; 071222.35; 041223.R02

Consumables : 947.109; 250346; CE0123; 115C4-1151; 12617-306CD-306C;

61633-125C6-125E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.