



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30420004-003
Harvest/Lot ID: HYB-FS-041423-C0086
Batch#: 7277 2203 1055 2675
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 3846 5351 1743 0434
Batch Date: 03/15/23
Sample Size Received: 31.5 gram
Total Amount: 1769 units
Retail Product Size: 3.5 gram
Ordered: 04/19/23
Sampled: 04/19/23
Completed: 04/22/23
Sampling Method: SOP.T.20.010

Apr 22, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
33.097%
Dry Weight



Total CBD
0.072%
Dry Weight



Total Cannabinoids
38.673%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)	
%	0.787	31.71	ND	0.072	0.054	0.101	0.611	ND	ND	ND	0.079	0.072	33.097	38.673	Total THC
mg/unit	27.545	1109.85	ND	2.52	1.89	3.535	21.385	ND	ND	ND	2.765	2.52	1158.395	1353.555	1000.86 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	Total CBD
%															0.063%
															2.205 mg /Container
															As Received

Analyzed by:
1665, 585, 4044

Weight:
0.1962g

Extraction date:
04/20/23 12:10:43

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA059028POT

Instrument Used : DA-LC-002

Analyzed Date : 04/20/23 12:14:36

Reviewed On : 04/21/23 10:43:58

Batch Date : 04/20/23 09:41:25

Dilution : 400

Reagent : 041923.R10; 030823.03; 041923.R05

Consumables : 280670723; CE0123; 61633-125C6-125E; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/22/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30420004-003

Harvest/Lot ID: HYB-FS-041423-C0086

 Batch# : 7277 2203 1055
 2675

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 31.5 gram

Total Amount : 1769 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 2 of 5

</



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30420004-003

Harvest/Lot ID: HYB-FS-041423-C0086

 Batch# : 7277 2203 1055
 2675

Sampled : 04/19/23

Ordered : 04/19/23


Sample Size Received : 31.5 gram

Total Amount : 1769 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 4044 Weight: 1.0144g Extraction date: 04/20/23 15:56:14 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA059046PES Instrument Used : DA-LCMS-002 Analyzed Date : 04/20/23 16:05:37 Dilution : 250 Reagent : 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 4044 Weight: 1.0144g Extraction date: 04/20/23 15:56:14 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA059047VOL Instrument Used : DA-GCMS-001 Analyzed Date : 04/20/23 16:20:09 Dilution : 250 Reagent : 041823.R35; 040521.11; 040723.R43; 040723.R44 Consumables : 6697075-02; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						






Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30420004-003
 Harvest/Lot ID: HYB-FS-041423-C0086
 Batch# : 7277 2203 1055 Sample Size Received : 31.5 gram
 2675 Total Amount : 1769 units
 Sampled : 04/19/23 Completed : 04/22/23 Expires: 04/22/24
 Ordered : 04/19/23 Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	950	PASS	100000	Analyzed by:		Weight:		Extraction date:	Extracted by:
						3379, 585, 4044		1.0144g		04/20/23 15:56:14	3379
Analyzed by: 3336, 3621, 585, 4044 Weight: 0.9495g Extraction date: 04/20/23 11:48:42 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA059016MIC Reviewed On : 04/22/23 13:28:14 Instrument Used : DA-265 Gene-UP RTPCR Batch Date : 04/20/23 08:06:27 Analyzed Date : 04/20/23 13:04:00 Dilution : N/A Reagent : 033123.R30; 041823.R25 Consumables : 2125220 Pipette : N/A						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA059059MYC Reviewed On : 04/22/23 20:38:57 Instrument Used : N/A Batch Date : 04/20/23 11:48:17 Analyzed Date : 04/20/23 16:06:05 Dilution : 250 Reagent : 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219					
Analyzed by: 3336, 585, 4044 Weight: 0.9950g Extraction date: 04/20/23 11:58:33 Extracted by: 3336,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA059062TYM Reviewed On : 04/22/23 13:36:34 Instrument Used : Incubator (25-27C) DA-096 Batch Date : 04/20/23 11:55:46 Analyzed Date : 04/20/23 13:04:31 Dilution : 10 Reagent : 011323.24; 032323.R29 Consumables : 007109 Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by:		Weight:		Extraction date:	Extracted by:						
1022, 585, 4044		0.2444g		04/20/23 10:51:52	1022,3619						
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA059031HEA Reviewed On : 04/21/23 10:45:57 Instrument Used : DA-ICPMS-003 Batch Date : 04/20/23 09:53:04 Analyzed Date : 04/20/23 14:44:34 Dilution : 50 Reagent : 040623.R23; 031423.R18; 041423.R38; 041723.R30; 041423.R36; 041423.R37; 041123.R28; 040323.R21; 020123.02 Consumables : 179436; 210508058; 12620-307CD-307D Pipette : DA-061; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30420004-003
 Harvest/Lot ID: HYB-FS-041423-C0086

 Batch# : 7277 2203 1055
 Sample Size Received : 31.5 gram
 Total Amount : 1769 units
 Completed : 04/22/23 Expires: 04/22/24
 Sampled : 04/19/23
 Ordered : 04/19/23
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.6	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed by: N/A						Analyzed by: 2926, 585, 4044 Weight: 0.5g Extraction date: 04/20/23 14:41:27 Analyzed by: 2926					
Analysis Method : SOP.T.40.090 Analytical Batch : DA059135FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/21/23 15:35:30 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA059060MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/20/23 14:38:34 Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.635	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 0.585g Extraction date: 04/20/23 14:20:32 Analyzed by: 2926					
Analysis Method : SOP.T.40.019 Analytical Batch : DA059057WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 04/20/23 14:17:33 Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

