



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30420004-005
Harvest/Lot ID: HYB-OGK-041423-C0086
Batch#: 4274 7895 8449 4170
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 9958 0227 1259 9022
Batch Date: 03/15/23
Sample Size Received: 38.5 gram
Total Amount: 2790 units
Retail Product Size: 3.5 gram
Ordered: 04/19/23
Sampled: 04/19/23
Completed: 04/22/23
Sampling Method: SOP.T.20.010

Apr 22, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
26.104%
Dry Weight



Total CBD
0.073%
Dry Weight



Total Cannabinoids
30.506%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.889	24.829	ND	0.073	0.06	0.071	0.507	ND	ND	ND	0.057	0.073	26.104	30.506
mg/unit	31.115	869.015	ND	2.555	2.1	2.485	17.745	ND	ND	ND	1.995	2.555	913.64	1067.71
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Total THC
22.664%
793.24 mg /Container

Total CBD
0.064%
2.24 mg /Container

As Received

Analyzed by:
1665, 585, 4044

Weight:
0.2086g

Extraction date:
04/20/23 12:10:49

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA059028POT

Instrument Used : DA-LC-002

Analyzed Date : 04/20/23 12:14:36

Reviewed On : 04/21/23 10:44:06

Batch Date : 04/20/23 09:41:25

Dilution : 400

Reagent : 041923.R10; 030823.03; 041923.R05

Consumables : 280670723; CE0123; 61633-125C6-125E; 0000185478

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/22/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30420004-005

Harvest/Lot ID: HYB-OGK-041423-C0086

Batch# : 4274 7895 8449
4170

Sampled : 04/19/23

Ordered : 04/19/23


Sample Size Received : 38.5 gram

Total Amount : 2790 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	104.405	2.983		FARNESENE	0.007	1.015	0.029	
TOTAL TERPENEOL	0.007	2.065	0.059		ALPHA-HUMULENE	0.007	2.135	0.061	
ALPHA-BISABOLOL	0.007	0.98	0.028		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.17	0.062		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.7	<0.02		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	3.36	0.096		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	29.75	0.85		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA059064TER</div> <div>Instrument Used : DA-GCMS-008</div> <div>Analyzed Date : 04/21/23 17:36:27</div> <div>Dilution : 10</div> <div>Reagent : N/A</div> <div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div> <div>Pipette : N/A</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	21.84	0.624						
EUCALYPTOL	0.007	ND	ND		Reviewed On : 04/22/23 13:36:05				
OCIMENE	0.007	ND	ND		Batch Date : 04/20/23 12:03:56				
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	<0.7	<0.02						
LINALOOL	0.007	6.3	0.18						
FENCHYL ALCOHOL	0.007	2.38	0.068						
ISOPULEGOL	0.007	<0.7	<0.02						
CAMPHOR	0.013	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<1.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	6.72	0.192						
Total (%)				2.983					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30420004-005

Harvest/Lot ID: HYB-OGK-041423-C0086

 Batch# : 4274 7895 8449
 4170

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 38.5 gram

Total Amount : 2790 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROCONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.9367g	04/20/23 15:56:15	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059046PES			Reviewed On : 04/22/23 20:41:21		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-002			Batch Date : 04/20/23 11:07:02		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/20/23 16:05:37					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.9367g	04/20/23 15:56:15	3379		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA059047VOL			Reviewed On : 04/21/23 11:39:28		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 04/20/23 11:09:02		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 04/20/23 16:20:09					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 041823.R35; 040521.11; 040723.R43; 040723.R44					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis




PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30420004-005
Harvest/Lot ID: HYB-OGK-041423-C0086
Batch# : 4274 7895 8449 Sample Size Received : 38.5 gram
4170 Total Amount : 2790 units
Sampled : 04/19/23 Completed : 04/22/23 Expires: 04/22/24
Ordered : 04/19/23 Sample Method : SOP.T.20.010

Page 4 of 5

<div> Microbial PASSED</div>						<div> Mycotoxins PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000	Analyzed by:	Weight:	Extraction date:		Extracted by:	
						3379, 585, 4044	0.9367g	04/20/23 15:56:15		3379	
Analyzed by: 3336, 3621, 585, 4044						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA059059MYC					
Analytical Batch : DA059016MIC						Reviewed On : 04/22/23 20:38:59					
Instrument Used : DA-265 Gene-UP RTPCR						Batch Date : 04/20/23 11:48:17					
Analyzed Date : 04/20/23 13:04:00						Analyzed Date : 04/20/23 16:06:05					
Dilution : N/A						Dilution : 250					
Reagent : 033123.R30; 041823.R25						Reagent : 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11					
Consumables : 2125220						Consumables : 6697075-02					
Pipette : N/A						Pipette : DA-093; DA-094; DA-219					
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 585, 4044						<div> Heavy Metals PASSED</div>					
Weight: 1.1285g											
Extraction date: 04/20/23 11:58:29											
Extracted by: 3336,3390											
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA059062TYM						Reviewed On : 04/22/23 13:36:36					
Instrument Used : Incubator (25-27C) DA-096						Batch Date : 04/20/23 11:55:46					
Analyzed Date : 04/20/23 13:04:31											
Dilution : 10						Metal					
Reagent : 011323.24; 032323.R29						TOTAL CONTAMINANT LOAD METALS					
Consumables : 007109						0.08					
Pipette : N/A						0.02					
						ppm					
						ND					
						ND					
						PASS					
						0.2					
						0.02					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					
						ND					
						PASS					
						0.2					
						ppm					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30420004-005

Harvest/Lot ID: HYB-OGK-041423-C0086

 Batch# : 4274 7895 8449
 4170

Sampled : 04/19/23

Ordered : 04/19/23

Sample Size Received : 38.5 gram

Total Amount : 2790 units

Completed : 04/22/23 Expires: 04/22/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.18	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date : 04/21/23 15:35:30						Analyzed by: 2926, 585, 4044 Weight: 0.495g Extraction date: 04/20/23 14:41:28 Analyzed Date : 04/20/23 14:38:34					
Analysis Method : SOP.T.40.090 Analytical Batch : DA059135FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 04/21/23 15:42:33 Batch Date : 04/21/23 15:33:42						Analysis Method : SOP.T.40.021 Analytical Batch : DA059060MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 04/20/23 15:50:48 Batch Date : 04/20/23 11:52:09					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 101920.06; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.594	PASS	0.65
Analyzed by: 2926, 585, 4044 Weight: 0.575g Extraction date: 04/20/23 14:20:32 Analyzed Date : 04/20/23 14:17:33					
Analysis Method : SOP.T.40.019 Analytical Batch : DA059057WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 04/20/23 14:37:28 Batch Date : 04/20/23 11:46:50					
Dilution : N/A Reagent : 100522.09 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.