



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30421004-008
Harvest/Lot ID: 8946 6716 2185 2331
Batch#: 8946 6716 2185 2331
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4170 1322 1463 6205
Batch Date: 03/09/23
Sample Size Received: 16 gram
Total Amount: 1452 units
Retail Product Size: 1 gram
Ordered : 04/20/23
Sampled : 04/20/23
Completed: 04/24/23
Sampling Method: SOP.T.20.010
PASSED
Apr 24, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

Pages 1 of 6
PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
88.096%
Total THC/Container : 880.96 mg

Total CBD
1.067%
Total CBD/Container : 10.67 mg

Total Cannabinoids
93.797%
Total Cannabinoids/Container : 937.97 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.096	ND	1.067	ND	0.197	2.013	ND	0.383	1.055	ND	0.986
mg/unit	880.96	ND	10.67	ND	1.97	20.13	ND	3.83	10.55	ND	9.86
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.097g

Extraction date:
04/21/23 11:59:55

Extracted by:
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA059096POT
Instrument Used : DA-LC-007
Analyzed Date : 04/21/23 12:40:22

Reviewed On : 04/22/23 14:35:13
Batch Date : 04/21/23 10:09:11

Dilution : 400
Reagent : 041923.R09; 070621.18; 041923.R04
Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/24/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30421004-008

Harvest/Lot ID: 8946 6716 2185 2331

 Batch# : 8946 6716 2185
 2331

Sampled : 04/20/23

Ordered : 04/20/23


Sample Size Received : 16 gram

Total Amount : 1452 units

Completed : 04/24/23 Expires: 04/24/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	10.25	1.025		FARNESENE	ND	ND		
TOTAL TERPENEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.26	0.026	
ALPHA-BISABOLOL	0.007	0.31	0.031		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.28	0.028		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<0.2	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.34	0.034		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.23	0.123		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.32	0.032		Analyzed by: 2076, 585, 1440Weight: 0.9801gExtraction date: 04/22/23 16:40:14Extracted by: 2076				
3-CARENE	0.007	<0.2	<0.02		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.007	<0.2	<0.02		Analytical Batch : DA059111TER				
LIMONENE	0.007	1.85	0.185		Instrument Used : DA-GCMS-005Reviewed On : 04/24/23 11:04:59				
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 04/22/23 16:42:39Batch Date : 04/21/23 11:36:44				
OCIMENE	0.007	0.74	0.074		Dilution : 10				
GAMMA-TERPINENE	0.007	<0.2	<0.02		Reagent : 121622.35				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	3.42	0.342		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	0.52	0.052						
FENCHYL ALCOHOL	0.007	0.2	0.02						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	0.78	0.078						
Total (%)			1.025						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30421004-008

Harvest/Lot ID: 8946 6716 2185 2331

 Batch# : 8946 6716 2185
 2331

Sampled : 04/20/23

Ordered : 04/20/23


Sample Size Received : 16 gram

Total Amount : 1452 units

Completed : 04/24/23 Expires: 04/24/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 1440</div> <div>Weight: 0.2681g</div> <div>Extraction date: 04/21/23 16:31:42</div> <div>Extracted by: 450,585</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA059118PES</div> <div>Instrument Used : DA-LCMS-003 (PES)</div> <div>Analyzed Date : 04/21/23 16:48:26</div> <div>Dilution : 250</div> <div>Reagent : 041723.R01; 042123.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11</div> <div>Consumables : 6697075-02</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30421004-008

Harvest/Lot ID: 8946 6716 2185 2331

 Batch# : 8946 6716 2185
 2331

Sampled : 04/20/23

Ordered : 04/20/23

Sample Size Received : 16 gram

Total Amount : 1452 units

Completed : 04/24/23 Expires: 04/24/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0241g

 Extraction date:
 04/22/23 15:04:45

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA059150SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 04/24/23 12:53:09

 Reviewed On : 04/24/23 13:56:19
 Batch Date : 04/21/23 17:44:42

 Dilution : 1
 Reagent : 030420.09
 Consumables : 27296; KF140
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30421004-008

Harvest/Lot ID: 8946 6716 2185 2331

Batch# : 8946 6716 2185 2331

Sampled : 04/20/23

Ordered : 04/20/23


Sample Size Received : 16 gram


Total Amount : 1452 units


Completed : 04/24/23 Expires: 04/24/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ECOLI SHIGELLA			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	
Analyzed by: 3621, 3336, 585, 1440	Weight: 1.02g	Extraction date: 04/21/23 17:18:10	Extracted by: 3336			
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						
Analytical Batch : DA059103MIC			Reviewed On : 04/22/23 17:21:43			
Instrument Used : PathogenDx Scanner DA-111			Batch Date : 04/21/23 10:25:34			
Analyzed Date : 04/21/23 17:16:18						
Dilution : N/A						
Reagent : 011323.29; 031423.R29; 092122.09						
Consumables : N/A						
Pipette : N/A						
Analyzed by: 3336, 3621, 585, 1440	Weight: 1.02g	Extraction date: 04/21/23 17:18:10	Extracted by: 3336			
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						
Analytical Batch : DA059146TYM			Reviewed On : 04/24/23 11:05:02			
Instrument Used : Incubator (25-27C) DA-096			Batch Date : 04/21/23 17:24:31			
Analyzed Date : 04/21/23 17:31:44						
Dilution : 10						
Reagent : 011323.29						
Consumables : 007109						
Pipette : N/A						
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						

	Mycotoxins	PASSED				
Analyte	LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	
Analyzed by: 3379, 585, 1440	Weight: 0.2681g	Extraction date: 04/21/23 16:31:42	Extracted by: 450,585			
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						
Analytical Batch : DA059119MYC			Reviewed On : 04/24/23 11:09:20			
Instrument Used : N/A			Batch Date : 04/21/23 11:57:01			
Analyzed Date : 04/21/23 16:48:37						
Dilution : 250						
Reagent : 041723.R01; 042123.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11						
Consumables : 6697075-02						
Pipette : DA-093; DA-094; DA-219						
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	Heavy Metals	PASSED				
Metal	LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT LOAD METALS						
ARSENIC	0.08	ppm	ND	PASS	1.1	
CADMIUM	0.02	ppm	ND	PASS	0.2	
CADMIUM	0.02	ppm	ND	PASS	0.2	
MERCURY	0.02	ppm	ND	PASS	0.2	
LEAD	0.02	ppm	ND	PASS	0.5	
Analyzed by: 1022, 585, 1440	Weight: 0.2635g	Extraction date: 04/21/23 11:45:00	Extracted by: 1022,3619			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA059106HEA			Reviewed On : 04/22/23 14:30:26			
Instrument Used : DA-ICPMS-003			Batch Date : 04/21/23 10:50:35			
Analyzed Date : 04/21/23 14:51:49						
Dilution : 50						
Reagent : 040623.R23; 031423.R18; 041423.R38; 041723.R30; 041423.R36; 041423.R37; 041123.R28; 040323.R21; 020123.02						
Consumables : 179436; 210508058; 12620-307CD-307D						
Pipette : DA-060						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30421004-008

Harvest/Lot ID: 8946 6716 2185 2331

 Batch# : 8946 6716 2185
 2331

Sampled : 04/20/23

Ordered : 04/20/23

Sample Size Received : 16 gram

Total Amount : 1452 units

Completed : 04/24/23 Expires: 04/24/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by:
 1879, 1440

 Weight:
 NA

 Extraction date:
 N/A

 Extracted by:
 N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA059130FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 04/21/23 15:32:41

Reviewed On : 04/21/23 15:41:58

Batch Date : 04/21/23 14:21:10

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.605	PASS	0.85

 Analyzed by:
 2926, 585, 1440

 Weight:
 0.653g

 Extraction date:
 04/22/23 12:28:18

 Extracted by:
 2926

Analysis Method : SOP.T.40.019

Analytical Batch : DA059126WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 04/21/23 15:44:31

Reviewed On : 04/22/23 14:35:13

Batch Date : 04/21/23 12:06:18

Dilution : N/A

Reagent : 100522.09

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.